

71532-1

9/26/2012

1/9

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D C 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

SEP 26 2012

Mr Matthew Brooks, Ph D
Authorized Representative for LG Life Sciences
Ag-Chem Consulting
12208 Quinque Lane
Clifton, VA 20124

Subject Amended Reregistration Label
Product Name LG Permethrin Technical
EPA Registration Number 71532-1

Dear Dr Brooks,

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Permethrin RED(s), and has concluded that your submission is acceptable

NOTE This product is **not** being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below Any previously dated CSFs are superseded

- Basic CSF, dated July 7, 2011
- Alternate CSF #1, dated July 7, 2011
- Alternate CSF #2, dated July 7, 2011

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label Your release for shipment of the product bearing

the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e)

If you have any questions about this letter, please contact BeWanda Alexander at (703) 305-7460 or via e-mail at alexander.bewanda@epa.gov

Sincerely,



Richard J Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

3/9

ACCEPTED
SEP 26 2012
Under the Federal Insecticide Fungicide and Rodenticide Act, as amended for the pesticide
Registered under
EPA Reg No. 71532-1

LG PERMETHRIN TECHNICAL INSECTICIDE

AN INSECTICIDE FOR FORMULATING USE ONLY
FOR FORMULATION INTO END-USE INSECTICIDES
FOR MANUFACTURING USE IN IMPREGNATING TEXTILES

ACTIVE INGREDIENT	
*Permethrin	95.2%
OTHER INGREDIENTS	4.8%
Total	100.0%

*(3 Phenoxyphenyl)methyl(+) cis trans 3 (2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate
 *cis/trans ratio min 35% (±) cis and max 65% (±) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have a person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by the poison control center • Do not give anything by mouth to an unconscious person
IF ON SKIN or CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the poison Control Center at 1 800 222 1222	

Manufactured by
 LG Life Sciences, Ltd
 910 Sylvan Avenue
 Englewood Cliffs, NJ 07632

EPA Reg #71532 1

July 12, 2012

4/9

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION Harmful if swallowed or absorbed through skin Causes moderate eye irritation Avoid contact with eyes, skin or clothing Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates Do not discharge effluent containing this product into lakes, streams ponds estuaries oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance, contact your State Water Board or Regional Office of the EPA

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame

USER SAFETY RECOMMENDATIONS

Wash hands before eating drinking chewing gum using tobacco or using the toilet

ONLY FOR FORMULATION INTO AN INSECTICIDE FOR THE FOLLOWING USES

(1)

General Outdoor Insect Control

Do not apply more than 2 pounds active ingredient per acre per year

Terrestrial Food

- Alfalfa
- Almonds
- Apples
- Artichokes Asparagus Asparagus Fern
- Avocados Cherries
- Cole Crops¹ Collards
- Cucurbit vegetables² Eggplant
- Field corn/popcorn/seed corn Filberts
- Horseradish

Leafy vegetables (except Brassicas)³ Mushrooms
 Onions (dry bulb & garlic)
 Papaya (FL only)
 Peaches, Nectarines
 Pears
 Peppers, bell
 Pistachios Potatoes
 Range Grass (NM only)
 Soybeans Sweet Corn Tomatoes Turnips
 Walnuts

¹ Broccoli, Chinese broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, Cavolo broccoli, and kohlrabi

² **Chavote (fruit)** (*Sechium edule*) **Chinese waxgourd (Chinese preserving melon)** (*Bemincasa hispida*) **Citron melon** (*Citrullus lanatus var citroides*) **Cucumber** (*Cucumis sativus*) **Gherkin** (*Cucumis ancuria*) **Gourd, edible** (*Lagenaria spp*) (includes hvotan, cucuzza) (*Luffa spp*) (includes hechima, Chinese okra) (*Momordica spp*) (includes balsam apple, balsam pear bitter melon Chinese cucumber) **Muskmelon** (hybrids and/or cultivars of *Cucumis melo*) (includes true cantaloupe cantaloupe, casaba, Crenshaw melon golden pershaw melon honeydew melon, honey balls, mango melon, Persian melon pineapple melon, Santa Claus melon and snake melon) **Pumpkin** (*Cucurbita sm*) **Squash, summer** (*Cucurbita pepo var melopepo*) (includes crookneck squash scallop squash straightneck squash vegetable marrow zucchini) **Squash, winter** (*Cucurbita maxima C moshata*) (includes butternut squash, calabaza, hubbard squash) (*C mixta C Pew*) (includes acorn squash, spaghetti squash) **Watermelon** (includes hybrids and/or varieties of *Citrullus spp*)

³ **Amaranth** (leafy amaranth Chinese spinach tampala) **Arugula** (*Rocquette*) **Cardoon, Celery, Celery, Chinese, Celtuce, Chervil, Chrysanthemum, edible-leaved and garland** **Corn salad** **Cress, garden, Cress, upland** (yellow rocket, winter cress), **Dandelion, Dock** (sorrel), Endive (escarole), **Fennel, Florence** (finochio), **Lettuce, head and leaf, Orach, Parsley***, **Purslane, garden, Purslane, winter, Radicchio** (red chicory) **Rhubarb, Swiss chard**

Spinach (including New Zealand and vine, Malabar spinach, Indian spinach)

Terrestrial Non-Food Use Only

Christmas Trees (container & field grown)
Chrysanthemums
 Conifers (container & field-grown)
 Pine Seed Orchards
 Ornamentals / Nursery Stock (container & field grown) Non-Bearing Fruit Trees (container & field grown) Foliage / Flowering Plants (container & field grown)
 Trees, Shrubs & Groundcovers
 Ornamental Lawns & Turf Grasses (including golf courses) Ornamental Gardens & Parks
Wood Treatment & Protection

Roses (field-grown & greenhouse)

Greenhouse (Non-Food Use Only)

Termiticide Soil Contact Nonfumigation Treatment

Domestic Farm Animals

- Cattle
- Horses
- Hogs
- Poultry
- Sheep
- Goats

Agricultural Premises (Indoor & Outdoor) Companion Animals

General Indoor Insect Control

Food/Feed Handling Establishments Places other than private residences in which food/feed is held processed prepared or served

Nonfood/feed Areas May be used to manufacture end-use products for use as a general spot or crack and crevice treatment in nonfood areas Similar areas where insects hide or through which insects may enter can be treated Examples of nonfood areas include garbage rooms, lavatories, floor drains (to sewers) entries and vestibules offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling)

Food/Feed Areas May not be used to manufacture products for use in food/feed areas Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed Do not use in serving areas while food is exposed or facility is in operation Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use Exposed food should be covered or removed Examples of food areas are areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible wastes storage and enclosed processing systems (mills dairies edible oils syrups), serving areas (when food is exposed and facility is in operation) also would be considered a food area

Domestic Indoor

For manufacturing use in impregnating textiles Incorporate into the coatings matrix of the fabrics at a rate not to exceed 1.25 grams Permethrin per square meter of fabric

Fiber Product Protection
Human Articles and Materials

Human Body Hair

Formulation into Wettable Powder

Not for formulation into Wettable Powder formulations unless they are packaged in water soluble bags

Not for formulation into an end use product for use in outdoor residential misting systems

Formulation into Liquid and Ready to Use Products labeled or intended for use on residential indoor surfaces

All liquid and RTU products labeled for use on indoor surfaces (broadcast, baseboard, spot, and crack and crevice) at residential sites must be formulated to contain no more than 0.5% of permethrin active ingredient

All liquid products (excluding RTU aerosols) labeled for use on indoor surfaces must state the following Not for Broadcast Use

Formulations into Total Release Foggers labeled for use on residential indoor spaces

Total release foggers labeled for indoor use at residential sites must be formulated to contain no more than 0.58% permethrin active ingredient

Formulators using this product are responsible for obtaining EPA registration for their formulated product which may be labeled for the use patterns as found listed on this label

- (1) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration, and
- (2) Uses for experimental purposes that are in compliance with USEPA requirements

NOTE *Not for use to formulate products to be used

- In warehouses where raw or cured tobacco is stored
- In warehouses where raw agricultural commodities for food or feed are stored
- In greenhouses where crops for food or feed are grown
- In USDA meat and egg processing plants
- For mosquito control (ULV) products

STORAGE AND DISPOSAL

Prohibitions Do not contaminate water food or feed by storage or disposal Open dumping is prohibited Do not reuse empty container

Storage Keep container closed when not in use Do not store near food or feed Protect from freezing In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent Remove to chemical waste area

Pesticide Disposal Nonrefillable Container Do not reuse or refill this container Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container ¼ full with water Replace and tighten closures Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds Stand the container on its end and tip back and forth several times Turn the container over onto its other end and tip it back and forth several times Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal

Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities

Pesticide wastes are toxic Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance

Container Disposal Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying and using this product. If the terms are not acceptable, return the product at once unopened- and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of LG Life Sciences, Ltd. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold LG Life Sciences, Ltd. and Seller harmless for any claims relating to such factors.

LG Life Sciences, Ltd. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above. When used in accordance with directions under normal use conditions, this warranty does not extend to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or LG Life Sciences, Ltd. and Buyer and User assume the risk of any such use. To the extent permitted by law, LG Life Sciences, Ltd. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, LG Life Sciences, Ltd. or Seller will not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF LG Life Sciences, Ltd. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF LG Life Sciences, Ltd. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

LG Life Sciences, Ltd. and Seller offer this product, and Buyer and User accept it, subject to the foregoing condition for sale and limitations of warranty of liability, which may not be modified except by written agreement signed by a duly authorized representative of LG Life Sciences, Ltd.