

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 3, 2018

Dr. Matthew Brooks Director Representative LG Life Sciences c/o Ag-Chem Consulting 12208 Quinque Lane Clifton, VA 20124

Subject: Label Notification per PRN 2007-4 – Container disposal language Product Name: LG LAMBDA-CYHALOTHRIN TECHNICAL EPA Registration Number: 71532-19 Application Date: 4/23/2018 Decision Number: 540658

Dear Mr. Brooks:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the action requested falls within the scope of PRN-2007-4.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label (and can be added by non-notification via PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Angela Hollis at 703-347-0216 or via email at <u>hollis.angela@epa.gov</u>.

Sincerely,

Ju Khen FOR

Product Manager 03 Invertebrate & Vertebrate Branch 1 Registration Division (7505P) Office of Pesticide Programs

# LG Lambda-Cyhalothrin Technical

For Manufacturing Use Only In Formulating Insecticides

#### NOTIFICATION

| Active Ingredient:                              |  | NOTIFICATION  |
|---|--|---|
| Lambda-cyhalothrin                              |  | 71532-19  |
| [1-alpha(S*), 3-alpha(Z)]-(±)-cyano(3-phenoxyph | The applicant has certified that no<br>changes, other than those reported to |   |
| 3-(2-chloro-3,3,3-trifluoro-1-propenyI)-        |  | the Agency have been made to the<br>labeling. The Agency acknowledges |
| 2,2-dimethylcyclopropanecarboxylate             | 95.0%  | this notification by letter dated:                                    |
| Other Ingredients                               | 5.0%   | 08/03/2018  |
| Total   | 100.0%   |   |

# **KEEP OUT OF REACH OF CHILDREN DANGER/Peligro**



# **AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detaille. (If you do not understand the label, find someone to explain it to you in detail.)

#### See additional precautionary statements and directions for use on label.

EPA Reg. No.: 71532-19 EPA Est. No.: **Net Contents:** 

> Manufactured by: LG Chem, Inc. 128 YEOUI-DAERO, YEONGDEUNGPO-GU SEOUL 07336

| FIRST AID     |  |
|---------------|--|
| If swallowed  | <ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have a person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or a doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul> |
| If on skin or |  |
| clothing      | <ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 — 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>  |
| If in eyes    | <ul> <li>Hold eye open and rinse slowly and gently with water for 15 — 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>  |
| If inhaled    | <ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>  |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the poison Control Center at 1-800-222-1222

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals-DANGER!

Fatal if swallowed. May be fatal if inhaled or absorbed through skin. Causes substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wear protective clothing, goggles or full face shield and rubber gloves. Do not breathe vapors. Wear a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

#### **Environmental Hazards**

This pesticide is extremely toxic to fish and other aquatic organisms.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the Environmental Protection Agency.

#### **Physical and Chemical Hazards**

Do not use or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Formulators using this product are responsible for obtaining EPA registration for their formulated product.

Only for formulation into an insecticide for the uses listed below:

Terrestrial and Aquatic Food: See Appendix 1

Terrestrial Nonfood: Non-crop lands (excluding public land); Tobacco (burley and flue-cured).

Forestry: Conifer and Deciduous trees (plantations, nurseries and seed orchards).

Domestic Indoor and Outdoor

Nonfood Greenhouse and Nurseries

- 1) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and
- 2) Uses for experimental purposes that are in compliance with USEPA Requirements.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Keep container closed when not in use. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide, Environmental Control Agency, or the Hazardous Waste Representative of the nearest EPA Regional Office for guidance.

**Container Handling**: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or pressure rinse) as follows:

Triple Rinse: Empty the remaining contents into a storage container or a mix tank. Fill the container <sup>1</sup>/<sub>4</sub> full with appropriate solvent (1). Replace and tighten closure. Tip container on its side and roll it back and forth ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into a storage container for later use or disposal or into a mix tank for product formulation. Repeat this procedure two more times. Pressure Rinse:

Empty the containing contents into a storage container a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over storage container or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

(1) An appropriate solvent would be including a solvent that will dissolve technical material. The rinsate may be used later to formulate a product or may be disposed of accordance with local, state and national environmental laws, rules, standards and regulations.

#### Conditions of Sales and Limitation of Warranty and Liability

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather conditions, presence of other materials or other influencing factors in the use of this product, which are beyond the control of LG Chem, Ltd. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold LG Chem, Ltd. and Seller harmless for any claims relating to such factors.

LG Chem, Ltd. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or LG Chem, Ltd., and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, LG CHEM, LTD. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, LG Chem, LTD. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF LG CHEM, LTD. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LG CHEM, LTD. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

LG Chem, LTD. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of LG Chem, LTD.

#### Appendix 1: Terrestrial and Aquatic Food:

Alfalfa, *Brassica* (head and leaf); Canola; Corn (field, pop, seed and sweet); Cotton; Fruiting Vegetable Group (See below); Cucurbit Vegetable Group (see below); Garlic; Legume Vegetable Group (see below); Lettuce (head and leaf); Onion (dry bulb); Peanuts; Pome Fruits Group (see below); Rice; Wild Rice; Sorghum; Barley; Buckwheat; Oats; Rye; Stone Fruit Group (see below); Sugarcane; Sunflower; Tree Nut Group (see below); Tuberous and Corm Vegetables (see below); Triticale and Wheat; Grass Forage, Fodder and Hay (pasture and rangeland grass, grass grown for hay or silage and grass grown for seed).

| Fruiting Vegetable   | Cucurbit Vegetable  |  | Pome Fruits Group  | Stone Fruit   |
|--|---|--|--|---|
|  | _   |  | rome rrans oromp   |   |
| Group<br>Tomato<br>Tomatillo<br>Peppers (bell and<br>non-bell)<br>Eggplant<br>Ground Cherry<br>Pepino  | Group<br>Chayote (fruit)<br>Chinese<br>Waxgourd<br>(Chinese<br>preserving<br>melon)<br>Citron Melon<br>Cucumber<br>Gherkin<br>Gourd (edible)<br>Chinese<br>okra: balsam<br>apple, balsam  |  | Apple<br>Crabapple<br>Loquat<br>Mayhaw<br>Oriental Pear<br>Pear<br>Quince  | Group<br>Apricot<br>Sweet and Tart<br>Cherry<br>Nectarine<br>Peach<br>Plum<br>Chickasaw<br>Plum<br>Damson Plum<br>Japanese Plum<br>Plumcot<br>Prune |
| Tree Nut Group   | pear, bitter<br>melon,  | Tuberous and<br>Corm Vegetables  | Legume Vegetable<br>Group  |   |
| Almond<br>Beech Nut<br>Brazil Nut<br>Butternut<br>Cashew<br>Chestnut<br>Chinquapin<br>Filbert (Hazelnut)<br>Hickory Nut<br>Macadamia Nut<br>(Bush Nut)<br>Pecan<br>Pistachio<br>Walnut, Black<br>Walnut,<br>English<br>(Persian) | Chinese<br>cucumber<br>Muskmelon<br>(hybrids and/or<br>cultivars of<br><i>Cucurnis melo</i> )<br>— includes: true<br>cantaloupe,<br>casaba,<br>crenshaw<br>melon, golden<br>pershaw melon,<br>honeydew<br>melon, honey<br>balls, mango<br>melon, Persian<br>melon, Persian<br>melon, pineapple<br>melon, Santa<br>Claus melon,<br>snake melon<br>Pumpkin<br>Squash, summer<br>( <i>Cucurbita pepo</i><br>var. <i>melopepo</i> )<br>— includes:<br>crookneck | (Potato, Sweet<br>Potato, Yams and<br>Related)<br>Arracacha<br>Arrowroot<br>Artichoke (Chinese<br>and Jerusalem<br>only)<br>Canna (edible)<br>Cassava (bitter and<br>sweet)<br>Chayote (root)<br>Chufa<br>Dasheen<br>Ginger<br>Leren<br>Potato<br>Sweet Potato<br>Tanier<br>Turmeric<br>Yam (bean and<br>true) | Soybean<br>Beans and Peas:<br>Edible Podded<br>Canavalia gladiata-<br>sword bean<br>Canavalia<br>ensiformis –<br>jackbean<br>Glycine max -<br>Soybean<br>(immature seed)<br>Edible Podded,<br>Succulent<br>Shelled or Dried<br>Shelled<br>Phaseolus spp<br>includes: field,<br>kidney, lima, navy,<br>pinto, runner, snap,<br>tepary, and wax<br>beans<br>Vigna spp<br>includes: adzuki,<br>asparagus, moth,<br>mung, rice, urd and<br>yard long beans,<br>black-eyed pea, |   |

| squash, scallop | catjang, Chinese  |
|-----------------|-------------------|
| squash,         | longbean, cowpea, |
| straightneck    | Crowder pea, and  |
| squash,         | Southern pea      |
| vegetable       | Pisumspp          |
| marrow,         | includes: dwarf,  |
| zucchini        | edible-pod,       |
| Squash, winter  | English, field,   |
| (Cucurbita      | garden, green,    |
| maxima; C.      | snow and sugar    |
| moschata)—      | snap peas         |
| includes        | Cajanus cajan -   |
| butternut       | Pigeon pea        |
| squash,         | Succulent         |
| calabaza,       | Shelled or Dried  |
| hubbard         | Shelled           |
| squash (C.      | Vicia faba        |
| mixta; C.       | broadbean         |
| pepo) -         | (favabean)        |
| includes:       | Dried Shelled     |
| acorn squash,   | (only)            |
| spaghetti       | Lupinus spp       |
| squash          | includes: grain,  |
| Watermelon      | sweet, white and  |
|                 | sweet white       |
|                 | lupines           |
|                 | Cicer arietimum - |
|                 | Chickpea          |
|                 | (garbanzo bean)   |
|                 | Cyamopsis         |
|                 | tetragonoloba -   |
|                 | guar              |
|                 | Lablab pupureus - |
|                 | Lablab bean       |
|                 | (hyacinth bean)   |
|                 | Lens esculata -   |
|                 | Lentils           |
|                 | Lenting           |