



MASTER LABEL
(Front Panel)

COBRA™ WRAP

WOOD PRESERVATIVE COMMERCIAL

WOOD EXTERIOR SURFACE WRAP FOR ABOVE OR BELOW GROUND TREATMENT FOR POLES,
POSTS AND PILINGS

KEEP OUT OF REACH OF CHILDREN

WARNING

HARMFUL IF SWALLOWED

See other precautionary and first aid statements on side panels

CONTAINS INGREDIENTS LISTED BELOW SATURATED IN SYNTHETIC ABSORBENT CLOTH
ENSAPSULATED IN CHEMICAL AND VAPOUR RESISTANT CONTAINERS WITH AN ADDITIONAL
CHEMICAL RESISTANT VAPOUR BARRIER EXTERIOR.

ACTIVE INGREDIENT:

| | |
|---------------------------|--------------|
| Copper naphthenate* | 17.80 |
| INERT INGREDIENTS** | 82.20 |
| TOTAL | 100% |

* 2% copper as metal

**Contains Petroleum Distillates

Net Contents: 9.5 oz. each 9" pouch

Net Contents: 6.8 oz. each 6" pouch

EPA Reg. No. 71653-1

EPA EST. NO. 71653-CAN-001

Patent Protected

USA

Canada


GENICS INC.

561 Acheson Road

53016 Hwy 60

Spruce Grove, AB T7X 3G7

1-877-9-GENICS



(Side/Back Panel)

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed, inhaled or absorbed through skin, causes moderate eye irritation. Avoid breathing vapour. Use in well ventilated area. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash prior to reuse.

FIRST AID STATEMENT

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue to rinse. Call a poison control center or doctor for further treatment advice.

IF ON SKIN or CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, in areas where surface water is present or to intertidal area below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Do not discharge effluent containing this product into lakes, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or regional EPA Office.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store at temperatures between 64°F (18°C) and 120°F (50°C). **DO NOT STORE** opened pouches.

PESTICIDE DISPOSAL: If product has been spilled, spread absorbent, pick up and place in containers. Dispose of according to state and local regulations.

CONTAINER DISPOSAL: Wrap any cut portion of product in paper and put into trash collection.

(Side/Back Panel – This panel will only be printed for CobraWrap)

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

FOR EXTERIOR USE ONLY

CONTINUOUS ROLL [52.5 ft.]

Cobra™Wrap containing copper naphthenate is intended for use only on poles, posts and pilings as a wood preservative treatment. Cobra™Wrap containing copper naphthenate provides protection against moisture, fungal rot and termite damage. This copper naphthenate wood preservative and insecticide will preserve, protect and seal wood surfaces that will be in contact with soil or concrete. Depending upon climatic conditions, species of wood to which applied, moisture and humidity, treatment extends service life several years.

PREPARATION AND APPLICATION


Wood should be clean, dry, well seasoned and free of bark. When using Cobra™Wrap as a groundline treatment excavate around wood to allow top of wrap to extend 2" (5cm) above groundline.

Protect eyes and skin from contact.

Wire brush area 3" (7.5cm) above groundline and approximately 20" (50cm) below groundline removing dirt and decayed material.

Cut off sufficient length of Cobra™Wrap leaving 2" - 6" (5cm - 15cm) of wrap to serve as overlap. Lay on ground exposing the pouches of preservative. Peel off top layer exposing the leakable layer below. On the overlap portion leave a sufficient tail attached to the outermost edge forcing preservative to move back into wood zone for penetration.

Wrap proper length Cobra™Wrap around the pole with saturated pad against the pole and staple or tack firmly in place. Staple short side of the backing first and overwrap with longer edge. Allow wrap to extend 2" (5cm) above groundline. Backfill excavation, tamping firmly.



(Side/Back Panel- This panel will only be printed for CobraWrap SD)

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.
FOR EXTERIOR USE ONLY

CONTINUOUS ROLL [52.5 ft.]

Cobra™Wrap SD containing copper naphthenate is intended for use only on poles, posts and pilings as a wood preservative treatment. Cobra™Wrap SD containing copper naphthenate provides protection against moisture, fungal rot and termite damage. This copper naphthenate wood preservative and insecticide will preserve, protect and seal wood surfaces that will be in contact with soil or concrete. Depending upon climatic conditions, species of wood to which applied, moisture and humidity, treatment extends service life several years.

PREPARATION AND APPLICATION


Wood should be clean, dry, well seasoned and free of bark. When using Cobra™Wrap SD as a groundline treatment excavate around wood to allow top of wrap to extend 2" (5cm) above groundline.

Protect eyes and skin from contact.

Wire brush area 3" (7.5cm) above groundline and approximately 18" (45cm) below groundline removing dirt and decayed material.

Cut off sufficient length of Cobra™Wrap SD leaving 2" - 6" (5cm - 15cm) of wrap to serve as overlap. Lay on ground exposing the pouches of preservative. Cut open pouches by slicing diagonal lines every 3 to 4 inches through the inner plastic layer, exposing the saturated pads. On the overlap portion leave a sufficient tail attached to the outermost edge forcing preservative to move back into wood zone for penetration.

Wrap proper length Cobra™Wrap SD around the pole with saturated pad against the pole and staple or tack firmly in place. Staple short side of the backing first and overwrap with longer edge. Allow wrap to extend 2" (5cm) above groundline. Backfill excavation, tamping firmly.



**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

Warning

Harmful if swallowed, inhaled or absorbed through skin, causes moderate eye irritation. Avoid breathing vapour. Use in well ventilated area. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash prior to reuse.

FIRST AID STATEMENT

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue to rinse. Call a poison control center or doctor for further treatment advice.

IF ON SKIN or CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Contains petroleum distillates - vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, in areas where surface water is present or to intertidal area below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Do not discharge effluent containing this product into lakes, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or regional EPA Office.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal
PESTICIDE STORAGE: Store at temperatures between 64°F (18°C) and 120°F (50°C). DO NOT STORE opened pouches.
PESTICIDE DISPOSAL: If product has been spilled, spread absorbent, pick up and place in containers. Dispose of according to state and local regulations.
CONTAINER DISPOSAL: Wrap any cut portion of product in paper and put into trash collection.

COBRA™ WRAP

WOOD PRESERVATIVE COMMERCIAL

WOOD EXTERIOR SURFACE
WRAP FOR ABOVE OR BELOW
GROUND TREATMENT FOR
POLES, POSTS AND PILINGS

**KEEP OUT OF REACH
OF CHILDREN
Warning
HARMFUL IF SWALLOWED**

See other precautionary statements
on side panels

CONTAINS INGREDIENTS LISTED BELOW
SATURATED IN SYNTHETIC ABSORBENT CLOTH
ENSAPSULATED IN CHEMICAL AND VAPOUR
RESISTANT CONTAINERS WITH AN ADDITIONAL
CHEMICAL RESISTANT VAPOUR BARRIER
EXTERIOR.

ACTIVE INGREDIENT:

| | |
|---------------------|---------------|
| Copper naphthenate* | 17.80 |
| INERT INGREDIENTS** | 82.20 |
| TOTAL | 100.0% |


- * 2% copper as metal
- ** Contains Petroleum Distillates

Net Contents: 9.5 oz. each 9" pouch
Net Contents: 6.8 oz. each 6" pouch

EPA Reg. No. 71653-1
EPA EST. NO. 71653-CAN-001

Patent Protected
USA
Canada

GENICS INC.
561 Acheson Road
53016 Hwy 60
Spruce Grove, AB T7X 3G1
1-877-9-GENICS



DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR EXTERIOR USE ONLY

CONTINUOUS ROLL [52.5 ft.]

Cobra™Wrap containing copper naphthenate is intended for use only on poles, posts and pilings as a wood preservative treatment. Cobra™Wrap containing copper naphthenate provides protection against moisture, fungal rot and termite damage. This copper naphthenate wood preservative and insecticide will preserve, protect and seal wood surfaces that will be in contact with soil or concrete. Depending upon climatic conditions, species of wood to which applied, moisture and humidity, treatment extends service life several years.

PREPARATION AND APPLICATION

Wood should be clean, dry, well seasoned and free of bark. When using Cobra™Wrap as a groundline treatment excavate around wood to allow top of wrap to extend 2" (5cm) above groundline.


Protect eyes and skin from contact.

Wire brush area 3" (7.5cm) above groundline and approximately 20" (50cm) below groundline removing dirt and decayed material.

Cut off sufficient length of Cobra™Wrap leaving 2" - 6" (5cm - 15cm) of wrap to serve as overlap. Lay on ground exposing the pouches of preservative. Peel off top layer exposing the leakable layer below. On the overlap portion leave a sufficient tail attached to the outermost edge forcing preservative to move back into wood zone for penetration.

Wrap proper length Cobra™Wrap around the pole with saturated pad against the pole and staple or tack firmly in place. Staple short side of the backing first and overwrap with longer edge. Allow wrap to extend 2" (5cm) above groundline.

Backfill excavation, tamping firmly.



5
8
5