

GENICS INC. GENICS CuB

ACCEPTED
3-19-07
Under the Federal Insecticide, Fungicide, and
Rodenticide, Act as amended, for the
pesticide, registered under
EPA Reg. No. 71653-6

It is a violation of Federal Law to use this product
in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL BEFORE USE.

PRECAUTIONARY STATEMENTS

May be harmful if swallowed. Avoid contact with eyes and skin. May cause eye irritation. Avoid rubbing eyes while working with product. Wash hands thoroughly with soap and water after handling and before eating, drinking or smoking. Store and wash all protective clothing separately from household laundry. Personal protective clothing, normal work clothes (i.e. long pants, shoes, a long sleeved shirt) plus waterproof gloves for all users of product. Do not leave container where children or animals may gain access.

DIRECTIONS FOR USE

Genics CuB may be used on all cellulosic materials including wood, plywood, particle board, paper, oriented strand board (OSB) cardboard, wood composite and foam materials. Apply Genics CuB only to bare wood, plywood, particle board and other cellulosic materials where an intact water repellent barrier, such as paint, stain or sealant is not present. Do not apply to frozen wood.

Dip Treating Logs and Lumber: Sticker bundle wood to ensure the solution covers all wood surfaces. Submerge logs and/or lumber in the solution for at least one (1) minute or until all entrapped air has escaped. After dipping, the newly treated wood should be stacked and stored under a tarpaulin or shed roof to slow the drying process and prevent wash off by rainfall, thus improving penetration. Complete penetration may require several weeks to occur, depending upon species and thickness of wood.

Brush/Roller/Spray: Two applications of Genics CuB are normally required for control of decay or insects while only a single application will control mold. Apply Genics CuB solution by brush, roller or spray until wood surface is thoroughly wet, at a rate of approximately 1 litre per 5 square metres of wood surface area. When spraying, apply evenly using a medium or course spray at low pressures (1-2 kg/cm²). Thoroughly soak cut ends. Apply a second coat 4 to 24 hours later.

For the preservation and protection of wood and wood composites against fungal decay, mold or insect attack.

CAUTION FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice
If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately for 15-20 minutes. Call poison control center or doctor for treatment advice.
If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice
If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ACTIVE INGREDIENTS:

Disodium Octaborate Tetrahydrate.....	9.1%
Boric Acid	0.51%
Copper Hydroxide	0.96%
Other Ingredients	89.4%
TOTAL:	100.00%

EPA Reg. No. 71653-6
US EPA Est. 71653-CAN-01

Net Contents : x Gallons

Genics Inc.
#561 Acheson Rd. 53016 Hwy 60
Acheson, AB T7X 5A7
(780) 962-1000 FAX: (780) 962-1052
1-877-9-GENICS

Pressure Treatment: Pressure Treatment must rigidly adhere to the current specifications of Genics CuB or those of the American Wood Preservers' Association (AWPA) for borates.

Injection: Application may be made by drilling, then injecting the solution into infested areas until refusal occurs. Product may also be applied as a foam by adding 3 to 8 ounces of foam per gallon of solution. Apply foam so as to completely fill the void and contact all surfaces in the void space.

It is important to allow treated material to completely dry (at least 48 hours, depending upon temperature and humidity) before applying any protective finish. The finish or topcoat should be applied within two weeks of treatment if the treated product is exposed to rain or running water. Although a wide variety of paints and stains have been successfully used over Genics CuB treated wood, it is always a good idea to coat a small section of treated wood with the finish to be used and check for compatibility prior to complete application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place inaccessible to children and pets and away from food or feed. Do not freeze.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

RECEIVED
FEB 26 2007

71653-6

3/19/2007

Page 1 of 1