UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

DEC 3 1998

Mr. Sherman Wang
W & W Marketing Corporation
8780 Valley Boulevard
Suite K
Rosemead, CA 91770

Dear Mr. Wang:

Subject: Superchlo

EPA Registration No. 71674-1

Your Amendment Dated September 15, 1998

This is in response to your amendment of revised label for the subject product.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable subject to the following comment.

Revised the ingestion statement to read: "If swallowed, drink large amounts of water. Do not induce vomiting. Call a physician or poison control center immediately."

A stamped copy is enclosed for your records. Submit one copy of the revised final printed label.

If you have any questions, please call Marianne Clark at (703) 308-6381.

Sincerely yours,

Robert S. Brennis

Product Manager (32)

Regulatory Management Branch II Antimicrobial Division (7510C)

CONCURRENCES									
SYMBOL									
SURNAME							************		
DATE				*************	*************	***********			
OSSICIAL SU E COPY									

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

*U.S. Government Printing Office: 1992 — 620-856/40672

Superchlo

Dry Granular Chlorinating Chemical	
ACTIVE INGREDIENT: Calcium Hypochlorite	67%
INERT INGREDIENTS:	33%

KEEP OUT OF REACH OF CHILDREN

State of the second of the

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with cold water for at least 15 minutes. Get medical attention.

IF CONTACT WITH SKIN, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

IF SWALLOWED, feed bread soaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

(See additional precautions on side panel.)

Manufactured by: Tianjin Industrial Import & Export Company

6 You Yi Road, Tianjin 300074

P.R. China

Imported by: W & W Marketing Corporation

8780 Valley Blvd., Suite K

Rosemead, CA 91770

EPA REGISTRATION NO. 71674-1

EPA ESTABLISHMENT NO. 71674-CHN-001

NET CONTENT: 88 lbs

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face. shield and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

with COMAZINTS in EPA Letter Dated:

3 1998 DEC

Under the Federal Insecticide, Progleid and Ped All's Actual Laced No. 1 the postici registered ander LPA Reg. 1

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean dry unensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

DIRECTIONS FOR USE

3. t.

It is a violation of federal law to use this product in a manner inconsistent with its labelling.

STORAGE AND DISPOSAL

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 10 to 20 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 2 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a

with COMMENTS in EPA Letter Dated:

DEC 3 1998

Under the Federal Insecticity
Pungleid, and Redentields Act
amended, for the realist
registered under EPA Reg. 1 o. 7/674-

residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 10 to 20 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm. At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge. WINTERIZING POOLS - while water is still clear & clean, apply 0.6 oz. of product per 1,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instruction.

1

Committee of the second second

