



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 19, 2011

FILE COPY

Mr. Sherman Wang
US Agent for Tianjin Industrial Import & Export Company
W & W Marketing Corporation
2522 Malt Avenue
Commerce, CA 90040

Subject: Super Chlo
EPA Registration Number: 71674-1
Application Date: October 4, 2011
EPA Receipt Date: October 12, 2011

Dear Mr. Wang:

The following amendment, submitted in connection with registration under section of the federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted.

Proposed label amendment:

- Revised labeling per PR Notice 2007-4 (EPA letter dated September 21, 2011).

General Comments:

A stamped copy of the label is enclosed for your record.

Should you have any questions or comments concerning this letter, please contact Adam Heyward via email at heyward.adam@epa.gov or by telephone at (703) 347-0274 during the hours of 6:00 am to 2:30 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Monisha Harris
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

Enclosure: A copy of the stamped label.

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS
AND DOMESTIC ANIMALS
DANGER**

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. For packages 50 pounds or more, do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

STORAGE AND DISPOSAL

STORAGE: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding the container.

BATCH NO.:

DISPOSAL:

(Household/Residential Instructions)
Non-refillable container. Do not reuse or refill this container. If empty, place in trash or offer for recycling, if available. If partly full, call your local solid waste agency for disposal instructions. Never place in used product down in door or window drain. *(Non-household/non-residential/Residue removal instructions for rigid non-refillable containers equal to or less than 50 lbs.)*
Non-refillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows:



ACTIVE INGREDIENT:
Calcium Hypochlorite.....67%
OTHER INGREDIENTS:
.....33%
TOTAL:.....100%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF MEDICAL EMERGENCY, CALL 1-800-535-5053

(See additional precautions on side panel)

Manufactured by:

Tianjin Industrial Import & Export Company
6 You Yi Road, Tianjin 300074
P.R. China

Imported by:

W & W Marketing Corporation
2522 Malt Avenue
Commerce, CA 90040, USA

EPA REGISTRATION NO. 71674-1

EPA ESTABLISHMENT NO. 71674-CHN-001

NET CONTENT: 100 LBS

Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinseate into application equipment or a mix tank or store rinseate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

(Non-household/non-residential/Residue removal instructions for rigid non-refillable containers greater than 50 lbs.)

Non-refillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the Container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinseate into application equipment or a mix tank or store rinseate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

**SWIMMING POOL WATER
DISINFECTION**

For a new pool or spring start-up, superchlorinate with 1.0 to 2.0 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain alkalinity of the pool between 50 to 100 ppm. To maintain the pool, add manually or by a feeder device 2 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 1.0 to 2.0 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm. At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS-- While water is still clear & clean, apply 0.6 oz. of product per 1,000 gallons, while filter is running to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instruction.