

71711-7

4-30-2003

1/9



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

EPA Reg.
Number:

71711-7

Date of Issuance:

APR 30 2003

Expiration Date:

DEC 31 2004

Term of Issuance:

Unconditional

Name of Pesticide Product:

ET-751 2.5% EC Herbicide

Name and Address of Registrant (include ZIP Code):

Nichino America, Inc.
4550 New Linden Hill Road, Suite 501
Wilmington, DE 19808

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is ^{UN}conditionally registered in accordance with FIFRA sec. 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label change:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 71711-7".
 - b. In the statement under the name of the pesticide product, revise "Corn" to read as "Field Corn".
 - c. Under the heading entitled PRECAUTIONARY STATEMENTS, revise the second statement "Causes eye damage" to read as "Causes irreversible eye damage".
 - d. Within the listed required PPE for early entry in the Agricultural Use Requirement Box, delete "long sleeved shirt and long pants" and incorporate "Coveralls".
3. Submit, within six (6) months of the date of this registration notice, a Flammability/Flame Extension study pertaining to GRN 830.6315.

Signature of Approving Official:

Date:

APR 30 2003

M. Howard
PM Team 23
(703) 204-1678

page 2

EPA Reg. No. 71711-7

2/9

4. Revise your basic Confidential Statement of Formula (CSF), dated 11/21/03, according to the Agency memo, dated 7/9/02.

5. Submit two (2) copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosures

3/9

ACCEPTED
with COMMENTS
In EPA Letter Dated

ET-751
ETMAS-040303
Page 1 of 7
w/o

APR 30 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

71711-7

ET-751 2.5%EC Herbicide

For Terrestrial Use as a Potato Harvest Aid/Desiccant, for
Preplant or Preemergence Burndown in Corn and Soybeans,
and for Noncrop Weed Control

Active Ingredients:

Pyraflufen ethyl (Ethyl 2-chloro-5-(4-chloro-5-difluoromethoxy-1-
methylpyrazol-3-yl)-4-fluorophenoxyacetate2.5%

Other Ingredients:.....97.5%

Total:.....100.0%

Contains 0.208 lb. Pyraflufen ethyl per gallon (25 grams per liter)

EPA Reg. No. 71711- xx

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

ANGER

PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain to you in detail.)

FIRST AID	
If swallowed	<ul style="list-style-type: none"> Call a doctor or poison control center immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Avoid alcohol.
If in eyes	<ul style="list-style-type: none"> Immediately hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-348-5832 for emergency medical treatment information. In case of fire or spills, information may be obtained by calling 1-800-424-9300.	
NOTE TO PHYSICIAN	
Contains petroleum distillate – vomiting may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage.	

For product information use internet website www.nichino.net

See (back, side, inside) label for First Aid and Precautionary
Statements and attached booklet for complete Directions for Use

Net Contents: _____

Active Ingredient Made in Japan; Formulated and Packaged in U.S.A.

Nichino America, Inc.

4550 New Linden Hill Road, Suite 501

Wilmington, DE 19808

www.nichino.net

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER
PELIGRO

Corrosive. Causes eye damage. Do not get in eye, on skin, or on clothing. Wear goggles or face shield when handling. Harmful if swallowed. Harmful if absorbed through skin. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant (such as nitrile or butyl) gloves
- Shoes plus socks
- Protective eyewear
- For overhead exposure, wear chemical resistant headgear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENGINEERING CONTROLS STATEMENTS

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 70.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. This product may contaminate water through drift of spray in wind or via runoff events. Use care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply if rainfall is expected within one hour.

SPRAY DRIFT

Avoid spray drift to all other crops and nontarget areas. Do not apply when weather conditions may cause drift. Do not allow this product to drift onto nontarget areas. Drift may result in illegal residues or injury to adjacent crops and vegetation, in the form of leaf yellowing and defoliation. To avoid spray drift, DO NOT apply aerially when wind speed is greater than 10 mph or during periods of temperature inversions. Use of larger droplet size will also reduce spray drift.

AVOIDING SPRAY DRIFT AT THE APPLICATION SITE IS THE RESPONSIBILITY OF THE APPLICATOR.

The interaction of equipment and weather-related factors determines the potential for spray drift. The applicator is responsible for considering all these factors when making decisions. Droplet size, boom height, and wind speed are the primary factors determining drift. The specific application conditions required for the use of this product are described below.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

GENERAL INFORMATION

ET-751 2.5%EC is designed for use as a harvest aid in potatoes, as a preplant or preemergence burn-down in corn and soybeans, and as a nonselective herbicide for control of broadleaf weeds in noncrop areas. The contents should be mixed in water, using sufficient volume to permit thorough coverage of crop foliage and stems and applied using broadcast spray techniques. ET-751 is rainfast within one hour after application.

Only certified applicators are permitted to apply ET-751 2.5%EC for turf and ornamental sites.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Long sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

NONAGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, or greenhouses. For other uses, including interiorscapes and other nonagricultural uses, do not enter treated areas without protective clothing until sprays have dried.

WEEDS CONTROLLED

The following weed species can be controlled by applications of product in the manner described below:

Morningglory, entireleaf	<i>Ipomoea hederacea</i> var. <i>integruscula</i>	Tall waterhemp	<i>Amaranthus tuberculatus</i>
Morningglory, pitted	<i>Ipomoea lacunosa</i>	Pennsylvania smartweed	<i>Polygonum pensylvanicum</i>
Morningglory, ivyleaf	<i>Ipomoea hederacea</i>	Ladysthumb	<i>Polygonum persicaria</i>
Velvetleaf	<i>Abutilon theophrasti</i>	Wild buckwheat	<i>Polygonum convolvulus</i>
Redroot pigweed	<i>Amaranthus retroflexus</i>	Kochia	<i>Kochia scoparia</i>
Chickweed	<i>Stellaria media</i>	Black nightshade	<i>Solanum nigrum</i>
Bedstraw	<i>Galium aparine</i>	Wild mustard	<i>Brassica kaber</i>
Henbit	<i>Lamium amplexicaule</i>	Common purslane	<i>Portulaca oleracea</i>
Shepherdspurse	<i>Capsella bursa-pastoris</i>	Curly dock	<i>Rumex crispus</i>
Common ragweed	<i>Ambrosia artemisiifolia</i>	Annual sowthistle	<i>Sonchus oleraceus</i>
Cocklebur	<i>Xanthium pensylvanicum</i>	Common sunflower	<i>Heliantus annuus</i>
Lambsquarters	<i>Chenopodium album</i>	Hairy beggartick	<i>Bidens pilosa</i>
Prostrate knotweed	<i>Polygonum aviculare</i>	Hemp sesbania	<i>Sesbania exaltata</i>
Wild radish	<i>Raphanus raphanistrum</i>		

MIXING DIRECTIONS

Add ½ to ¾ of the required amount of water to the spray tank. Start agitation. Add the required amount of ET-751 2.5%EC and the remaining amount of water. Mix only as much spray solution as can be sprayed within four hours. Storage and use of the previous day's spray mix may result in reduced activity.

TANK MIXTURES

ET-751 2.5%EC may be applied as a tankmix or in sequential application with other harvest aid, fungicide, or insecticide products. Weather, crop conditions, or the presence or certain weeds, crop damaging insects, or diseases will indicate the inclusion of other pesticides in the defoliation or desiccation application. ET-751 may be tank mixed or applied in sequence with other defoliant or desiccant products such as Cyclone®, Diquat, Gramoxone®, Roundup®, or Starfire®. ET-751 may also be tank mixed with various insecticides or fungicides. Read and follow all label directions for each tankmix product.

EQUIPMENT CLEANING

Do not allow the spray solution to dry in the application equipment. After application and before using the sprayer equipment for any other applications, the sprayer must be thoroughly cleaned. Applicators must ensure proper equipment clean-out for any other other products mixed with ET-751 2.5%EC as provided on the other product label(s). Immediately following application, clean all equipment thoroughly with detergent or a spray tank cleaner and water as described below. Should residues of ET-751 remain in inadequately cleaned equipment, they may be released in subsequent applications and cause injury to crops.

1. Drain sprayer tank, hoses, and spray boom and thoroughly rinse with clean water the inside of the spray tank, sprayer hoses, boom, and nozzles to remove any sediment or residues.
2. Fill the tank $\frac{1}{2}$ full with clean water, add the appropriate detergent (follow manufacturer's directions for use). Fill tank to capacity and operate the sprayer with agitation for 15 minutes to flush hoses, boom, and nozzles.
3. Drain the sprayer tank, lines, and booms. Rinse the tank with clean water and flush through the hoses, boom, and nozzles. Remove and clean spray nozzles, tips, and screens.
4. Dispose of all cleaning solutions, rinsate, and washwaters in accordance with Federal, state and local regulations.

APPLICATION AND DOSAGE

Preplant or Preemergence Burndown

For control of broadleaf weeds at planting or prior to crop emergence, apply as a broadcast or banded in 10 to 50 gallons of water per acre. ET-751 2.5%EC may be tank mixed with other herbicides such as Roundup (glyphosate) for control of grassy weed species. If tank mixed with glyphosate, use the lower rate of 0.5 fl oz/A.

Crop	Rate and Spray Volume	Comments
Corn Soybeans	0.5 to 1 fl oz/A in tank mixtures with glyphosate or other grass herbicide in 10 to 50 gpa using ground equipment	Tank mixtures with other herbicides for control of grassy weeds is recommended. Use higher rate for larger weeds. Make only one preplant or preemergence burn-down application per season.

Potato Desiccation

When applied as a foliar spray to potatoes in early stages of senescence, ET-751 2.5%EC provides effective desiccation of potato foliage and vines, as well as control of troublesome late-season broadleaf weeds to facilitate tuber harvest. Adequate desiccation is generally achieved within 14 days after the initial treatment is applied. A repeat application of ET-751 or another herbicides or desiccant may be needed under certain climatic conditions to ensure complete desiccation. Apply ET-751 when the potato crop is in the early stages of natural senescence for best results.

Crop	Rate and Spray Volume	Comments
Potato (all varieties)	2.75 to 5.5 fl oz/A in 20 to 50 gpa using ground equipment	Make 1 to 2 applications using ground equipment at a minimum 7 day interval. Do not exceed two applications or 11 fl oz/A for potato desiccation.

Noncrop Weed Control

For use in noncrop areas where control of weeds is desired, such as airports; commercial plants; storage and lumber yards; barrier strips and firebreaks; equipment areas; nurseries and ornamental plantings; established ornamental turf; railroad, roadside and utility rights-of-way; fuel tank farms and pumping stations; other similar industrial noncrop areas. Apply ET-751 2.5%EC at rates specified in the dosage table below for control of broadleaf weeds. ET-751 may be tank mixed with other broadleaf herbicides such as glyphosate for control of grassy weeds.

Use	Rate and Spray Volume	Comments
(See directions for use above for explanation of appropriate use sites)	2.75 fl oz/A in 20 to 40 gpa using ground or backpack or similar spray equipment	Make 1 to 2 applications per season to noncrop areas using ground equipment. Do not exceed two applications or 5.5 fl oz/A per season for noncrop weed control.
	0.5 to 1 fl oz/A in tank mixtures with glyphosate or other grass herbicide	

USE RESTRICTIONS

- Do not apply more than 11 fl oz/acre per growing season to potatoes.
- Do not apply more than 1 fl oz/acre to corn or soybeans, prior to planting, or emergence of crop only.
- Do not apply within 7 days of harvesting potatoes.

ROTATIONAL CROP RESTRICTIONS

Do not plant rotational crops other than potato, corn, or soybeans for 30 days following the last application of this product.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Storage: Store in a cool place.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: DO NOT reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be accurate and should be followed carefully. However, because of extreme weather and soil conditions, use methods and other factors beyond the control of Nichino America, Inc. (NAI), it is impossible for NAI to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks are assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NAI is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. NNAI disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT THE ELECTION OF NICHINO AMERICA, THE REPLACEMENT OF PRODUCT.

© 2003. Nichino America, Inc.

ET™ is a trademark of Nichino America, Inc. Cyclone®, Gramoxone®, and Starfire® are trademarks of Syngenta Crop Protection. Roundup® is a trademark of Monsanto Company.

042103