Please read instructions on reverse before complete.	ting form.	Form	Approv	ved. OMB No.	2070-00	60. Approval expires 05-31
United States Environmental Protection Agency Washington, DC 20460			Registra Amendn		OPP Identifier Number	
		<u> </u>	Other			
		· Pacticida Sa	X			<u> </u>
Company/Product Number	Application for	2. EPA Product N			3 5	Proposed Classification
71711.7		Joanne Miller		] " '	p Gincollienoll	
4. Company/Product (Name)		PM#			-	
4. Company/Product (Name)  Edict Herbicide/Defoliant				None Restricte		
5. Name and Address of Applicant (Include 2	Zip Code)	<u> </u>	view.	In accordance	e with f	FIFRA Section 3(c)(3)
,		(b)(l), my product				nposition and labeling
Nichino America Inc. 4550 New Linden Hill Road		to: EPA Reg. No.				
Suite 501 Milmington, DE 19808						
Wilmington, DE 19808  Check if this is a new a	ddress	Product Name				
	<del></del>	ction - II				
Amendment - Explain below.		Final printe		in response t	0	NOTIFICATION
Resubmission in response to Agency letter dated				·		
Notification - Explain below. JUN 0 6 2005					JUN 0 6 2005	
explanation:						
Notification: PR Notice 98-10 II. N. Other Rev o submit final printed label with inclusion of p		eibenent in incredie	nt sect	ion of label		
Attachments: 2 copies of labeling, identified a					J. Miller	dated May 13, 2005
	Soc	tion - III		<del></del>		
Material This Product Will Be Packaged		.4011 - 111				<del></del>
Child-Resistant Packaging Unit Packagin		vater Soluble Packa	ging	2. Type of		ner
Yes* Yes	ļ	Yes		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Metal	
X No X No	No. per If	X No "Yes" No.	per	X	Plastic Glass	;
Certification must Unit Packaging		-	tainer	<b> </b>	Paper	
pe submitted						(Specify) HDPE lined ba
Location of Net Contents Information	4 81-51-12	otail Contries		Location of	l ob-10	Viscotions
Label X Container	, ,	etail Container	ا ا	Location of		Mections
Laber X Container	1 gallon; 1 q	uart				accompanying product
<ol><li>Manner in Which Label is Affixed to Produce</li></ol>		ograph	0	theradh	esive ba	acked label
		er glued nciled				
	<b></b>					
. Contact Point (Complete items directly below		tion - IV	ntacte	d. if necessa	v, to pr	ocess this application \
lame	Title			Telepho	ne No.	(Include Area Code)
Marie A. Maks		egulatory Affairs		(302) 63		
rtify that the statements I have made on this for						te Application ceived
cknowledge that any knowingly false or mislead under applicable law.	ing statement may be i	punishable by fine or ir	nprison	ment or	c A	2Δ (Sta-nod)
Cinneture	3. Title				_	从 (Stamped) 、 /
Marie a Stake	Manager, R	egulatory Affairs			Kec	id May 13, 2005
. Typed Name		Paul 13 70	سسب ہر			***** = <b>/</b>

# **Certification Statement**

# **NOTIFICATION RE: OTHER REVISIONS** PER PR NOTICE 98-10

Nichino America, Inc. Edict® Herbicide/Defoliant (EPA Reg. No. 71711-7)

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Marie A. Maks

Michino America, Inc.

Manager, Regulatory Affairs
the May 13, 2005

# Nichino America, Inc.



For Noncrop Weed Control and Industrial Vegetation Management (Not for Homeowner Use)

**ACTIVE INGREDIENT:** 

Pyraflufen ethyl (ethyl 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methyl-1/H-pyrazol-3-yl)-4-fluorophenoxyacetate ..... 2.5% OTHER INGREDIENTS: TOTAL .. 

\*Contains petroleum distillates EPA Reg. No. 71711-7

NOTIFICATION

JUN 0 6 2005

# KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO
Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID					
If swallowed	<ul> <li>Call a doctor or poison control center immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person. Avoid alcohol.</li> </ul>				
If in eyes	<ul> <li>Immediately hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
ff on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>				
	HOTLINE NUMBER				
Have the prodical treatment	luct container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-348-5832 for emergency med- information. In case of fire or spills, information may be obtained by calling 1-800-424-9300.				
NOTE TO PH	YSICIAN				
Contains petroleum distillate - vomiting may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage.					

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER - PELIGRO

Corrosive. Causes irreversible eye damage. Do not get in eye, on skin, or on clothing. Wear goggles or face shield when handling. Harmful if swallowed. Harmful if absorbed through skin. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Some of the materials that are chemical-resistant to this product are listed below. If you want more options, follow the Instructions for Category A on an EPA chemical-resistance category selection chart.

# Applicators and other handlers must wear:

- . Long-sleeved shirt and long pants
- . Chemical resistant (such as nitrile or butyl) gloves
- Shoes plus socks
- · Protective eyewear
- · For overhead exposure, wear chemical resistant headgear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

## **User Safety Recommendations**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

  Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

# **ENGINEERING CONTROLS STATEMENTS**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

# **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates. This product may contaminate water through drift of spray in wind or via runoff events. Use care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply when weather conditions favor drift from treated areas.

## SPRAY DRIFT

Avoid spray drift to all other crops and nontarget areas. Do not apply when weather conditions may cause drift. Do not allow this product to drift onto nontarget areas. Drift may result in illegal residues or injury to adjacent crops and vegetation, in the form of leaf yellowing and defoliation. To avoid spray drift, DO NOT apply aerially when wind speed is greater than 10 mph or during periods of temperature inversions. Use of larger droplet size will also reduce spray drift.

AVOIDING SPRAY DRIFT AT THE APPLICATION SITE IS THE RESPONSIBILITY OF THE APPLICATOR.

The interaction of equipment and weather-related factors determines the potential for spray drift. The applicator is responsible for considering all these factors when making decisions. Droplet size, boom height, and wind speed are the primary factors determining drift. The specific application conditions required for the use of this product are described below.



Information on Droplet Size

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential, but will not prevent drift if applications are made improperly, or under unfavorable environmental conditions (see Wind, Temperature and Humidity, and Temperature Inversions)

Controlling Droplet Size

Volume - Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.

Pressure - Do not exceed the nozzle manufacturer's recommended pressures. For many nozzle types, lower pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead of increasing pressure.

Number of Nozzles - Use the minimum number of nozzles that provide uniform coverage.

Nozzle Orientation - Orienting nozzles so that the spray is released parallel to the airstream produces larger droplets than other orientations and is the recommended practice. Significant deflection from horizontal will reduce droplet size and increase drift potential.

Nozzie Type — Use a nozzie type that is designed for the intended application. With most nozzie types, narrower spray angles produce larger droplets. Consider using low-drift nozzies. Solid stream nozzies oriented straight back produce the largest droplets and the lowest drift.

Maintenance of Nozzles - Periodic inspection and subsequent replacement of nozzles to ensure proper chemical application is recommended.

For some use patterns, reducing the effective boom length to less than % of the wingspan or rotor length may further reduce drift without reducing swath width.

Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces exposure of droplets to evaporation and wind.

When applications are made with a crosswind, the swath will be displaced downward. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase, with increasing drift potential (higher wind, smaller drops, etc.)

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given wind speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential. Note: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

When making applications in low relative humidity, set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry.

Temperature Inversions

Applications should not occur during a temperature inversion because drift potential is high. Temperature Inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light and variable winds common during inversions. Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the morning. Their presence can be indicated by ground fog; however, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g. residential areas, bodies of water, known habitat for threatened or endangered species, nontarget crops) is minimal (e.g. when wind is blowing away from the sensitive areas).

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### NONAGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, or greenhouses. For other uses, including interiorscapes and other nonagricultural uses, do not enter treated areas without protective clothing until sprays have dried.

#### GENERAL INFORMATION

EDICT® is designed for use as a nonselective herbicide for control of broadleaf weeds in noncrop areas. The contents should be mixed in water, using sufficient volume to permit thorough coverage of crop foliage and stems and applied using broadcast spray techniques.

# **USE RESTRICTIONS**

Do not apply this product through any type of irrigation system.

## **WEEDS CONTROLLED**

The following broadleaf weed species can be controlled by applications of EDICT in the manner described below at 3 to 6 inches tail. Tankmixes of EDICT with other herbicides may be needed for control of larger weeds:

Annual sowthistle	Lambsquarters		
Bedstraw	Morningglory, entireleaf		
Black nightshade	Morningglory, ivyleaf		
Chickweed	Morningglory, pitted		
Cocklebur	Pennsylvania smartweed		
Common pursiane	Prostrate knotweed		
Common ragweed	Redroot pigweed		
Common sunflower	Russian thistle		
Curty dock	Shepherdspurse		
Cutleaf evening primrose	Tail waterhemp		
Hairy beggartick	Velvetleaf		
Hemp sesbania	Wild buckwheat		
Henbit	Wild mustard		
Kochia	Wild radish		
Ladysthumb			

#### MIXING DIRECTIONS

Add ½ to ½ of the required amount of water to the spray tank. Start agitation. Add the required amount of EDICT and the remaining amount of water. Mix only as much spray solution as can be sprayed within four hours. Storage and use of the previous day's spray mix may result in reduced activity.

#### TANK MIXTURES

EDICT may be tank mixed with various insecticides or fungicides. Read and follow all label directions for each tankmix product.

#### **EQUIPMENT CLEANING**

Do not allow the spray solution to dry in the application equipment. After application and before using the sprayer equipment for any other applications, the sprayer must be thoroughly cleaned. Applicators must ensure proper equipment clean-out for any other products mixed with EDICT as provided on the other product label(s). Immediately following application, clean all equipment thoroughly with detergent or a spray tank cleaner and water as described below. Should residues of EDICT remain in inadequately cleaned equipment, they may be released in subsequent applications and cause injury to crops.

- Drain sprayer tank, hoses, and spray boom and thoroughly rinse with clean water the inside of the spray tank, sprayer hoses, boom, and nozzles to remove any sediment
  or residues.
- 2. Fill the tank ¼ full with clean water, add the appropriate detergent (follow manufacturer's directions for use). Fill tank to capacity and operate the sprayer with agitation for 15 minutes to flush hoses, boom, and nozzles.
- 3. Drain the sprayer tank, lines, and booms. Rinse the tank with clean water and flush through the hoses, boom, and nozzles. Remove and clean spray nozzles, tips, and screens.
- 4. Dispose of all cleaning solutions, rinsate, and washwaters in accordance with Federal, state, and local regulations.

#### **APPLICATION AND DOSAGE**

#### **Noncrop Weed Control**

For use in noncrop areas where control of weeds is desired, such as airports; commercial plants; storage and lumber yards; barrier strips and firebreaks; equipment areas; railroad, roadside and utility rights-of-way; fuel tank farms and pumping stations; other similar industrial noncrop areas. Not for homeowner use. Apply EDICT at rates specified in the dosage table below for control of broadleaf weeds. EDICT may be tank mixed with other herbicides such as glyphosate for control of grassy weeds. EDICT is a broadleaf contact herbicide. Avoid contact with desirable vegetation.

Usa	Rate and Spray Volume	Use Restrictions and Comments
(See directions for use above for explanation of appropriate use sites)	2.75 fl oz/A in 20 to 40 gpa using ground or backpack or similar spray equipment	Make 1 to 2 applications per season to noncrop areas using ground equipment.
	0.5 to 1 fl oz/A in tank mixtures with glyphosate or other grass herbicide	two applications or 5.5 ft oz/A per season for non-crop weed control.

### STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Storage: Store in a cool place.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: DO NOT reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

# **IMPORTANT: READ BEFORE USE**

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties, and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be accurate and should be followed carefully. However, because of extreme weather and soil conditions, use methods and other factors beyond the control of Nichino America, Inc. (NAI), it is impossible for NAI to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks are assumed by the user or buyer.

Triply of infetted the second and th

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT THE ELECTION OF NICHINO AMERICA, THE REPLACEMENT OF PRODUCT.

C2004. Nichino America, Inc.
EDICTO is a trademark of Nichino America, Inc.

Active Ingredient Made in Japan; Formulated and Packaged in U.S.A.

# Nichino America, Inc.

4550 New Linden Hill Rd., Suite 501 Wilmington, DE 19808

209 ce 40

May 13, 2005

Ms. Joanne Miller, Product Manager 23 Office of Pesticide Programs (7504-C) Registration Division-H7505C U.S. Environmental Agency Room 266 A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

RE: Submission of Amended Section 3 Federal Label Per Notification

PR Notice 98-10 Nichino America, Inc. Edict® Herbicide/Defoliant (EPA Reg No. 71711-7)

Dear Ms. Miller:

Nichino America, Inc. requests the Agency's review of the addition of the statement, "contains petroleum distillate" in the ingredient statement on the section 3 federal label. This statement already appears in the "First Aid" box. We believe this addition complies with PR Notice 98-10 Section II. N. Other Revisions.

Attached are the following:

EPA application form, 8570-1

Larie a. Maks

- "Certification Statement"
- Two copies of labeling, identified as NY020401

If you have any questions, you are welcome to call me at (302) 636-9001 or email me at <a href="mailto:mmaks@nichino.net">mmaks@nichino.net</a>. Thank you.

Sincerely,

Marie A. Maks

Manager, Regulatory Affairs

Nichino America, Inc.