71711-8

12/23/2014



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 23, 2014

Julie Kozlowski Regulatory Affairs Specialist Nichino America, Inc. 4550 New Linden Hill Road, Suite 501 Wilmington, SDE 19808

Subject:

Label Amendment- Adding updated language from EFED flutolanil risk assessment; adding resistance management language; updated label language per LRM; change to Primary Brand name Product Name: MONCOAT MZ Fungicide EPA Registration Number: 71711-8 Application Date: 8/15/2014; resubmission dated 12/15/2014 Decision No. 494824

Dear Ms. Kozlowski:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The primary brand name change has been added to the product record. A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance. Page 2 of 2 EPA Registration No. 71711-8 Decision No. 494824

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Tamue L. Gibson by phone at (703) 305-9096 or via email at <u>gibson.tamue@epa.gov</u>.

Sincerely,

Hope Johnson, Product Manager 21 Fungicide Branch Registration Division (7505P) Office of Pesticide Programs

Attachments: -Approved main label stamped "Accepted"



GROUP 7 M3 FUNGICIDE

MONCOA T[®] MZ Fungicide

ACTIVE INGREDIENTS:

Flutolanil: Benza	amide, N-[3-(1-methylethoxy)phenyl]-2-(trifluoromethyl)	, o
	6.0%	
a coordination	product of zinc ion and manganese ethylene Bisdithiocarbamate, in which the	he
ingredients are		
Manganese ⁺⁺		
Zinc ⁺⁺	0.15%	
Ethylene bisdit	hiocarbamate ion (C₄H₅N₂S₄)4.65%	
OTHER INGREE	92.5%	, 0
TOTAL	100.0%	, 0

EPA Reg. No. 71711-8


EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
If on skin:	
n on skin.	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
	HOTLINE NUMBER
going for treatment	ontainer or label with you when calling a poison control center or doctor, or You may also contact 1-800-348-5832 for emergency medical treatment of fire or spills, information may be obtained by calling 1-800-424-9300.

NET CONTENTS:

See [attached, inside] booklet for First Aid, Precautionary Statements, and Directions for Use



Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 71711-8 Formulated and Packaged in U.S.A. for Nichino America Inc. 4550 New Linden Hill Road Wilmington, DE 19808 888-740-7700

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Some materials that are chemical resistant to this product are listed below.

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves made of any waterproof material, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride, or Viton[®]
- A NIOSH-approved particulate respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-84-A or any N, R, P, or HE filter.

See Engineering Controls for additional requirements.

User Safety Requirements

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENGINEERING CONTROLS

Large scale seed piece treatment facilities that, on any given week in the current year or in the past year, treated \geq 50,000 cwt (\geq 2,500 tons) must use a dust collection system during the treatment of the seed-pieces that prevents dust from contacting handlers or other persons.

Handlers using the dust collection system must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves made of any waterproof material, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride, or Viton (except pilots, groundboom applicators, and airblast applicators)
- Must be provided with, have immediately available, and wear in an emergency such as a broken package, spill, or equipment breakdown: a NIOSH-approved particulate respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-84-A or any N, R, P, or

HE filter.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval.

The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated. Solve a plants, soil or water, wear:

- Coveralls
- Shoes plus socks
- Chemical resistant gloves made of any waterproof material, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride, or Viton

USE INFORMATION

MONCOAT MZ fungicide is a coformulation containing two fungicides effective for the suppression of Black scurf and Rhizoctonia stem canker (*Rhizoctonia solani*), Fusarium dry rot (*Fusarium sambucinum; F. coeruleum*), and Silver scurf (*Helminthosporium solani*) on potato seed-pieces. MONCOAT MZ fungicide will help reduce the spread of *Phytophthora infestans* (late blight) that may occur from surface infestation resulting from seed-piece to seed-piece contact during the handling, cutting, and planting process. [MONCOAT MZ fungicide is <u>not</u> effective against systemic seed-piece infections or airborne (secondary) inoculum of *P. infestans*.] MONCOAT MZ fungicide contains 1.5% flutolanil and 6.0% mancozeb in a tree bark

based formulation. This pesticide will not control bacterial diseases or other diseases not claimed on this label for varieties known to be susceptible to bacterial soft rot. Companion fungicides known to be effective against this organism should be used. Consult your extension potato pathologist for variety and treatment information.

MONCOAT MZ fungicide is to be used as an integral part of a potato disease management strategy. This strategy includes the use of high quality certified seed and the incorporation of cultural practices such as: crop rotation, optimal harvest time to minimize disease development, and proper handling of tubers to minimize bruising and improve storage quality. Sound strategy should also include sanitation of equipment and storage areas to reduce disease inoculum and control of storage area temperature, humidity, and ventilation. Consult your local agricultural extension agent for more information on disease management practice.

ATTENTION: This product contains mancozeb and ETU, chemicals known to the state of California to cause cancer. ETU is also known to the state of California to cause birth defects or other reproductive harm.

CROP ROTATION RESTRICTIONS

Crop/Crop Group	Plantback Timing
Wheat	30 days
Leafy vegetables (such as lettuce, spinach, celery) Small grains other than wheat (such as barley, oats, rye)	150 days
Corn (such as field, sweet, popcorn) Cotton, sorghum, soybeans	240 days
All other crops	365 days

RESISTANCE MANAGEMENT

The active ingredients in MONCOAT MZ fungicide are flutolanil, which belongs to the succinate dehydrogenase inhibitor class (FRAC Group 7), and mancozeb (FRAC Group M3). Because resistance development cannot be predicted, the use of this product should conform to resistance management strategies established for the crop and use area. Such strategies may include rotating and/or tank mixing with products having different modes of action; or limiting the total number of applications per season. Nichino America, Inc. encourages responsible product stewardship to ensure effective long-term control of the fungal diseases on this label.

APPLICATION RESTRICTIONS

Seeds/seed-pieces that have been treated with this product that are then packaged or bagged for future use must contain the following labeling on the outside of the seed/seed-piece package or bag:

- When opening this bag or loading/pouring the treated seed/seed pieces, wear a longsleeved shirt, long pants, shoes, socks, chemical resistant gloves, and a NIOSH-approved particulate respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-84-A or any N, R, P, or HE filter.
- Treated Seed/Seed Pieces Do Not Use for Food, Feed, or Oil Purposes. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting.

• After the seeds/seed-pieces have been planted, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. Exception: Once the seeds/seed-pieces are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no worker contact with the soil/media subsurface.

Disease	Rate/Acre 0.75 to 1.0 lb./100 lbs. of cut seed- pieces	Directions for Use	
Seed borne Black scurf* Seed borne Fusarium dry rot (Fusarium sambucinum; Fusarium coeruleum)*		 Apply to the seed-pieces immediately after cutting. Use dispensing equipment that will give thorough coverage of the dust to the cut seed- piece surfaces. Thoroughly clean and sanitize cutting 	
Seed borne Rhizoctonia stem canker (<i>Rhizoctonia solani</i>)* Seed borne Silver scurf (<i>Helminthosporium solani</i>)*		 Thoroughly clean and sanitize cutting equipment including knives, belts, rollers, tables, trucks, and planting equipment before planting seed-pieces 	
*Suppression			

MONCOAT MZ FUNGICIDE APPLICATION RATE CHART

Note: This product does not contain dye and is not covered by an appropriate tolerance, tolerance exemption, or other clearance under the Federal Food, Drug and Cosmetic Act. To comply with 40 CFR 153.155, therefore, all seed treated commercially with this product must be colored with an EPA-approved dye or colorant of a suitable color to prevent accidental use as food for man or feed for animals.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container, and keep tightly closed when not in use. Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable plastic container (Less than 50 pounds)

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable plastic container (Greater than 50 pounds)

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable metal container (Greater than 50 pounds)

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank. Hold container upside down over application equipment or a mix tank or collect rinsate for

later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Nonrefillable paper and plastic bag

Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment, then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incidentation.

Nonrefillable fiber drum with liner

Nonrefillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment then offer for recycling if available or dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refillable plastic container

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Return to point of sale or offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration or by other procedures approved by state and local authorities.

Refillable metal container

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Return to point of sale or offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Refillable fiber drum with liner

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment or a mix tank. Return to point of sale or offer for recycling if available or reconditioning if appropriate or dispose of in a sanitary landfill or by incineration, or, if allowed by local and state authorities, by

D-201 042914-4 Page 7 of 9 burning. If burned, stay out of smoke. If drum is contaminated and cannot be reused, dispose of it in the manner required for its liner.

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties, and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be accurate and must be followed carefully. However, because of extreme weather and soil conditions, use methods and other factors beyond the control of Nichino America, Inc. (NAI), it is impossible for NAI to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. To the extent consistent with applicable law, all such risks are assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NAI is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, NAI disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT THE ELECTION OF NICHINO AMERICA, THE REPLACEMENT OF PRODUCT.

© 2014 Nichino America, Inc.

Viton is a registered trademark of E.I. du Pont de Nemours and Company MONCOAT is a registered trademark of Nichino America, Inc.

Appendix

Text that may be included on the container label or promotional information supporting this product:

Potato Seed-Piece Treatment for Suppression of Seedling Diseases

11/11