UNITED STATES	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania AVE, NW	EPA Reg. Number: 71711-14	Date of Issuance	
DALE PROTECTO	Washington, D.C. 20460	Term of Issuance Conditional	Term of Issuance:	
C PROVE	NOTICE OF PESTICIDE:		Name of Pesticide Product: Moncut 70-DF	
	Reregistration (under FIFRA, as amended)	1		
Nichino Ameri	len Hill Road, Suite 501			
submitted to and accept	ling differing in substance from that accepted in pted by the Registration Division prior to use of efer to the above EPA registration number.			
	mation furnished by the registrant, the above nam ecticide, Fungicide and Rodenticide Act.	ed pesticide is hereby re	gistered/reregistered	
protect health and the of a pesticide in acc	Way to be construed as an endorsement or recomment a environment, the Administrator, on his motion, ordance with the Act. The acceptance of any name to be construed as giving the registrant a right thers.	may at any time suspend o in connection with the r	r cancel the registratic egistration of a product	
-	is conditionally registered i covided that you:	n accordance wi	th FIFRA sec.	
your product products to s	te all data required for the r when the Agency requires all submit data; and submit accept on of your product under FIFRA	registrants of able responses	similar	
2. Make the	following label changes:			
 b. In the Fi word "also" i c. In the Us between "that the extra spa d. In the Ac between "it" 	ohrase "EPA registration number irst Aid section, remove the end of the sentence beginning "You ser Safety Recommendations box " and "have", and between "in aces from inside the words "wi gricultural Use Requirements b and "contains" and remove the and "product"	xtra spaces fro may" , eliminate th cluding" and "b th", "remove" a ox, eliminate t	m inside the e extra spaces oth" and remov nd "off" he extra space	
(Continued)			·	
	Approving Official:	Date:		
Maryo	J. Walles	12/12,	101	
•	er, Product Manager 21			

Continued from first page.

71711-14

e. Move the sentence "This labeling must be in the possession of the user at the time of pesticide application" under General Information in the Directions for Use section.

3. Submit one copy of the final printed label before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions, contact Lisa Jones of my staff by phone at (703) 308-9424 or by e-mail at jones.lisa@epa.gov.

Sincerely,

Mary J Walles

Mary L. Waller Product Manager (21) Fungicide Branch Registration Division

Enclosure:

September 24, 2001 Product Chemistry Review. Stamped label.

with COMMENTS In EPA Letter Dated: DFC | 2 200

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 71711-14

% By Wt.

.....70.0%

TOTAL 100.0%

<u>30.0%</u>

FUNGICIDE For Use on Peanuts and Rice

Moncut[®] 70-DF

ACTIVE INGREDIENT:

N-[3-(1-methylethoxy) phenyl]-2-(trifluoromethyl) benzamide

OTHER INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

CAUTION

If on skin or clothing	Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 	
	Call a poison control center or doctor for treatment advice.	
	HOT LINE NUMBER	
Have the product con	tainer or label with you when calling a poison control center or doctor, or going for treatment. You may a Iso contact	
1-800-348-5832 for eme	rgency medical treatment information. In case of fire or spills, information may be obtained by calling1-800-424-9300.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with eyes, skin, or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

Long-sleeved shirt and long pants

Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride

Shoes plus socks

If you want more options for chemical-resistant materials, follow the instructions for category A on an EPA chemical-resistance category selection chart.

USER SAFETY RECOMMENDATIONS

Do not eat, drink, smoke, or chew gum, or tobacco while handing this product and until hands and face are thoroughly washed with the toilet before thoroughly washing hands. If this product penetrated through your clothing or personal protective equipment, stop handling this product immediately, remover wash your body thoroughly, and put on clean clothing and equipment before resurning the handling activity. After handling this product, remove personal protective equipment immediately. Wash the outside of gloves before taking them of the form of the second second

Discard clothing and personal protective equipment that cannot be reused, including clothing and other absorbent materials that have been drenched or thoroughly contaminated with this product's concentrate. Otherwise, wash clothing and personal protective equipment (including both the inside and outside of gloves) before each day of reuse according to manufacturer's directions or, if no such directions, in detergent and hot water. Keep and wash them separately from other laundry.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to shrimp. For terrestrial uses, do not apply to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency in your state responsible for pesticide regulation. This labeling must be in possession of the user at the time of pesticide application.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nursenes, and greenhouses, and handlers of agricultural pesticides. It decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to t personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this pro-

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

Coveralls

Chemical-resistant gloves made of any waterproof material

Shoes plus socks

NET CONTENTS _____ POUNDS

EPA Reg. No. 71711-X EPA Est. No. 67545-AZ-1 NICHINO AMERICA, INC. 4550 New Linden Hill Rd., Suite 501 Wilmington, DE 19808 34

GENERAL INFORMATION

Moncut[®] 70-DF is a systemic fungicide for control of Southern stem rot (white mold) *Sclerotium rolifsii*, and the limb/pod rot complex, *Rhizoctonia solani*, in peanuts, and for control of sheath blight, *Rhizoctonia solani*, in rice.

MIXING INSTRUCTIONS

- Buffer the water in the spray tank.
- Fill the spray tank ¾ full. Turn on spray tank agitation. Pour recommended amount of this material on the surface of water in the spray tank.
- Add balance of water to spray tank.
- Keep agitation running during filling and spraying operations.

USE PRECAUTIONS

Do not use oil as carrier or add other additives to the finished spray. Do not plant rotational crops other than peanuts or rice for 12 months following last application of Moncut 70-DF, with the following exceptions:

 Corn, sorghum, soybeans, or cotton may be planted 240 days or more following the last application of Moncut 70-DF.

APPLICATION DIRECTIONS FOR PEANUTS

Apply Moncut 70-DF as a broadcast foliar application using spray equipment commonly used to apply leafspot fungicide treatments. In fields with a history of high disease, or under prolonged conditions conducive to disease infection and development, higher labeled rates (1.43lb./A or more) should be used for the most effective control. In such situations, sequential applications will provide more effective control than a single application. Moncut 70-DF may be applied in tank-mix with leafspot treatments that fall within the recommended timing for Moncut 70-DF application.

treated peanut fields

Moncut 70-DF may be applied to peanuts through chemigation. (See application techniques below).

Chemigation Application:

- 1. Determine the size of the area to be treated.
- Determine the time required to apply ¼ to ½ inch of water over the area to be treated when the system and injection equipment are operated at normal pressures as recommended by the equipment manufacturer.
- 3. Using water, determine the injection pump output when operated at normal line pressure.
- Determine the amount of Moncut 70-DF required to treat the area covered by the irrigation system.
- Add the required amount of Moncut 70-DF to the solution tank with sufficient water to meet the injection time requirements.
- Make certain the system is fully charged with water before starting injection of the Moncut 70-DF solution. Time the injection to last at least as long as it takes to bring the system to full pressure.
- 7. Maintain constant solution tank agitation during the entire injection period.
- Stop injection equipment after treatment is completed. Continue to operate the system until the Moncut 70-DF solution has cleared the last sprinkler head. (Also see APPLICATION AND CALIBRATION TECHNIQUES FOR SPRINKLER IRRIGATION section below.

Ground Application: By ground, apply recommended rate in 10-40 gallons of water per acre.

Aerial Application: By air, apply recommended rate in 5-10 gallons of water per acre.

CROP	DISEASE	RATE PER ACRE (Ib./a)	APPLICATION DIRECTIONS		
Peanuts	Southern Stem Rot (white mold, Sclerotium rolifsil); Limb/Pod Rot Complex (Rhizoctonia solani)	1.43-2.86	One application program: Apply 1.43 – 2.86 lbs. Moncut 70-DF per acre about 50-70 days after planting. Use the higher rates in fields known to have high disease incidence.		
		0.71- 1.43	Two application program: Apply 0.71 – 1.43 lbs. Moncut 70-DF per acre. Apply 50-70 days after planting and repeat with a second application of .71-1.43 lbs. Moncut 70-DF per acre about 30 days later. Use the higher rate in fields known to have high disease incidence.		
		0.36- 0.71	Four application program: Apply 0.36 – 0.71 lbs. Moncut 70-DF per acre. Begin when conditions are favorable for soilborne disease development, generally 50-70 days after planting. Repeat application at 10 to 14 day intervals for a total of four applications.		
	 Apply no more than a combined total of 2.86 lbs. Moncut 70-DF per acre to peanuts as a broadcast application or through chemigation during a single growing season. Do not apply later than 40 days prior to digging of peanuts. Do not feed hay or threshings from rotational crops of soybeans or cotton planted following the harvest of treated peanuts (more than 1.43 lbs. Moncut 70-DF per acre), and do not allow cattle to graze soybean or cotton forage in these previously 				

APPLICATION DIRECTIONS FOR RICE

Apply Moncut 70-DF aerially in 5-10 gallons of water per acre, using one of the following schedules:

CROP	DISEASE	RATE PER ACRE (Ib./a)	APPLICATION DIRECTIONS			
	Sheath Blight (<i>Rhizoctonia solani</i>)	0.5-0.71	Apply 0.5 – 0.71 lbs. Moncut 70-DF per acre at first internode elongation and follow with a second application at the same rate 10 to 14 days late Use the higher rate where disease pressure is expected to be heavy.			
		0.5 - 1.0	In fields where close scouting is practiced to detect and monitor sheat blight, apply Moncut 70-DF when 5-10% of the tillers of a susceptibl variety or 10-15% of a moderately susceptible variety have sheath bligh lesions. Apply Moncut 70-DF at 0.5 to 1.0 lbs, per acre. Continue scoutin and reapply if disease begins to move up the rice stem again.			
	Do not apply more than 1.43	lbs. of Moncut 70-D	F per acre per year.			
	Do not apply later than 30 days prior to rice harvest, or beyond 75% heading development stage, whichever occurs first.					
	 This pesticide is toxic to shrin watershed. 	np. Do not apply th	is product within three miles of any estuarine/marine waterways or			
	 Flooded fields may be used to 	or aquaculture of cr	ayfish only following rice harvest.			

APPLICATION AND CALIBRATION TECHNIQUES FOR SPRINKLER IRRIGATION

Apply this product only through center pivot, motorized lateral move, traveling gun, solid set, or portable (wheel move, side roll, end tow, or hand move) irrigation system(s). Do not apply this product through any other type of irrigation system. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform

distribution of treated water. If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers, or other experts.

Do not apply this product through irrigation systems connected to a public water system. 'Public water system' means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year.

Controls for both irrigation water and pesticide injection systems must be functionally interlocked, so as to automatically terminate pesticide injection when the irrigation water pump motor stops. A person knowledgeable of the irrigation system and responsible for its operation shall be present so as to discontinue pesticide injection and make necessary adjustments, should the need arise.

The irrigation water pipeline must be fitted with a functional, automatic, quick-closing check valve to prevent the flow of treated irrigation water back toward the water source. The pipeline must also be fitted with a vacuum relief valve and low pressure drain, located between the irrigation water pump and the check valve, to prevent back-siphoning of treated irrigation water into the water source.

Always inject this product into irrigation water after it discharges from the irrigation pump and after it passes through the check valve. Never inject pesticides into the intake line on the suction side of the pump.

Pesticide injection equipment must be fitted with a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump. Interlock this valve to the power system, so as to prevent fluid from being withdrawn from the chemical supply tank when the irrigation system is either automatically or manually turned off.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. The irrigation line or water pump must include a functional pressure switch, which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Spray mixture in the chemical supply tank must be agitated at all times, otherwise settling and uneven application may occur. Do not apply when wind speed favors drift beyond the area intended for treatment.

This product may be used through two basic types of sprinkler imgation systems as outlined in Sections A and B below. Determine which type of system is in place, then refer to the appropriate directions provided for each type.

A. Center Pivot, Motorized Lateral Move, and Traveling Gun Irrigation Equipment:

For injection of pesticides, these continuously moving systems must use a positive displacement injection pump, of either diaphragm or piston type, constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock and capable of injection at pressures approximately 2-3 times those encountered within the irrigation water line. Venturi applicator units cannot be used on these systems. Thoroughly mix recommended amount of this product for acreage to be covered into same amount of water used during calibration and inject into system continuously for one revolution or run. Mixture in the chemical supply tank must be continuously agitated during the injection run. Shut off injection equipment after one revolution or run, but continue to operate irrigation system until this product has been cleared from last sprinkler head.

B. Solid Set and Portable (Wheel Move, Side Roll, End Tow, or Hand Move) Irrigation Equipment:

With stationary systems, an effectively designed in-line venturi applicator unit is preferred which is constructed of materials that are compatible with pesticides; however, a positive-displacement pump can also be used. Determine acreage covered by sprinkler. Fill tank of injection equipment with water and adjust flow to use contents over a 30 to 45 minute period. Mix desired amount of this product for acreage to be covered with water so that the total mixture of this product plus water in the injection tank is equal to the quantity of water used during calibration, and operate entire system at normal pressures recommended by the manufacturer of injection equipment used, for amount of time established during calibration. Agitation is recommended. This product can be injected at the beginning or end of the irrigation cycle or as a separate application. Stop injection equipment after treatment is completed and continue to operate irrigation system until this product has been cleared from last sprinkler head.

ENDANGERED SPECIES

Restrictions in the State of Arkansas:

The use of Moncut 70-DF (flutolanil) on rice is restricted to protect the endangered fat pocketbook pearly mussel (*Potamilus capax*) and its habitat. Use is prohibited in the following areas of Arkansas:

Mississippi County: Within the basin that drains directly into the Right Hand Chute of Little River, south of Big Lake National Refuge. **Poinsett County:** Between Crowley's Ridge and the levee east of the Right Hand Chute of Little River and the St. Francis Floodway. Use is also prohibited west of Rt. 140 and north of Rt. 63 at the SIPHON near Marked Tree, except that the prohibited area does not include the area bounded by Arkansas Highway 373 on the west,

Highway 63 on the east, and Highway 14 on the south. Cross, St. Francis, and Lee Counties: Between Crowley's Ridge and the levee east of the Right Hand Chute of Little River and the St. Francis Floodway as far south as the confluence of L'Anguille River (Lee County).

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. **PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK, OR FIRE), CALL CHEMTREC (800) 424-9300. For other product information, contact Nichino America, Inc. or see Material Safety Data Sheet.

NOTICE ON CONDITIONS OF SALE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability. **CONDITIONS:** The directions for use of this product are believed to be accurate and should be followed carefully. However, because of extreme weather and soil conditions, use methods and other factors beyond the control of Nichino America, Inc. (NAI), it is impossible for NNAI to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks are assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NAI is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. NAI disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT THE ELECTION OF NICHINO AMERICA, THE REPLACEMENT OF PRODUCT.

Nichino America, Inc. 2001 120701a