

71711-14

07/14/2003

Jacket---

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Ms. Marie Maks  
Manager, Regulatory Affairs  
Nichino America, Inc.  
4550 New Linden Hill Road, Suite 501  
Wilmington, DE 19808

JUL 14 2003

Dear Ms. Maks:

Subject: Moncut 70 DF (EPA Reg. No. 71711-14)  
Your amendment dated February 10, 2003


The supplemental label for in-furrow application to potatoes, referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended is acceptable provided that you make the following changes:

- Add "Directions for Use" immediately below "EPA Reg. No. 71711-14"
- Delete the sentence "The directions that follow were approved by the Environmental Protection Agency on January 30, 2003."

Please submit one copy of your final printed labeling before you release the product for shipment. A stamped copy of the label is enclosed for your records.

If you have any questions, please contact Lisa Jones of my staff by phone at (703) 308-9424 or by e-mail at [jones.lisa@epa.gov](mailto:jones.lisa@epa.gov).

Sincerely,



Mary L. Waller  
Product Manager (21)  
Fungicide Branch  
Registration Division (7505C)

Enclosure: Stamped Supplemental Label

CONCURRENCES							
SYMBOL ▶	7505C						
SURNAME ▶	Lisa Jones						
DATE ▶	Jul 9, 2003						

2/2

# Supplemental Labeling

# Moncut® 70-DF

## FUNGICIDE

EPA Reg. No. 71711-14

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.
- This labeling must be in the possession of the user at the time of pesticide application.

The directions that follow were approved by the Environmental Protection Agency on January 30, 2003.

### APPLICATION DIRECTIONS FOR POTATOES

(In-furrow use only)

Do not apply this product through any type of irrigation system on potatoes

CROP	DISEASE	RATE PER ACRE (lb./a)	APPLICATION DIRECTIONS
Potatoes	Black scurf ( <i>rhizoctonia solani</i> )	0.71 to 1.1 lbs per acre (see reference chart below)	Apply 0.71 to 1.1 lbs. of Moncut 70-DF per acre (see reference chart) as an in-furrow spray by directing spray uniformly around and over the seed piece in a 4-8 inch band prior to covering with soil. Use a minimum of 3 gallons of spray volume per acre. Use highest rate when disease conditions are expected to be severe, or if field has a history of <i>Rhizoctonia</i> infestation.

#### IN-FURROW APPLICATION RATES

ROW SPACING	0.71 lb. rate per acre		1.1 lb. rate per acre	
	OUNCES PRODUCT/ 1000 ROW FT.		OUNCES PRODUCT/ 1000 ROW FT.	
40" Row	0.87 oz.		1.31 oz.	
38" Row	0.83 oz.		1.24 oz.	
36" Row	0.79 oz.		1.18 oz.	
34" Row	0.74 oz.		1.11 oz.	
32" Row	0.70 oz.		1.04 oz.	

#### Use Precautions

Do not use oil as carrier or add other additives to the finished spray.

Do not plant rotational crops other than peanuts, rice, or potatoes for 12 months following last application of Moncut 70-DF, with the following exceptions:

- Leafy vegetables (such as lettuce, spinach, or celery), or small grain crops (such as wheat, barley, rye, or oats) may be planted 150 days after the last application
- Corn (such as field, sweet, or popcorn), sorghum, soybeans, or cotton may be planted 240 days or more following the last application of Moncut 70-DF.

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

JUL 14 2003

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.

71711-14

021003

Nichino America, Inc.  
4550 New Linder Hill Road  
Suite 501  
Wilmington DE 19808  
www.nichino.net