

71711-19

09-27-2009

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

SEP 27 2009

Ms. Marie Maks
Nichino America, Inc.
4550 New Linden Hill Road, Suite 501
Wilmington, Delaware 19808

Subject: November 14, 2008 (Revised January 5, 2009) Amendment
FujiMite 5EC Miticide/Insecticide, EPA Reg. No. 71711-19
Supplemental labeling to add aerial use to citrus in Florida
Decision No. 404560

Dear Ms. Maks:

The supplemental labeling for FujiMite 5EC Miticide/Insecticide, EPA Reg. No. 71711-19, submitted on January 5, 2009, in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below:


- In the Directions for Use table, under the column titled Spray Volume, change the phrase "Minimum 5 gallons water per acre by air" to "Minimum 10 to 100 gallons water per acre by air."

Please note that to support the addition of Ultra Low Volume (ULV) applications (i.e., applications in volumes <10 gallons per acre) to product labels, registrants must submit residue chemistry data demonstrating that ULV applications are supported by the existing tolerance.

At your next label printing, or within eighteen (18) months, whichever comes first, you must incorporate the supplemental labeling into the main product labeling. A stamped copy of the supplemental label is enclosed for your records.

If you have any questions, please contact me at (703) 308-8059.

Sincerely,



Kimberly Nesci
Product Manager 11
Insecticide Branch
Registration Division (7505P)

Enclosure

3/3

SUPPLEMENTAL LABEL
For Use in Florida Only

NICHINO AMERICA, INC.

FUJIMITE® 5EC Miticide/Insecticide
For Use on Citrus

EPA Reg. No. 71711-19

(Alternate Brand – Portal)

ACCEPTED
with COMMENTS
In EPA Letter Dated:

SEP 27 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

71711-19

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling and the EPA approved container label must be in the possession of the user at the time of application.

New uses appear on this supplemental labeling that do not appear on the Section 3 container label.

NOTICE: Before using this product, read the First Aid, Precautionary Statements, Conditions of Sale and Warranty, and complete Directions for Use found on the container labeling. All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.

Crop	Pests	Rate per acre	Spray Volume	Use Directions and Restrictions
Citrus calamondin; citrus citron; citrus hybrids, including chironja, tangelo, tangor; grapefruit; kumquat; lemon; lime; mandarin, tangerine; sour orange; sweet orange; pummelo; satsuma mandarin	Asian citrus psyllid ¹ Citrus rust mite	4 pints	Minimum 5 gallons water per acre by air; Minimum 100 gallons water per acre using ground or airblast (air assist) spray equipment;	<ul style="list-style-type: none"> ▪ Do not apply within 150 feet of all aquatic areas. ▪ Do not apply more than 4 pints per acre per season. ▪ Do not make more than 2 applications per season. ▪ Allow 14 days between applications. ▪ Do not apply within 14 days of harvest. ▪ Do not apply to citrus nurseries or citrus in greenhouses. ▪ Do not apply through any type of irrigation system.
	Citrus thrips (suppression only) Leafhoppers Mealybugs Other Mites (see Target Species)	2 to 4 pints		

¹For best results, use for control of adults and nymphs present at time of application when newly expanding foliage flush is present.

©2008. Fujimite® / Portal® is a trademark of Nichino America, Inc.

NICHINO AMERICA, INC.
4550 New Linden Hill Road, Suite 501
Wilmington, DE 19808
(302) 636-9001

120308