

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Marie A. Maks Nichino America, Inc. 4550 New Linden Hill Road Suite 501 Wilmington, DE 19808

SEP 3 0 2010

Dear: Ms. Maks:

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 16, 2010 for the product Tolfenpyrad 15EC Insecticide. The Registration Division (RD) has conducted a review of the request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formulas (CSF) and/or label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Melody Banks on 703 305-5413.

Sincerely,

Mark Suarez

Product Manager 13 Insecticide Branch

Registration Division (7504P)

Please reed instructions on reverse before con ing form.	Form Approved AB No. 2070-0060 Print Form			
United States Environmental Protection Agency Washington, DC 20460	Registration OPP Identifier Number			
. Application fo	Pesticide - Section I			
1. Company/Product Number 71711-31	2. EPA Product Manager Mark Suarez 3. Proposed Classification X None Restricted			
4. Company/Product (Name) Tolfenpyrad 15EC Insecticide PM# 13				
5. Name and Address of Applicant (Include ZIP Code) Nichino America, Inc. 4550 New Linden Hill, Rd., Suite 501 Wilmington, DE 19808 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name			
S	ection - II			
Amendment - Explain below. Resubmission in response to Agency letter dated	Final printed labels in response to Agency letter dated "Me Too" Application. NOTIFICATION			
Notification - Explain below. SEP 3 0 2010				
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification: removal of establishment number on label; 2 copies of labeling, identified as notification statement, letter M. A. Maks to M. Suarez, dated August 16, 2010				
Se	ction - III			
1. Material This Product Will Be Packaged In:				
Yes" X Yes No H "Yes" No. per	ar Soluble Packaging Yes No Yes No Yes No Yes No Yes No. per container Cage wgt container 2. Type of Container Metal Plastic Glass Paper Other (Specify)			
3. Location of Net Contents Information 4. Size(s) Retail Con) ************************************			
X Label Container 1 qt, 2.5 gal	On Label On Labeling accompanying product			
6. Manner in Which Label is Affixed to Product label attached to container Lithograph Paper glued Stenciled	Other			
Section - IV				
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)				
Name Marie A. Maks Title Senio	r Manager (302) 636-9001			
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped)				
2. Signature 3. Title Senio	r Manager			
4. Typed Name 5. Dat Marie A. Maks	lug 10,2010			



August 16, 2010

Mr. Mark Suarez (PM 13)
Office of Pesticide Programs (7504-C)
Registration Division-H7505C
U.S. Environmental Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Subject:

Submission of Notification-PR Notice 98-10

Removal of Establishment Number and Alternate Brand Names

on Section 3 Federal Label

Nichino America, Inc. Tolfenpyrad15 EC Insecticide

(EPA Reg No. 71711-31)

Dear Mr. Suarez:

Please review our request for the approval of section 3 federal label without the listing of the establishment and alternate brand name, as permitted by the notification process described in PR Notice 98-10.

Attached are the following:

- EPA application form 8570-4
- "Certification Statement"
- Two (2) copies of labeling, identified as 081610

We appreciate your review of this submission. If you have any questions, you are welcome to call me at (302) 636-9001 extension 203 or email me at mmaks@nichino.net

Sincerely,

Marie A. Maks

Senior Manager, Regulatory Affairs

Marie a. Naks

Certification Statement

NOTIFICATION OF REMOVAL OF ESTABLISHMENT NUMBER AND ALTERNATE BRAND NAMES

PER PR NOTICE 98-10

Nichino America, Inc. Tolfenpyrad 15EC Insecticide (EPA Reg. No. 71711-31)

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Marie A. Maks

Marie A. Maks

Lever Manager, Ref Of

Title

Mel 16, 2010

Tolfenpyrad 15EC 081610 Page 1 of 6

GROUP 21A INSECTICIDE



NOTIFICATION

SEP 3 0 ZUID

Tolfenpyrad 15EC Insecticide

Emulsifiable Concentrate

For Indoor Greenhouse Use on Ornamental Plants

Active ingredient:	
Tolfenpyrad	
(4-chloro-3-ethyl-1-methyl-N-[4-(p-tolyloxy)benzyl]pyrazole-5-carboxamide)	15.0%
Other Ingredients:	
Total	100.0%
Contains 1.25 lbs. active ingredient per U.S. gallon	

EPA Reg No. 71711-31

EPA Est. No.

[Alternate brand name: Hachi Hachi™ insecticide, Hachi™ insecticide]

KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-348-5832 for emergency medical treatment information. In case of fire or spills, information may be obtained by calling 1-800-424-9300.

NOTE TO PHYSICIAN: There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

Net Contents		

NICHINO AMERICA, INC.

4550 New Linden Hill Rd., Suite 501 Wilmington, DE 19808 888-740-7700

Tolfenpyrad 15EC 081610 Page 2 of 6

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals WARNING - AVISO

May be fatal if swallowed. Causes skin irritation. Causes substantial but temporary eye injury. Wear protective eyewear. Harmful if absorbed through skin. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Do not get in eyes, skin or clothing.

Personal Protective Equipment

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Chemical-resistant gloves made of material such as barrier laminate or Viton
- · Chemical resistant footwear plus socks
- Protective eyewear (goggles, face-shield or safety glasses)

If you want more options for chemical-resistant materials, follow the instructions for Category F or G on an EPA chemical-resistance category selection chart.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Discard clothing and personal protective equipment that cannot be reused, including clothing and other absorbent materials that have been drenched or thoroughly contaminated with this product's concentrate. Otherwise, wash clothing and personal protective equipment (including both the inside and outside of gloves) before each day of reuse according to manufacturer's directions or, if no such directions, in detergent and hot water. Keep and wash PPE separately from other laundry.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency in your state responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard is:

- · Coveralls worn over short-sleeved shirt and short pants
- Chemical-resistant gloves made of material such as barrier laminate or Viton
- Chemical resistant footwear plus socks
- Protective eyewear (goggles, face-shield or safety glasses)

NONAGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, or greenhouses. Keep people out of treated areas without protective clothing until sprays have dried.

GENERAL INFORMATION

Tolfenpyrad 15EC insecticide is an emulsifiable concentrate containing 1.25 lbs. of active ingredient per gallon. This product is a contact insecticide used for the control of various insects. **Tolfenpyrad 15EC** insecticide should be used in a program with other products to provide season long protection. Apply as a spray as directed in the "Application Directions" section of this label.

RESISTANCE MANAGEMENT

Tolfenpyrad 15EC insecticide contains tolfenpyrad which is classified by IRAC in Group 21A-mitrochondrial electron transport inhibitors. Repeated use of the same chemistry has been shown to result in the buildup of resistant strains of insects. Rotate the use of **Tolfenpyrad 15EC** insecticide with alternate mode of action insecticides.

Resistance management strategies recommend that you DO NOT apply rates lower than recommended on the label. For best results, do not make more applications of **Tolfenpyrad 15EC** insecticide than permitted on the label in a single crop cycle. Contact your local extension specialist or certified crop advisor for additional resistance management or IPM recommendations. Also, for more information about Insect Resistant Management (IRM), visit the Insecticide Resistance Action Committee (IRAC) on the web at http://www.irac-online.org.

MIXING DIRECTIONS

Shake well before using. Read and follow all label directions for each tank mix product prior to any tank mixing with **Tolfenpyrad 15EC** insecticide. This product can be mixed with other registered pesticides. The most restrictive use directions and precautions must be followed.

Tolfenpyrad 15EC Insecticide Alone: Begin with clean equipment. Fill spray tank with ¾ of the amount of water needed for the intended application and then turn on agitation. Pour recommended amount of product on the surface of water in the spray tank. Add the balance of the water to the spray tank with agitation running. Keep agitation running during filling and spraying operations. If spraying must be stopped before emptying the sprayer, resume agitation before spraying the remainder of the load.

Tolfenpyrad 15EC Insecticide Tank Mixtures: Follow all use directions as listed above under Tolfenpyrad 15EC Insecticide Alone with the following exception: after the Tolfenpyrad 15EC insecticide is thoroughly mixed and the tank is ¾ full, add the recommended amount of wettable powder, soluble powder, flowable, emulsifiable concentrate, or soluble liquid product, while maintaining agitation. Then continue adding water to the tank to achieve the desired level, while maintaining agitation.

Tolfenpyrad 15EC Insecticide Tank Mixtures With Products in Water-Soluble Packaging: Follow all use directions as listed above under Tolfenpyrad 15EC Insecticide Alone with the following exception: add the desired number of water-soluble bags to the tank (if allowed by their label instructions) at the same time the Tolfenpyrad 15EC insecticide is added. Note: If using products in water soluble packaging, do not tank mix with products that contain boron, chromium, or other micronutrients.

Tolfenpyrad 15EC insecticide is physically and biologically compatible with many registered pesticides, fertilizers or micronutrients. Contact your supplier for advice when considering mixing **Tolfenpyrad 15EC** insecticide with other pesticides, fertilizers or micronutrients. If you have no experience with the combination you are considering, you should conduct a test to determine physical compatibility. To determine physical compatibility, add the recommended proportions of each chemical with the same proportion of water, as will be present in the chemical supply tank, into a suitable container, mix

thoroughly and allow to stand for five minutes. If the combination remains mixed, or can be readily remixed, the mixture is considered physically compatible.

APPLICATION DIRECTIONS

GENERAL USE LIMITATIONS AND PRECAUTIONS Indoor Greenhouse Use on Ornamental Crops

- In Florida, do not use on bearing or nonbearing commercial fruit trees and vines.
- Do not apply this product through any type of irrigation system.
- · Do not apply this product as a smoke or aerosol.
- Do not apply this product to plants used for food or animal feed.
- Do not apply to fruit trees and vines that will bear harvestable fruit within 12 months.

Indoor Greenhouse Use on Ornamental Crops

Tolfenpyrad 15EC insecticide is recommended for use on indoor greenhouse use on several ornamental plants. The use directions of this product are based on the results of product testing programs on a wide variety of ornamental plants. However, it is impossible to test this product on all species and cultivars. The phytotoxicity of Tolfenpyrad 15EC insecticide has been assessed on a wide variety of common ornamental plants with no phytotoxic effects. However, not all plant species and their varieties and cultivars have been tested with possible tankmix combinations, sequential pesticide treatments, and adjuvants and surfactants. Local conditions also can influence crop tolerance and may not match those under which testing has been conducted. Therefore, before using Tolfenpyrad 15EC insecticide, test the product on a sample of the crop to be treated to ensure that a phytotoxic response will not occur as a result of applications.

Tolfenpyrad 15EC insecticide works primarily through contact action, so good spray coverage is necessary for control of listed insects on the label. Applications should be made immediately after the spray solution is prepared. Under severe insect pressure, use the maximum rates and the shorter spray interval as specified on the label. Dense foliage or excessive growth will often prevent adequate coverage; adjust spray volumes accordingly. Mix with sufficient water and apply as a foliar spray to obtain uniform coverage. Treat plants when pests are immature or at a susceptible stage and populations are building, before crop damage occurs.

Applications may be made with high or low volume spray equipment that provides thorough coverage of the plant. Apply with properly calibrated spray equipment. A wetting agent or other spray adjuvant, approved for use on the crop, may be added to spray solutions according to the manufacturer's use instructions to achieve optimum control.

Tolfenpyrad 15EC insecticide is recommended for use on ornamental plantings listed below.

List of Plant Species Tested for Tolerance to Tolfenpyrad 15EC Insecticide¹

Common Name	Scientific Name
Ash	Fraxinus spp.
Yew	Taxus media
Rose	Rosa spp.
Evening Primrose	Oenothera sp.
Gladiolus	Gladiolus spp.
Cherry	Prunus spp.
Arrowood	Viburnum spp.
Marigold	Tagetes sp.
Moss Rose	Portulaca sp.
Petunia	Petunia sp.
Gerbera (Transvaal Daisy)	Gerbera spp.
Chrysanthemum	Dendranthema spp.
Coleus	Solenostemon scutellariodides L.

Poinsettia	Euphorbia pulcherrima
Schefflera	Brassaia actinophylla
Lantana (Yellow Sage)	Lantana camera

Local conditions can influence crop tolerance and may not match those under which these species were tested. Before using **Tolfenpyrad 15EC** insecticide, test the product on a small sample of the crop to be treated. Not recommended for use on Impatiens and New Guinea Impatiens.

APPLICATION RATE CHART FOR TOLFENPYRAD 15EC INSECTICIDE

Use	Pest Controlled	Dilution Rate FL OZ/100 Gallons	Use Directions
Greenhouse ornamental plants EXCEPT cut flowers	Aphids Leafhoppers Lepidopteran insects (early instars) Scale Thrips Whitefly	21 - 32 fl oz per 100 gal	 The maximum single application rate is 0.45 to 1.36 lb ai/acre. Apply no more than 10 gallons of spray solution per 1,000 sq. ft. per application. Apply no more than 2 applications per crop cycle. Apply no more than 64 fluid ounces per crop cycle. Allow at least 10 days between applications. Use in sufficient volume to obtain uniform plant coverage. 100 gallons of finished spray solution will typically cover 20,000 sq. ft.
Greenhouse ornamental plants grown for cuttings (e.g. cut flowers)		14 - 22 fl oz per 100 gal	of greenhouse. The maximum single application rate is 0.30 to 0.95 lb ai/acre. Apply no more than 10 gallons of spray solution per 1,000 square feet per application. Apply no more than 2 applications per crop cycle. Apply no more than 44 fluid ounces per crop cycle. Allow at least 10 days between applications. Use in sufficient volume to obtain uniform plant coverage. 100 gallons of spray will typically cover 20,000 sq. ft. of greenhouse.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer container for recycling, if available, offer for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE WARRANTY STATEMENT

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties, and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be accurate and must be followed carefully. However, because of extreme weather and soil conditions, use methods and other factors beyond the control of Nichíno America, Inc. (NAI), it is impossible for NAI to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. To the extent consistent with applicable law, all such risks are assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NAI is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, NAI disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability, or otherwise.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT THE ELECTION OF NICHINO AMERICA, THE REPLACEMENT OF PRODUCT.

©2010. Nichino America, Inc.

081610