



71711-37

1/3/2013

1/8

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p>	EPA Registration No. 71711-37	Date of Issuance: JAN - 3 2013
<p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p>	Term of Issuance: <p style="text-align: center;">Unconditional</p> Name of Pesticide Product: <p style="text-align: center;">Pyriproxyfen Insecticide.</p>	
<p>Name and Address of Registrant (include ZIP Code): Marie A. Maks Senior Manager, Regulatory Affairs Nichino America, Inc. 4550 New Linden Hill Rd., Suite 501 Wilmington, DE 19808</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5) provided that you:</p> <ol style="list-style-type: none"> 1. Make the following label change: Revise the EPA Registration Number to read, "EPA Reg. No. 71711-37" 2. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data. 3. Within sixteen (16) months of the date on this NOR, provide to the Agency acceptable data packages for Guideline Studies as follows: <ol style="list-style-type: none"> a. OCSPP 830.6317, (Storage Stability) and OCSPP 830.6320 (Corrosion Characteristics). If acceptable data is not submitted within 16 months of this NOR, this registration will expire on May 3, 2014. <p>Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions, you may contact Clayton Myers, at (703) 347-8874, or via email at myers.clayton@epa.gov.</p>		
Signature of Approving Official:  Marion Johnson, Chief Insecticide Branch, Registration Division	Date: <p style="text-align: center;">JAN - 3 2013</p>	

EPA Form 8570-6

Page 1 of 1

Enclosures:

- Label stamped "Accepted"
- Agency Product Chemistry Review
- Agency Acute Toxicity Review

2/8

NICHINO AMERICA

GROUP un INSECTICIDE

Pyrifluquinazon Insecticide

For Indoor Greenhouse Use on Ornamental Plants
Not for residential use sites

Active Ingredient:

Pyrifluquinazon [1-acetyl-1,2,3,4-tetrahydro-3-[(3-pyridylmethyl)amino]-6-[1,2,2,2-tetrafluoro-1-(trifluoromethyl) ethyl]quinazolin-2-one].....	20.0%
Other Ingredients	80.0%
Total	100.0%

Contains 1.80 lbs. active ingredient per U.S. gallon

EPA Reg No. 71711-GT

EPA Est. No.

[Alternate brand names: Pyrifluquinazon 20% SC insecticide, Pyrifluquinazon 20SC insecticide]

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns and medical emergencies), you may call 1-800-348-5832. In case of fire or pesticide incidents (spills), you may call 1-800-424-9300.	

Net Contents: _____

Formulated and Packaged in USA for
NICHINO AMERICA, INC.
4550 New Linden Hill Rd., Suite 501
Wilmington, DE 19808
888-740-7700

ACCEPTED
With COMMENTS
In EPA Letter Dated:

JAN - 3 2013

Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
pesticide Registered under EPA Reg. No:

71711-37

3/18

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION

Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or the toilet. Wear long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves. Remove and wash contaminated clothing before reuse.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, made of material such as barrier laminate or Viton
- Shoes plus socks

For more options for chemical-resistant gloves, follow the instructions for Category C on an EPA chemical-resistance category selection chart.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should:

- Wash hands thoroughly before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Avoid spraying ponds or aquaria containing fish. Do not contaminate water by cleaning of equipment or when disposing of equipment wastewaters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency in your state responsible for pesticide regulation.

4/8

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, made of material such as barrier laminate or Viton
- Shoes plus socks

NONAGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, or greenhouses. Keep people out of treated areas without protective clothing until sprays have dried.

GENERAL INFORMATION

PYRIFLUQUINAZON insecticide is a suspension concentrate containing 1.80 lbs. of active ingredient per gallon. This product is a contact insecticide used for the control of various insects. **PYRIFLUQUINAZON** insecticide should be used in a program with other products to provide season long protection. Apply as a spray as directed in the "Application Directions" section of this label.

RESISTANCE MANAGEMENT

PYRIFLUQUINAZON insecticide contains pyrifluquinazon, which has not been classified by the Insecticide Resistance Action Committee (IRAC). Repeated use of the same chemistry has been shown to result in the buildup of resistant strains of insects. Rotate the use of **PYRIFLUQUINAZON** insecticide with alternate mode of action insecticides.

Resistance management strategies recommend that you DO NOT apply rates lower than recommended on the label. For best results, do not make more applications of **PYRIFLUQUINAZON** insecticide than permitted on the label in a single crop cycle. Contact your local extension specialist or certified crop advisor for additional resistance management or IPM recommendations. Also, for more information about Insect Resistant Management (IRM), visit IRAC on the web at <http://www.irac-online.org>.

MIXING DIRECTIONS

Shake well before using. Read and follow all label directions for each tank mix product prior to any tank mixing with **PYRIFLUQUINAZON** insecticide. This product can be mixed with other registered pesticides. The most restrictive use directions and precautions must be followed.

PYRIFLUQUINAZON Insecticide Alone: Begin with clean equipment. Fill spray tank with $\frac{3}{4}$ of the amount of water needed for the intended application and then turn on agitation. Pour recommended amount of product on the surface of water in the spray tank. Add the balance of the water to the spray tank with agitation running. Keep agitation running during filling and spraying operations. If spraying must be stopped before emptying the sprayer, resume agitation before spraying the remainder of the load.

PYRIFLUQUINAZON Insecticide Tank Mixtures: Begin with clean equipment. Fill spray tank with $\frac{3}{4}$ of the amount of water needed for the intended application and then turn on agitation. If using a buffering agent, add after filling the tank with $\frac{3}{4}$ amount of water. Add the recommended amount of tankmix products in the following order while maintaining agitation:

- 5/
18
- 1) products in water-soluble packets
 - 2) wettable powders
 - 3) water-disperable granulars and/or soluble powders
 - 4) flowable liquids
 - 5) emulsifiable concentrates
 - 6) adjuvants and/or oils
 - 7) remaining amount of water to achieve the desired level

PYRIFLUQUINAZON Insecticide Tank Mixtures With Products in Water-Soluble Packaging: Follow all use directions as listed above under **PYRIFLUQUINAZON Insecticide Alone** with the following exception: add the desired number of water-soluble bags to the tank (if allowed by their label instructions) at the same time the **PYRIFLUQUINAZON** insecticide is added. **Note:** If using products in water soluble packaging, do not tank mix with products that contain boron, chromium, or other micronutrients.

PYRIFLUQUINAZON insecticide is physically and biologically compatible with many registered pesticides, fertilizers or micronutrients. Contact your supplier for advice when considering mixing **PYRIFLUQUINAZON** insecticide with other pesticides, fertilizers or micronutrients. If you have no experience with the combination you are considering, you should conduct a test to determine physical compatibility. To determine physical compatibility, add the recommended proportions of each chemical with the same proportion of water, as will be present in the chemical supply tank, into a suitable container, mix thoroughly and allow to stand for five minutes. If the combination remains mixed, or can be readily re-mixed, the mixture is considered physically compatible.

APPLICATION DIRECTIONS

USE LIMITATIONS AND PRECAUTIONS

Indoor Greenhouse Use on Ornamental Crops

- Do not apply this product through any type of irrigation system.
- Do not apply this product as a smoke or aerosol.
- Do not harvest cut flowers for 48 hours after spraying.
- Keep compost in sheltered compost area.
- Do not apply this product to plants used for food or animal feed.
- Do not apply to fruit trees and vines that will bear harvestable fruit within 12 months.

Indoor Greenhouse Use on Ornamental Crops

PYRIFLUQUINAZON insecticide is recommended for use in indoor greenhouses on several ornamental plants. The use directions of this product are based on the results of product testing programs on a wide variety of ornamental plants. However, it is impossible to test this product on all species and cultivars. The phytotoxicity of **PYRIFLUQUINAZON** insecticide has been assessed on a wide variety of common ornamental plants with no phytotoxic effects. However, not all plant species and their varieties and cultivars have been tested with possible tankmix combinations, sequential pesticide treatments, and adjuvants and surfactants. Local conditions also can influence crop tolerance and may not match those under which testing has been conducted. Therefore, before using **PYRIFLUQUINAZON** insecticide, test the product on a sample of the crop to be treated to ensure that a phytotoxic response will not occur as a result of applications.

PYRIFLUQUINAZON insecticide works primarily through contact and translaminar activity, so good spray coverage is necessary for control of listed insects on the label. Applications should be made immediately after the spray solution is prepared. Under severe insect pressure, use the maximum rates and the shorter spray interval as specified on the label. Dense foliage or excessive growth will often prevent adequate coverage; adjust spray volumes accordingly. Mix with sufficient water and apply as a foliar spray to obtain uniform coverage. Treat plants when pests are immature or at a susceptible stage and populations are building, before crop damage occurs.

6/8

Applications may be made with high or low volume spray equipment that provides thorough coverage of the plant. Apply with properly calibrated spray equipment. A wetting agent or other spray adjuvant, approved for use on the crop, may be added to spray solutions according to the manufacturer's use instructions to achieve optimum control.

CONTROLLING PESTICIDE RUNOFF

Do not allow pesticide spray solution to run off outside of the application area. Do not use in greenhouses that discharge irrigation runoff to surface water drains. If applied in an area with a non-permeable floor and a floor drainage system, excess application spray or irrigation runoff must be collected and subjected to secondary wastewater treatment.

List of Plant Species Tested for Tolerance to PYRIFLUQUINAZON Insecticide¹

Common Name	Scientific Name
Arrowwood	<i>Viburnum</i> sp.
Ash	<i>Fraxinus</i> sp.
Aster	<i>Aster</i> sp.
Cherry	<i>Prunus</i> sp.
Chrysanthemum	<i>Dendranthema</i> sp.
Coleus	<i>Solenostemon scutellarioides</i>
Cosmos	<i>Cosmos</i> sp.
Euonymus	<i>Euonymus japonicus</i>
Evening Primrose	<i>Oenothera biennis</i>
Gerbera (Transvaal Daisy)	<i>Gerbera</i> sp.
Gladiolus	<i>Gladiolus</i> sp.
Impatiens	<i>Impatiens</i> sp.
Lantana (Yellow Sage)	<i>Lantana camara</i>
Marigold	<i>Tagetes</i> sp.
Moss Rose	<i>Portulaca</i> sp.
New Guinea Impatiens	<i>Impatiens</i> "New Guinea"
Petunia	<i>Petunia x hybrida</i>
Poinsettia	<i>Euphorbia pulcherrima</i>
Rose	<i>Rosa</i> sp.
Schefflera	<i>Brassaia actinophylla</i>
Wax myrtle	<i>Myrica cerifera</i>
Zinnia	<i>Zinnia elegans</i>
Yew	<i>Taxus media</i>

¹ Local conditions can influence crop tolerance and may not match those under which these species were tested. Before using **PYRIFLUQUINAZON** insecticide, test the product on a small sample of the crop to be treated.

APPLICATION RATE CHART FOR PYRIFLUQUINAZON INSECTICIDE

Use	Pest Controlled	Dilution Rate FL OZ/100 Gallons	Use Directions
Greenhouse ornamental plants	Whiteflies	1.6 fl oz - 3.2 fl oz	<ul style="list-style-type: none">• Apply no more than 2 applications per crop cycle.• Allow at least 10 days between applications.• Apply no more than 12.8 fluid ounces per crop cycle.• Use in sufficient volume to obtain uniform plant coverage. 100 gallons of finished spray solution will typically cover 20,000 sq ft of greenhouse.• Apply no more than 10 gallons of spray solution per 1,000 sq ft per application.• Do not harvest cut flowers for 48 hours after spraying
	Aphids Leafhoppers Chilli Thrips	2.4 fl oz - 3.2 fl oz	
	Mealybugs	6.4 fl oz	

8/8

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer container for recycling, if available, or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties, and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be accurate and must be followed carefully. However, because of extreme weather and soil conditions, use methods and other factors beyond the control of Nichino America, Inc. (NAI), it is impossible for NAI to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. To the extent consistent with applicable law, all such risks are assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NAI is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, NAI disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability, or otherwise.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT THE ELECTION OF NICHINO AMERICA, THE REPLACEMENT OF PRODUCT.

Protected by Patent Number 645535

©2013 Nichino America, Inc.

010313