

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Biopesticides and Pollution Prevention Division (7511P)

> 1200 Pennsylvania Avenue NW Washington, DC 20460

NOTICE OF PESTICIDE:

X Registration Re-registration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance: MAR 22 2013

71840-11

Term of Issuance:

Unconditional

Name of Pesticide Product:

TARISSTM

Name and Address of Registrant (include ZIP Code):

Becker Underwood, Inc.

801 Dayton Avenue, P.O. Box 667

Ames, IA 50010

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted. to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If the EPA determines at any time, that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

The product is registered in accordance with FIFRA section 3(c)(7) and is subject to the following terms and conditions:

- 1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(7) and section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Make the following label change before you release the product for shipment: Revise the EPA Registration Number to read, "EPA Reg. No. 71840-11."
- 3. Submit two (2) copies of the revised final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of the final printed label.

If these conditions are not complied with, the registration will be cancelled in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of this condition. A stamped copy of the label is enclosed for your record.

Signature of Approving Official

22 W/al 2013

Keith A. Matthews, Director

Biopesticides and Pollution Prevention Division

EPA Form 8570-6

TARISSTM

(A Liquid Insect Defense Bioactive for Flea Beetle Management)
(For Use as a Commercial Seed Treatment)

Α(JIT	٧E	IN	Gŀ	LLL	IEI	V	Ţ	:
	_								

ACCEPTED

KEEP OUT OF REACH OF CHILDREN

MAR 22 2013

CAUTION

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7 | 8 40 - ||

First Aid Statement

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center of or doctor.
- Do not give anything to an unconscious person.

HOTLINE NUMBER

- Have the product container or label with you when calling a poison control center or doctor or going for treatment.
- For emergency information on TARISSTM, call Becker Underwood at 1-800-232-5907, Monday through Friday, 8 a.m. to 5 p.m. CST. After 5 p.m. call your poison control center at 1-800-222-1222.

EPA Reg. No. 71840-RR

EPA Est. No. 67064-IA-001

Becker Underwood, Inc.
801 Dayton Avenue
P.O. Box 667
Ames, IA 50010
Tel. 515-232-5907 800-232-5907
www.beckerunderwood.com

NET CONTENTS: 2.5 gal, 30 gal, 265 gal; 100 L, 500 L, 1000 L

Batch code: (Located on physical container.)

Page 1 of 6

Label: TARISSTM Rev. 1 Feb. 5, 2013

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution: Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are provided, use detergent and hot water. Keep and wash PPE separately from other laundry.

imder the Federal Insecholde, Fungs m and Roderbelde Act, as amended, fo

Show bettering to title a survey of ARTUSER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Treated seed exposed on soil surface may be hazardous to wildlife. Cover or collect seeds spilled during loading.

[Additional statements for containers greater than 5 gallons: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

Label: TARISSTM

Rev. 2

Mar 21, 2013

Page 2 of 6

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

No restricted-entry interval (REI) is required for this product.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

PRODUCT INFORMATION

TARISSTM is a seed applied bioactive for protection against flea beetles in canola, rapeseed, mustard, safflower, sunflower and camelina. TARISSTM can be tank-mixed with other registered seed treatment insecticides to provide enhanced and extended control of flea beetles.

USE RESTRICTIONS

Chemigation: Do not apply this product through any type of irrigation system.

FOR USE AS A COMMERCIAL SEED TREATMENT

Not for food or feed use.

Do not use treated seed for food, oil or feed purposes.

Store treated seed away from food and feedstuffs.

Label: TARISS™

Rev. 2

Mar 21, 2013

Page 3 of 6

Do not allow children, pets or livestock to have access to treated seeds.

Cover or collect treated seeds spilled during loading and planting (such as in row ends).

Dispose all excess treated seed by burying seed away from bodies of water.

Dispose of seed packaging or containers in accordance with local requirements.

The seed treater must add an EPA approved dye with the pesticide during the seed treatment process, unless dye is already on the seed [40 CFR 153.155(b)(1)], or unless the application is made in the hopper-box immediately before planting.

Do not mix TARISSTM with any product containing a label prohibition against such mixing. When tank-mixing TARISSTM with any other registered seed treatment insecticide and/or fungicide, always read and follow all use directions, restrictions, and precautions of both TARISSTM and the tank-mix partner(s). The resulting tank-mix must be in accordance with the most restrictive label limitations and precautions. Do not exceed label dosage rates.

Apply TARISSTM through commercial seed treating equipment. If used alone, slowly add TARISSTM to sufficient water for good seed coverage and continue mixing until uniform. If used in combination with a registered seed treatment, add the required amount of the chemical seed treatment first, then slowly add TARISSTM to the solution and continue mixing until uniform. Do not store mixed solutions for longer than 72 hours before applying to the seed.

For protection against flea beetles in canola, rapeseed, mustard, safflower, sunflower and camelina use an application rate of 1.2 gal of TARISSTM per 10,000 lb of seed (the metric equivalent of 1.0 L of TARISSTM per 1000 kg of seed).

Seed Storage:

TARISS™ treated canola seed can be stored without loss of germination or disease performance. However, due to seed quality and seed storage conditions beyond the control of Becker Underwood, no claims are made to guarantee the germination of carryover seed.

Label: TARISSTM Rev. 2 Mar 21, 2013 Page 4 of 6

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE:

Ensure container closures are tight. Store in a cool, dry place.

PESTICIDE DISPOSAL:

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by stated or local governments or by industry).

CONTAINER HANDLING:

{For containers with capacities less than or equal to 5 gallons}

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. If burned, stay out of smoke.

{For containers with capacities more than 5 gallons}

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact Ag Container Recycling Council at 877-952-2272 or www.acrecycle.org. Alternatively, puncture and dispose of in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. If burned, stay out of smoke.

Label: TARISS™ Rev. 2 Mar 21, 2013 Page 5 of 6

NOTICE - READ CAREFULLY BEFORE USING

CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Becker Underwood, Inc. warrants that this product conforms to the specifications on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below.

To the extent permitted by applicable law, Becker Underwood, Inc. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use: It is impossible to eliminate all risks associated with use of this product. Lack of performance, injury, or other unintended consequences may result because of such factors as use of product contrary to strict label instructions and established safe practice, abnormal conditions (such as excessive rainfall, drought, and Acts of God), presence of other materials, use in combination with other materials, the manner of application, or other factors, all of which are beyond the control of Becker Underwood, Inc. or the seller. All such risks shall be assumed by the buyer.

Limitations of Remedies: To the extent permitted by applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Becker Underwood, Inc. election, one of the following: (1) replacement of the amount of the product used; or (2) refund of the purchase price paid for the product. Becker Underwood Inc. shall not be liable for losses or damages resulting from handling, storage, or use of this product contrary to label instructions unless Becker Underwood Inc. is promptly notified of such loss and damage in writing. To the extent permitted by applicable law, Becker Underwood, Inc. shall not be liable for consequential or incidental damages or losses. Becker Underwood, Inc. neither assumes nor authorizes any person to assume for it, any other liability in connection with the sale, storage, use, or handling of this product other than warranted by this label.

TARISS is a trademark of Becker Underwood, Inc.

Another quality biological product from: Becker Underwood, Inc. 801 Dayton Avenue P.O. Box 667 Ames, IA 50010 Tel. 515-232-5907 • 800-232-5907 www.beckerunderwood.com

Label: TARISSTM Rev. 2 Mar 21, 2013 Page 6 of 6