

7/9/10 - 2

8/16/2012

1/25



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D C 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 16, 2012

Mr Lawrence J Feller
Senior Consultant/Agent for
The Schawbel Corporation
12 E Plainfield Avenue
Pen Argyl, PA 18072-1115

Subject **Acceptance of Amended Reregistration Label**
 Product Name ThermaCELL® Mosquito Repellent
 EPA Registration Number 71910-2
 EPA Decision Number(s) D425068
 Your E-Resubmission Dated August 16, 2012

Dear Mr Feller

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the referenced product in connection with the **RED for Allethrin**s, and has concluded that your submission is acceptable

Please note that the record for this product currently contains the CSF listed below Any previously dated CSFs are superseded

- Basic CSF, dated August 25, 2011

PLEASE NOTE This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time

A copy of your label stamped "Accepted" is enclosed for your records Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA

If you have any questions about this letter, please contact Mr Carmen J Rodia, Jr at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov or Mr Richard J Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov during the hours of 9 00 A M to 5 30 P M EST

Sincerely Yours,

A handwritten signature of Richard J Gebken is written over a horizontal line.

Richard J Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Attachments

Label stamped Accepted AUG 16 2012
Acute Toxicity Review dated February 14 2011
Product Chemistry Review #1 dated August 1 2011
Product Chemistry Review #2 dated September 25, 2011

071910 00002 D425068

2/25

ThermaCELL[®] Mosquito Repellent



ACCEPTED

August 16, 2012

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under

EPA Reg No

71910-2

{Select appropriate marketing verbiage and additional graphics and/or symbols from Marketing Text section}

Active Ingredient

d cis/trans allethrin

21.97%

Other Ingredients

78.03%

Total

100.00%

Keep Out of Reach of Children

CAUTION

See back [side] [bottom][inside] [panel] [leaflet] [insert] panel for additional [precautions]
precautionary statements

[This Package] [Box] Contains

{Number} [Reusable] Appliance [Device] [Post Cap] [Lantern] with [LED] [Lights]

{Number} Butane [ThermaCELL[®]] Cartridge(s)

Net Contents ____ fl oz [each]

{Number} [Insect] Repellent Mat(s)

Net Weight ____ oz each

{Patio/Outdoor/Post Cap lantern } [and {number} {size} Batteries [Batteries Included!]]

EPA Reg No 71910 2

EPA Est 71998 THA 1, 83226 PHL 1 {Determined at time of order}

Manufactured for
The Schawbel Corporation
26 Crosby Drive
Bedford, MA 01730
Toll Free 1 8 NO SKEETERS
Email Consumerquestions@thermacell.net

[Made and Printed in Italy]

Mats Made in Italy

Manufactured in [Thailand] [Philippines] [Taiwan] [USA] {Determined at time of order}

[Protected by one or more of the following U S Patents 5,700,430, 7,835,631 B2, 6,033,212 C1, patent(s) pending]

[] Denotes alternate/optional verbiage { } Denotes verbiage not printed on market labeling

3/25


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

{1 The following directions will be used when mats are sold with or used in the appliance (ThermaCELL® Mosquito Repellent) }

[Useful Tips] Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect. This product works well in outdoor areas where there is minimal air movement, such as decks, unenclosed porches, patios and yards. Use one appliance per each 225 square feet (an area 15' x 15') or 15 feet in diameter. **Use Restrictions** Only for outdoor use as an insect repellent. Do not use indoors, in tents or in any enclosed area. Do not insert anything other than ThermaCELL® mats into the appliance. Cover or remove all exposed food. Do not leave appliance unattended or use in windy conditions. Do not expose appliance or mats to rain. [Do not attach appliance to your body or clothing.] Place appliance on a flat, stable surface with the grill facing upward. Clean with a damp cloth only when the appliance is cool and inactive. Butane cartridges other than ThermaCELL® cartridges will not work in this appliance.

- 1 Remove one ThermaCELL® Mosquito Repellent mat from wrapper. One mat lasts a maximum of 4 hours. Mat turns from pale blue to white when active ingredient has been exhausted.
- 2 Make sure the 'ON/OFF' switch on the appliance is in the 'OFF' position. Insert the mat under the appliance's black grill. To change mats, slide [turn] the 'ON/OFF' switch to 'OFF' and allow the appliance to cool completely. Push the used mat out by inserting a fresh one.
- 3 Remove the appliance cover and butane cartridge cap.
- 4 Screw the cartridge into the opening of the appliance. Make sure the cartridge is fully inserted by turning it clockwise until it stops. Replace the appliance cover. One ThermaCELL® butane cartridge lasts a maximum of 12 hours {0.73 fl. oz.} [a maximum of 28 hours {1.58 fl. oz.}]. If your appliance fails to heat, it may be out of fuel. Check the fuel level by holding the appliance vertically and looking at the fuel gauge on the bottom. You can see the amount of butane in the cartridge. Replace if empty.
- 5 Slide [Turn] the 'ON/OFF' switch to the 'ON' position, the butane gas will begin to flow.
- 6 Wait approximately 5 to 10 seconds then depress the start button three to five times in rapid succession.
- 7 To verify the appliance is operating, pick it up and check the lens on the end of the appliance. The light at the end of the appliance glows when the appliance is heating. If the light is not glowing, check to make sure the appliance is 'ON' and cartridge is completely screwed into place, then once again depress the start button three to five times in rapid succession. Check to make sure the light is glowing.
- 8 Do not touch the grill, it will be hot after a couple of minutes. Some visible vapor will appear during use, this is normal. When finished using the appliance, slide [turn] the 'ON/OFF' switch to the 'OFF' position, and allow the appliance to cool completely. Appliance is now ready for storage.



4/25

{2 The following directions will be used when mats are sold with or used in the compact appliance (ThermaCELL® Compact Mosquito Repellent) }

[Useful Tips] Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect This product works well in outdoor areas where there is minimal air movement, such as [decks], [unenclosed porches], [patios] [yards] and [outdoor campsites] Use one appliance per each 225 square feet (an area 15' x 15') or 15 feet in diameter Match or lighter required to operate **To change mats**, unscrew the cartridge at least one full turn and verify that the light has stopped glowing then allow the appliance to cool completely Push the used mat out by inserting a fresh one **Use Restrictions** Only for outdoor use as an insect repellent Do not use indoors, in tents or in any enclosed area Do not insert anything other than ThermaCELL® mats into the appliance Cover or remove all exposed food Do not leave appliance unattended or use in windy conditions Do not expose appliance or mats to rain Do not attach appliance to your body or clothing Place appliance on a flat, stable surface with the grill facing upward Clean with a damp cloth only when the appliance is cool and inactive Butane cartridges other than ThermaCELL® cartridges will not work in this appliance

One ThermaCELL® butane cartridge lasts a maximum of 12 hours If your appliance fails to heat, it may be out of fuel Check the fuel level by holding the cartridge vertically and looking at the fuel level You can see the amount of butane in the cartridge Replace if empty

- 1 Remove one ThermaCELL® Mosquito Repellent mat from wrapper Insert the mat under the appliance's grill One mat lasts a maximum of 4 hours Mat turns from pale blue to white when active ingredient has been exhausted
- 2 Remove the butane cartridge cap Screw the cartridge into the opening of the appliance, the butane gas will begin to flow Make sure the cartridge is fully inserted by turning it clockwise until it stops Slide the window on the end of the appliance open to expose the ignition port Hold a lit match or lighter near the ignition port for 5 seconds or until a popping sound is heard To verify the appliance is operating, pick it up and look into the ignition port An orange light inside glows when the appliance is heating If the light is not glowing, check to make sure the cartridge is completely screwed into place, then once again hold a lit match or lighter near the ignition port Check to make sure the light is glowing Slide the window closed to cover the ignition port
- 3 Do not place the appliance so that it is standing on the cartridge Do not touch the grill, it will be hot after a couple of minutes Some visible vapor will appear during use, this is normal
- 4 When finished using the appliance, unscrew the cartridge at least one full turn and verify that the light has stopped glowing, allow the appliance to cool completely Appliance is now ready for storage
{Graphics will be added to final printed labeling}

{3 The following directions will be used when mats are sold with or used in the compact appliance with self start (ThermaCELL® Compact Mosquito Repellent) }

[Useful Tips] Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect This product works well in outdoor areas where there is minimal air movement, such as decks, unenclosed porches, patios and yards Use one appliance per each 225 square feet (an area 15' x 15') or 15 feet in diameter **Use Restrictions** Only for outdoor use as an insect repellent Do not use indoors, in tents or in any enclosed area Do not insert anything other than ThermaCELL® mats into the appliance Cover or remove all exposed food Do not leave appliance unattended or use in windy conditions Do not expose appliance or mats to rain Do not attach appliance to your body or clothing Place appliance on a flat, stable surface with the grill facing upward Clean with a damp cloth only when the appliance is cool and inactive Butane cartridges other than ThermaCELL® cartridges will not work in this appliance

5/25

To change mats, unscrew the cartridge at least one full turn and verify that the light has stopped glowing then allow the appliance to cool completely Push the used mat out by inserting a fresh one One ThermaCELL® butane cartridge lasts a maximum of 12 hours If your appliance fails to heat, it may be out of fuel Check the fuel level by holding the cartridge vertically and looking at the fuel level You can see the amount of butane in the cartridge Replace if empty

- 1 Remove one ThermaCELL® Mosquito Repellent mat from wrapper Insert the mat under the appliance's grill One mat lasts a maximum of 4 hours Mat turns from pale blue to white when active ingredient has been exhausted
- 2 Remove the butane cartridge cap Screw the cartridge into the opening of the appliance, the butane gas will begin to flow Make sure the cartridge is fully inserted by turning it clockwise until it stops
- 3 Slide the window on the end of the appliance open to expose the ignition port Hold a lit match or lighter near the ignition port for 5 seconds or until a popping sound is heard
- 4 To verify the appliance is operating, pick it up and look into the ignition port An orange light inside glows when the appliance is heating If the light is not glowing, check to make sure the cartridge is completely screwed into place, then once again hold a lit match or lighter near the ignition port Check to make sure the light is glowing Slide the window closed to cover the ignition port
- 5 Do not place the appliance so that it is standing on the cartridge Do not touch the grill, it will be hot after a couple of minutes Some visible vapor will appear during use, this is normal
- 6 When finished using the appliance unscrew the cartridge at least one full turn and verify that the light has stopped glowing, allow the appliance to cool completely Appliance is now ready for storage



{4 The following directions will be used when mats are sold with or used in the lantern (ThermaCELL® Mosquito Repellent Lantern) }

[Useful Tips] Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect This product works well in outdoor areas where there is minimal air movement, such as decks, unenclosed porches, patios and yards Product may be used for outdoor camping Use one lantern per each 225 square feet (an area 15' x 15') or 15' in diameter Lantern provides light and repels mosquitoes, [biting] black flies, flying insects and bugs Batteries power the light, heat from the ThermaCELL cartridge activates the repellent mat and provides mosquito repellency for up to 4 hours **Use Restrictions** Only for outdoor use as an insect repellent Do not use indoors, in tents or in any enclosed area Do not insert anything other than ThermaCELL® mats into the lantern Cover or remove all exposed food Do not leave lantern unattended or use in windy conditions Do not expose lanterns or mats to rain Place lantern on a flat stable surface with the grill facing upward Clean with a damp cloth only when the lantern is cool and inactive Butane cartridges other than ThermaCELL® cartridges will not work in this lantern

To Use the Light

- 1 Remove battery cover on the bottom of the lantern Install [#] [AA] [AAA] size batteries [(included)] [(not included)], Replace battery cover The batteries power [#] LED lights

and will provide lantern light for a maximum of [#] hours

- 2 To turn Lantern light on, push, [slide] the black [switch][button][knob] on the bottom of the lantern to the "ON" position If lantern light does not turn on, replace batteries When finished using the light, push [slide] the [switch][button][knob] to the "OFF" position

To Use the Mosquito Repellent

- 1 Remove one ThermaCELL® Mosquito Repellent mat from wrapper Mats last a maximum of 4 hours Mat turns from pale blue to white when repellent has been exhausted



- 2 Insert the mat under the grill at the top of the lantern



- 3 Remove the butane cartridge cap and screw the cartridge into the opening on the bottom of the lantern by turning the cartridge clockwise until it stops Make sure the cartridge is fully inserted



- 4 To activate the mosquito repellent, grasp the lantern collar and rotate [turn] collar to the right until the [indicator] [arrow] [line] points to "ON" [is in the "ON" position] The gas will begin to flow



- 5 Wait approximately 5 to 10 seconds then rotate lantern collar further to the right until the [indicator] [arrow] [line] points to "START" [is in the "START" position] You should hear a clicking noise

- 6 To verify that the mosquito repellent is activated look at the [circular] [oval] view hole located [on the lantern][collar] [lid] to the right of the "START" button An orange light will glow If there is no orange light, rotate [turn] [indicator] [arrow] [line] back to the "ON" position and repeat rotation to the "START" position two to three times in rapid succession

- 7 If there is still no orange light visible in the view hole, make sure the cartridge is completely screwed into place Also check the amount of fuel in the cartridge If cartridge is empty or near empty, remove cartridge and replace with a new ThermaCELL® cartridge Then repeat steps 4-6



- 8 Do not touch the grill, it will be hot after a few minutes Some visible vapor will appear during use This is normal When finished using the lantern, rotate [turn] the lantern collar to the left until the [indicator] [arrow] [line] [points to "OFF"] [is in the "OFF" position] Allow lantern to cool completely before storing



7/25

- 9 To replace a used mat, make sure [indicator] [arrow] [line] [points to "OFF"] [is in the "OFF" position] and allow lantern grill to cool Push the used mat out by inserting a fresh mat



{5 The following directions will be used when mats are sold with or used in the Patio/Outdoor lantern (ThermaCELL® Mosquito Repellent Patio Lantern and ThermaCELL® Mosquito Repellent Outdoor Camping [Outdoor] Lantern) }

[Useful Tips] Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect This product works well in outdoor areas where there is minimal air movement, such as decks, unenclosed porches, patios and yards Product may be used for outdoor camping Use one lantern per each 225 square feet (an area 15' x 15') or 15' in diameter Lantern provides light and repels mosquitoes, [biting] black flies, flying insects and bugs Batteries power the light, heat from the ThermaCELL® cartridge activates the repellent mat and provides mosquito repellency for up to 4 hours **Use Restrictions** Only for outdoor use as an insect repellent Do not use indoors, in tents or in any enclosed area Do not insert anything other than ThermaCELL® mats into the lantern Cover or remove all exposed food Do not leave lantern unattended or use in windy conditions Do not expose lanterns or mats to rain Place lantern on a flat, stable surface with the grill facing upward Clean with a damp cloth only when the lantern is cool and inactive Butane cartridges other than ThermaCELL® cartridges will not work in this lantern

- 1 Remove the battery cover on the bottom Install 4 AA -size batteries (included) ([not included]), making sure that the batteries are correctly placed in the indicated directions Replace battery cover The batteries will provide lantern light for a maximum of 200 hours on the LOW setting and 150 hours on the HIGH setting [Replacement alkaline batteries will provide lantern light for a maximum of {number} hours, [{number} hours on the LOW setting and {number} hours on the HIGH setting]
- 2 Remove one ThermaCELL® mat from wrapper Mats last a maximum of 4 hours Mat turns from pale blue to white when repellent has been exhausted
- 3 Make sure the 'ON/OFF' button is in the 'OFF' position Insert the mat under the grill at the top of the lantern
- 4 Remove top of lantern and globe from base by squeezing the latch tabs and lifting out the top of lantern until it is fully removed from the base
- 5 Remove the butane cartridge cap Screw the cartridge into the center of the lantern globe Make sure the cartridge is fully inserted by turning it clockwise until it stops Replace lantern globe on base One ThermaCELL® butane cartridge lasts a maximum of 12 hours
- 6 To turn on lantern light, push the black switch located on the base of the lantern Push the switch to 'LO' for low light, 'HI' for high light and 'OFF' to turn off the light If lantern light does not turn on, replace batteries
- 7 The lantern may be used as a mosquito repellent with or without the light being on However, for the lantern to repel mosquitoes and flying insects, the mosquito repellent must be activated To activate the mosquito repellent, slide [turn] the 'ON/OFF' button to the 'ON' position The gas will begin to flow



8/25

- 8 Wait approximately 5 to 10 seconds and then depress the 'START' button three to five times in rapid succession



- 9 To verify that the mosquito repellent is activated look at the circular view hole located at the top of the lantern. An orange light will glow. If there is no orange light, check to make sure the lantern is 'ON' and the cartridge is completely screwed into place. Also check the fuel level in the cartridge. If the fuel level in the cartridge is empty or near empty, remove cartridge and replace with a new ThermaCELL® cartridge. Then once again turn the lantern 'ON' and depress the start button three to five times in rapid succession. Check again to make sure the orange light is glowing.



- 10 Do not touch the grill, it will be hot after a few minutes. Some visible vapor will appear during use. This is normal. When finished using the lantern slide [turn] the 'ON/OFF' button to the 'OFF' position. If using the light, push the light switch to "OFF" to extinguish the lantern light. Allow lantern to cool completely. Lantern is now ready for storage.

- 11 To replace a used mat, turn off lantern and allow to cool completely. Push the used mat out by inserting a fresh mat.



{6 The following directions will be used when mats are sold with or used in the mini lantern (ThermaCELL® Mini Mosquito Repellent Lantern) }

[Useful Tips] Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect. This product works well in outdoor areas where there is minimal air movement, such as decks, unenclosed porches, patios and yards. Product may be used for outdoor camping. Use one lantern per 225 square feet (an area 15' x 15') or 15 feet in diameter. Automatic shut off switch if lantern tips or is lifted. Lantern provides diffused [gentle] light as it repels mosquitoes, [biting] black flies, flying insects and bugs. Provides a maximum of 4 hours repellency per mat. Match or lighter required to operate. Each mat lasts a maximum of 4 hours and each ThermaCELL® butane cartridge lasts a maximum of 12 hours. Mat turns from pale blue to white when repellent has been exhausted. Some visible vapor will appear during use, this is normal. **Use Restrictions** Only for outdoor use as an insect repellent. Do not use indoors, in tents or in any enclosed area. Do not insert anything other than ThermaCELL® mats into the lantern. Cover or remove all exposed food. Do not leave lantern unattended or use in windy conditions. Do not expose lantern or mats to rain. Place lantern on a flat, stable surface with the grill facing upward. Clean with a damp cloth only when the lantern is cool and inactive. Butane cartridges other than ThermaCELL® cartridges will not work in this lantern.

- 1 Remove one ThermaCELL® Mosquito Repellent mat from wrapper
- 2 Insert the mat under the grill at the top of the lantern
- 3 Remove the butane cartridge cap and screw cartridge into the opening in the lantern base by turning the cartridge clockwise until it stops. The gas will begin to flow. Make sure the cartridge is fully inserted.
- 4 Flip open the top of the lantern and hold a lit match or lighter near the white tube in the center of the globe. Verify the lantern is operating (lantern will glow), then close the top of the lantern. If the lantern fails to glow check to make sure the cartridge is fully inserted. Also check the cartridge's fuel level. If the fuel level in the cartridge is empty, replace the cartridge and repeat steps 3 and 4.
- 5 Do not touch the top of the lantern, it will be hot after a couple of minutes. If you have to re-light the lantern, make sure it has completely cooled before opening the top.

- 6 To move the lantern while it is operating, pick it up by the base while holding the button on the side of the base with your thumb. This will temporarily prevent the automatic shut-off switch from extinguishing the flame when you pick up the lantern.
- 7 When finished using the lantern, unscrew the cartridge at least one full turn and verify that the lantern is no longer glowing. Allow the lantern to completely cool before storing.
- 8 To replace a used mat, turn off lantern by unscrewing the cartridge and allow lantern to cool completely. Push the used mat out by inserting a fresh mat.
{Graphics will be added to final printed labeling}

{7 The following directions will be used when mats are sold with or used in the mini lantern with self start (ThermaCELL® Mini Mosquito Repellent Lantern) }

[Useful Tips] Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect. This product works well in outdoor areas where there is minimal air movement, such as decks, unenclosed porches, patios and yards. Product may be used for outdoor camping. Use one lantern per each 225 square feet (an area 15' x 15') or 15 feet in diameter. Automatic shut-off switch if lantern tips or is lifted. Lantern provides diffused [gentle] light as it repels mosquitoes, [biting] black flies, flying insects and bugs. Provides a maximum of 4 hours repellency per mat. Each mat lasts a maximum of 4 hours and each ThermaCELL® butane cartridge lasts a maximum of 12 hours. Mat turns from pale blue to white when repellent has been exhausted. Some visible vapor will appear during use, this is normal. **Use Restrictions** Only for outdoor use as an insect repellent. Do not use indoors, in tents or in any enclosed area. Do not insert anything other than ThermaCELL® mats into the lantern. Cover or remove all exposed food. Do not leave lantern unattended or use in windy conditions. Do not expose lanterns or mats to rain. Place lantern on a flat, stable surface with the grill facing upward. Clean with a damp cloth only when the lantern is cool and inactive. Butane cartridges other than ThermaCELL® cartridges will not work in this lantern.

- 1 Remove one ThermaCELL® Mosquito Repellent mat from wrapper.
- 2 Insert the mat under the grill at the top of the lantern.
- 3 Remove the butane cartridge cap and screw cartridge into the opening in the lantern base by turning the cartridge clockwise until it stops. Make sure the cartridge is fully inserted.
- 4 The gas will begin to flow. [Wait approximately 5 to 10 seconds then] depress the start button three to five times in rapid succession.
- 5 Verify the lantern is operating (lantern will glow). If the lantern fails to glow, check to make sure the cartridge is fully inserted. Also check the cartridge's fuel level. If the fuel level in the cartridge is empty, replace the cartridge and repeat steps 3 and 4.
- 6 Do not touch the top of the lantern, it will be hot after a couple of minutes. To move the lantern while it is operating, pick it up by the base while holding the button on the side of the base with your thumb. This will temporarily prevent the automatic shut-off switch from extinguishing the flame when you pick up the lantern.
- 7 When finished using the lantern, unscrew the cartridge at least one full turn and verify that the lantern is no longer glowing. Allow the lantern to completely cool before storing.
- 8 To replace a used mat, turn off lantern by unscrewing the cartridge at least one full turn and allow lantern to cool completely. Push the used mat out by inserting a fresh mat.
{Graphics will be added to final printed labeling}

{8 The following directions will be used when mats are sold with or used in the mini lantern with self start and on off button (also ThermaCELL® Mini Mosquito Repellent Lantern) }

[Useful Tips] Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect. This product works well in outdoor areas where there is minimal air movement, such as decks, unenclosed porches,

patios and yards Product may be used for outdoor camping Use one lantern per each 225 square feet (an area 15' x 15') or 15 feet in diameter Automatic shut-off switch if lantern tips or is lifted Lantern provides diffused [gentle] light as it repels mosquitoes, [biting] black flies, flying insects and bugs Provides a maximum of 4 hours repellency per mat Each mat lasts a maximum of 4 hours and each ThermaCELL® butane cartridge lasts a maximum of 12 hours Mat turns from pale blue to white when repellent has been exhausted Some visible vapor will appear during use, this is normal **Use Restrictions** Only for outdoor use as an insect repellent Do not use indoors, in tents or in any enclosed area Do not insert anything other than ThermaCELL® mats into the lantern Cover or remove all exposed food Do not leave lantern unattended or use in windy conditions Do not expose lanterns or mats to rain Place lantern on a flat, stable surface with the grill facing upward Press the on-off button to the 'OFF' [out] position when not in use Clean with a damp cloth only when the lantern is cool and inactive Butane cartridges other than ThermaCELL® cartridges will not work in this lantern

- 1 Remove one ThermaCELL® Mosquito Repellent mat from wrapper
- 2 Make sure the on-off button is in the "OFF" [(out)] position Insert the mat under the grill at the top of the lantern
- 3 Remove the butane cartridge cap and screw cartridge into the opening in the lantern base by turning the cartridge clockwise until it stops Make sure the cartridge is fully inserted
- 4 Push [turn] the on-off button to the 'ON' [(in)] position, the gas will begin to flow
- 5 Wait approximately 5 to 10 seconds then depress the 'START' button three to five times in rapid succession
- 6 Verify the lantern is operating (lantern will glow) If the lantern fails to glow check to make sure that the on-off button is in the 'ON' [(in)] position and the cartridge is fully inserted Also check the cartridge's fuel level If the fuel level in the cartridge is empty turn off the lantern, replace the cartridge and repeat steps 3 through 6
- 7 Do not touch the top of the lantern, it will be hot after a couple of minutes To move the lantern while it is operating, pick it up by the base while holding the button on the side of the base with your thumb This will temporarily prevent the automatic shut off switch from extinguishing the flame when you pick up the lantern
- 8 When finished using the lantern press [turn] the on off button to the 'OFF' [(out)] position and verify that the lantern is no longer glowing Allow the lantern to completely cool before storing
- 9 To replace a used mat, turn off lantern by pressing [turning] the on-off button to the 'OFF' [(out)] position and allow lantern to cool completely Push the used mat out by inserting a fresh mat

{9 The following directions will be used when mats are sold with or used in the Post Cap lantern (also ThermaCELL® Mosquito Repellent Post Cap Lantern) }


[Useful Tips]

Allow 10 to 30 minutes, depending upon the size of the area, for product to [take effect and] repel mosquitoes, [biting] black flies, flying insects and bugs

Use one [device] [appliance] [post cap] per each 225 square feet (an area 15' x 15') or 15 feet in diameter Use additional units to cover a larger area

- [Mats provide a maximum of 4 hours repellency per mat [and turn from pale blue to white when repellent has been [used up [depleted]]]
- One ThermaCELL® butane cartridge lasts a maximum of 12 hours If your device [appliance] fails to heat, it may be out of fuel Check the fuel level by holding the cartridge vertically and looking at the fuel level You can see the amount of butane in the cartridge Replace if empty
Do not touch the grill while mosquito repellent is on, it will be hot after a few minutes Some visible vapor will appear during use This is normal
- [LED lights can be used with or without the mosquito repellent]
- [Post Cap cover must be open in order to use the mosquito repellent] When finished using mosquito repellent, close post cap cover to keep out water, dirt or other debris

11/25




{Note to Reviewer Prototype Photos and Artist Illustrations Only Actual product photos or artist renditions will be used on market labeling }

Use Restrictions Only for outdoor use as an insect repellent Do not insert anything other than ThermaCELL® mats into the device [appliance] Cover or remove all exposed food Do not leave device [appliance] unattended or use in windy conditions Clean with a damp cloth only when the device [appliance] is cool and inactive Only ThermaCELL® mats and cartridges will work in this device [appliance]


To Install post cap

To secure post cap to the post, apply an exterior grade construction adhesive liberally to the inside of the post cap and place firmly on the post **Position post cap on post with hinges facing the outside of deck and view hole facing the inside of deck**




To Set-up Mosquito Repellent


- 1 Open post cap cover by pulling up on tab Cover must be open in order to use the mosquito repellent



- 2 Remove one ThermaCELL Mosquito Repellent mat from wrapper Insert mat under grill [Mats last a maximum of 4 hours Mats turn from pale blue to white when repellent has been [used up] [depleted]




- 3 Remove post cap top by pressing in side of post cap where it says "PRESS" and lifting top off of post cap base



Press
side in

13/25


- 4 Remove butane cartridge cap and screw cartridge into the underside of the post cap top Turn cartridge clockwise until it stops and is fully inserted



- 5 Replace post cap top on base with view hole facing the inside of deck, hinges facing outside of deck Press down on post cap until it clicks into place

To [Operate] [Use] [Activate] Mosquito Repellent

- 1 Cover must be open in order to use the mosquito repellent Pull the "ON/OFF" switch to the "ON" position The gas will begin to flow




- 1 Wait 5 to 10 seconds, then pull the "ON/OFF" switch out to the "START" position You will hear a clicking noise



14/25

- 2 To verify the mosquito repellent has been activated look at the view hole on the roof. An orange and blue light will glow. If there is no orange/blue light, repeat steps 1 and 2. If there is still no orange/blue light visible in view hole, make sure the cartridge is completely screwed into place. Also check the amount of fuel in the cartridge. If cartridge is empty or near empty, replace with a new ThermaCELL cartridge. Then repeat steps 1 & 2.



View hole

- 2 Do not touch the grill, it will be hot after a few minutes.
- 3 When finished using the mosquito repellent, [push] the "ON/OFF" [switch] to the "OFF" position. Allow [post cap] to cool completely. Close cover.
- 4 To replace a used mat, make sure "ON/OFF" [tab] [switch] is in the "OFF" position, and allow [device] [post cap] to cool. Push the used mat out by inserting a new mat.

For units with LED lights

To [Operate] [Use] [Activate] the light

- 1 Remove post cap top by pressing in side of post cap where it says "**PRESS**" and lifting top off of post cap base. [Remove battery cover] Install [#] [size] batteries [included] [not included]. [Replace battery cover and] [replace] [top portion of] [appliance] [post cap] [roof] [top] on base. [Press down on post cap until it clicks into place]. The batteries power [#] LED lights and will provide light for a maximum of [x] hours.
- 2 To turn LED lights on, [push] [slide] [turn] the [color] switch to the "ON" position. If LED lights do not turn on, replace batteries. When finished using LED light, [push] [slide] [turn] the [switch] to the "OFF" position. LED lights can be used with or without the mosquito repellent.

{Graphics will be added to final printed labeling}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal

Pesticide Storage Store unused mats in original box in a cool, dry place inaccessible to children and pets
Store appliance [lantern] and butane cartridges in original box in a cool, dry place away from sources of heat
[Store device on [deck] [post] with cover closed [to keep out dirt and water]]
Pesticide Disposal and Container Handling Non-refillable container, do not refill or reuse this container **If cartridge is empty or for used mats**
Do not reuse empty packaging, envelopes [wrappers] or cartridges Do not puncture or incinerate empty
cartridges Place in trash or offer for recycling if available **If cartridge is partly filled or for unused mats**
Call your local solid waste agency for disposal instructions Never place unused mats down any indoor or
outdoor drain **For unwanted appliance [lantern]** Place in trash or offer for recycling if available
Batch Code [Lot Number] _____

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION Harmful if swallowed or absorbed through skin Causes moderate eye irritation Avoid contact with skin eyes or
clothing Wash hands thoroughly with soap and water after handling and before eating drinking chewing gum using
tobacco or using the toilet Remove and wash contaminated clothing before reuse

First Aid

If Swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person
If On Skin or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice
If In Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present after the first 5 minutes, then continue rinsing eyes Call a poison control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center or doctor, or going for treatment For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1 800-xxx xxxx, Monday through Friday, 8 30 AM to 4 30 PM EST After 4 30 PM, call your poison control center

{Note The first aid statements grid format will be used if market label space permits otherwise a paragraph format will be used }

Physical and Chemical Hazards

Extremely flammable Contents under pressure Keep away from fire, sparks and heated surfaces Do not puncture or incinerate butane container Exposure to temperatures above 130°F may cause bursting

Environmental Hazards

This product is toxic to fish and aquatic invertebrates Do not apply directly to water Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate Drift may be hazardous to aquatic organisms in water adjacent to treated areas

[Guarantee Appliance [Lantern] is guaranteed to last {number} year[s] from date of purchase If [the] appliance [lantern] fails to perform to your satisfaction, send the appliance [lantern] and receipt to {Company Name} for a full refund of purchase price or repair or replacement]

16/25

[Warranty and Disclaimers Seller will not be held responsible for damage, injury or poor performance caused by use of other butane cartridges or repellent mats Seller is not responsible for damage caused by using this butane cartridge in other butane products]

ThermaCELL® is a Registered Trademark of the Schawbel Corporation

17/25

{Mat Label}

ThermaCELL® Mosquito Repellent Mat

Active Ingredient

d cis/trans allethrin

21 97%

Other Ingredients

78 03%

Total

100 00%

Keep Out of Reach of Children

CAUTION

**See outer carton for additional precautionary statements
and Directions for Use**

Net Weight ____ oz

EPA Reg No 71910 2

EPA Est 43917 ITA 1

Manufactured for

The Schawbel Corporation

26 Crosby Drive Bedford, MA 01730

Made [and Printed] in Italy

{ThermaCELL® Butane Cartridge Labeling}

ThermaCELL® Butane Cartridge

Keep Out of Reach of Children

CAUTION

Physical and Chemical Hazards

Extremely flammable Contents under pressure Keep away from fire, sparks and heated surfaces Do not puncture break or incinerate the butane container even after use Exposure to temperatures above 130°F may cause bursting Protect the butane cartridge from sunlight Use only with ThermaCELL® products

See box for additional precautionary statements

Net Contents ____ fl oz

The Schawbel Corporation

26 Crosby Drive Bedford, MA 01730

[ThermaCELL® is a Registered Trademark of the Schawbel Corporation]

{Appliance Labeling}

{Promotional Item Language (when appliance is used as a promotional item) }

NWTF Logo National Wild Turkey Federation
Team Realtree Logo [America's Most Versatile Camo Pattern]
Realtree Hardwoods Green HD Logo

ThermaCELL® Mosquito Repellent [Appliance] [Lantern] [Post Cap Lantern]

ATTENTION HOT SURFACE

Keep Out of Reach of Children

CAUTION

Read **Directions for Use** and **Precautionary Statements** on box prior to use

Only for outdoor use as an insect repellent Do not use indoors, in a tent or any enclosed area Do not touch the [black] grill while the appliance is in use [Black] [G]grill is hot while in use Place on a flat, stable surface with the [black] grill facing upward [Place on top of deck post or other post with the grill facing upward as directed] Do not cover with any material while in use Do not expose appliance to rain Butane cartridges and mats other than ThermaCELL® will not work in this appliance

EPA Reg No 71910 2 EPA Est 71998 THA 1 83226-PHL-1 {Determined at time of order}

The Schawbel Corporation

26 Crosby Drive Bedford, MA 10730

781 541-6900

U S Patent Nos 5,700,430, D423,071

[ThermaCELL® is a Registered Trademark of the Schawbel Corporation]

{Lamp Labeling }

{Promotional Item Language (when lantern is used as a promotional item) }

NWTF Logo National Wild Turkey Federation
Team Realtree Logo [America's Most Versatile Camo Pattern]
Realtree Hardwoods Green HD Logo

ThermaCELL® Mosquito Repellent Lantern

ATTENTION HOT SURFACE

Keep Out of Reach of Children

CAUTION

Read **Directions for Use** and **Precautionary Statements** on box prior to use

Only for outdoor use as an insect repellent Do not use indoors, in a tent or any enclosed area Do not touch the grill while in use Grill is hot while in use Place on a flat, stable surface with the grill facing upward Do not cover with any material while in use Do not expose lantern to rain Butane cartridges and mats other than ThermaCELL® will not work in this lantern

EPA Reg No 71910-2 EPA Est 71998 THA 1, 83226-PHL-1{Determined at time of order}

The Schawbel Corporation

26 Crosby Drive Bedford, MA 01730

U S Patent Numbers 6,033,212 C1, 5,700,430

[ThermaCELL® is a Registered Trademark of the Schawbel Corporation]

19/25

{Refill Labeling}

ThermaCELL® Mosquito Repellent

REFILLS

{Select appropriate marketing verbiage from Marketing Text section}

[Value {or other descriptive term} Packs]
{Number} Refill[s]

May be used in any ThermaCELL® Mosquito Repellent product

[For Use in {product name} Appliance, Compact Appliance, Compact Appliance with Self Start, Lantern,
Patio/Outdoor Lanterns, Post Cap Lantern, Mini Lantern, Mini Lantern with Self Start and
Mini Lantern with Self Start and On Off Button]

Active Ingredient	
d cis/trans allethrin	21 97%
Other Ingredients	78 03%
Total	100 00%

Keep Out of Reach of Children
CAUTION
See back [side] [bottom] panel for additional [precautions]
precautionary statements

[This Package] [Box] Contains
{Number} Butane [ThermaCELL®] Cartridge(s)
Net Contents ____ fl oz [each]

and
{Number} [Insect] Repellent Mat(s)
Net Weight ____ oz each

EPA Reg No 71910 2 EPA Est 71998 THA 1, 83226 PHL 1 {Determined at time of order}

Manufactured for
The Schawbel Corporation
26 Crosby Drive
Bedford, MA 01730
Toll Free 1 8 NO SKEETERS
Email Consumerquestions@thermacell.net
Made and Printed in Italy
Mats Made in Italy
Manufactured in [Thailand] [Philippines] {Determined at time of order}

[Protected by one or more of the following U S Patents 5,700,430, 7,835,631 B2, 6,033,212 C1, patent(s) pending]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Useful Tips Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect Each mat lasts a maximum of 4 hours and each cartridge lasts a maximum of 12 {0 73 fl oz } [28 {1 58 fl oz }} hours Mats turn from pale blue to white when repellent has been exhausted Use one appliance/lantern for each 225 square feet or 15 feet in diameter To change mats, make sure appliance/lantern is off and cool, then push used mat out by inserting a fresh one [Match or lighter required to operate] **Use Restrictions** Only for outdoor use as an insect repellent Do not use indoors, in tents or in any enclosed area Do not insert anything other than ThermaCELL® mats into the appliance/lantern Cover or remove all exposed food Do not leave appliance/lantern unattended or use in windy conditions Do not expose appliance/lantern or mats to rain Do not attach appliance to your body or clothing Place appliance/lantern on a flat, stable surface with the grill facing upward Clean with a damp cloth only when the appliance/lantern or post cap is cool and inactive Butane cartridges other than ThermaCELL® cartridges will not work in this [these] appliance[s]/lantern[s]

ThermaCELL® Mosquito Repellent and Patio/Outdoor/Post Cap [Appliance[s]]/Lantern[s]	ThermaCELL® Mosquito Repellent Lanterns
1 Remove one mat from wrapper	1 Remove one mat from wrapper
2 Appliance or Patio/Outdoor lantern With device off and completely cool, insert mat under grill Post Cap open cover With device off and completely cool, insert mat under grill	2 With lantern off and completely cool, insert mat under grill
3 Remove appliance cover, or Patio/Outdoor lantern top or Post Cap Top and butane cartridge cap Screw cartridge into receptacle and replace appliance cover [if provided] Patio/Outdoor lantern top or Post Cap top	3 Remove butane cartridge cap and screw into lantern base opening Place lantern on a flat, stable area
4 Full Size Appliance and Patio/Outdoor lantern Move [turn] switch to 'ON', wait 5 to 10 seconds then depress start button 3 to 5 times in rapid succession Compact Appliance Slide open window covering ignition port Hold lit match or lighter near ignition port Slide window closed to cover ignition port Compact Appliance with self start Screw cartridge into appliance, wait 5 to 10 seconds then click start button 3 to 5 times in rapid succession Post Cap pull [turn] switch to "ON," wait 5 to 10 seconds then pull [turn] switch to "START" position	4 Full Size Lantern Rotate [turn] lantern collar to the right until the [indicator] [arrow] [line] points to "ON" [is in the "ON" position], wait 5 to 10 seconds then rotate lantern collar further to the right until the [indicator] [arrow] [line] points to "START" [is in the "START" position] Repeat 3 to 5 times in rapid succession Mini Lantern Open lantern cover and hold a lit match or lighter near white tube in center Close lantern cover Mini Lantern with self start Screw cartridge into lantern base opening [wait 5 to 10 seconds] then depress start button 3 to 5 times in rapid succession Mini Lantern with Self Start and On Off Button Press [turn] button to 'ON' [(in)] position, wait 5 to 10 seconds, then press 'START' button 3 to 5 times in rapid succession
5 Verify appliance, Patio/Outdoor lantern or Post Cap is heating, [orange] light will glow If the light is not glowing, make sure cartridge is completely screwed into place, then repeat step 4 Place on a flat, stable area	5 Verify lantern is operating, lantern will glow If the lantern is not glowing, make sure cartridge is completely screwed into place, then repeat step 4 For full size lantern, orange light will glow in [circular] view hole located on the lantern [collar] [lid] [to the right of the "START" button]
6 Full Size Appliance, and Patio/Outdoor Lantern or Post Cap When finished using, turn switch to 'OFF' Compact Appliances When finished using, unscrew cartridge	6 Full Size Lantern When finished using lantern, rotate [turn] lantern collar to the left until the [indicator] [arrow] [line] [points to "OFF"] [is in the

21/25

7 Appliance and Patio/Outdoor Lantern Allow to completely cool and then store Post Cap Allow to completely cool then close cover [to keep out water, dirt]

“OFF” position] **Mini Lantern** When finished using lantern, unscrew cartridge **Mini Lantern with Self Start and On Off Button** When finished using lantern, press [turn] on-off button to ‘OFF’ [(out)] position

7 Allow lantern to completely cool and then store

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal

Pesticide Storage Store unused mats in original box in a cool, dry place inaccessible to children and pets Store unit and butane cartridges in original box in a cool, dry place away from sources of heat Store Post Cap on [deck] [post] with cover closed [to keep out dirt and water] **Pesticide Disposal and Container Handling** Non-refillable container, do not refill or reuse this container **If cartridge is empty or for used mats** Do not reuse empty packaging, envelopes [wrappers] or cartridges Do not puncture or incinerate empty cartridges Place in trash or offer for recycling if available **If cartridge is partly filled or for unused mats** Call your local solid waste agency for disposal instructions Never place unused mats down any indoor or outdoor drain Batch Code [Lot Number] _____

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION Harmful if swallowed or absorbed through skin Causes moderate eye irritation Avoid contact with skin, eyes or clothing Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet Remove and wash contaminated clothing before reuse

First Aid

If Swallowed	<ul style="list-style-type: none">Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person
If On Skin or Clothing	<ul style="list-style-type: none">Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice
If In Eyes	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses if present, after the first 5 minutes, then continue rinsing eyes Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor, or going for treatment For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1 800-xxx-xxxx, Monday through Friday, 8 30 AM to 4 30 PM EST After 4 30 PM, call your poison control center	

{**Note** The first aid statements' grid format will be used if market label space permits, otherwise a paragraph format will be used }

Physical and Chemical Hazards

Extremely flammable Contents under pressure Keep away from fire, sparks and heated surfaces Do not puncture or incinerate butane container Exposure to temperatures above 130°F may cause bursting

Environmental Hazards

This product is toxic to fish and aquatic invertebrates Do not apply directly to water Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate Drift may be hazardous to aquatic organisms in water adjacent to treated areas

[Warranty and Disclaimers Seller will not be held responsible for damage, injury or poor performance caused by use of other butane cartridges or repellent mats Seller is not responsible for damage caused by using this butane cartridge in other butane products]

23/25

{OPTIONAL MARKETING TEXT, SYMBOLS & GRAPHICS}

Basic Information

- 1 [Additional products made by] ThermaCELL® [makes [sells] additional mosquito repellent products [Additional ThermaCELL products] include {graphics and names of appliance, compact appliance, compact appliance with self start, lantern, Patio/Outdoor lantern, mini-lantern, mini-lantern with self start}
- 2 Also works on [repels] black flies
- 3 Automatic shut-off switch if lantern tips or is lifted {lantern, mini lantern mini-lantern with self start and mini lantern with self-start and on/off switch}
- 4 Buy one get one free
- 5 Convenient
- 6 Coupon [{ \$ } {number} Rebate[s]] inside
- 7 Easy to use
- 8 Effective
- 9 Portable
- 10 Silent
- 11 No candle(s)
- 12 No open flame
- 13 [No] match or lighter required to operate {all except mini lantern and mini-appliance}
- 14 Powered by ThermaCELL®
- 15 Refills [are] available [ThermaCELL] Refills [can be used in] [fit] [any] [all] ThermaCELL Mosquito Repellent product[s]
- 16 [Mosquito] protection you don't spray on
- 17 [Mosquito] protection for your deck [and / or] [patio]
- 18 Protect your deck [and / or] [patio]
- 19 ThermaCELL® makes [sells] additional mosquito repellent products, including {graphics and names of appliance, compact appliance, compact appliance with self start, lantern, Patio/Outdoor/Post Cap lantern mini-lantern mini lantern with self start}
- 20 ThermaCELL® product line includes {graphics and names of appliance, compact appliance, compact appliance with self start, lantern, Patio/Outdoor/Post Cap lantern, mini lantern, mini-lantern with self start }
- 21 ThermaCELL® refills may be used in all [any] ThermaCELL® Mosquito Repellent products
- 22 Value {or other descriptive term} Pack {number} dollar savings [off regular price]
- 23 Value {or other descriptive term} Pack {number} [free] refills [appliance,] [compact appliance,] [compact appliance with self start,] [lantern,] [Patio/Outdoor lantern,] [mini lantern,] [mini lantern with self start [inside]]
- 24 Bonus Pack 2 FREE Refills

Repellency

- 25 Batteries last a maximum of 150 hours {Patio/Outdoor/Post Cap lantern}
- 26 [Each] cartridge lasts a maximum of 12 hours
- 27 Each mat lasts a maximum of 4 hours
- 28 Provides 15 ft diameter repellency
- 29 Provides 225 sq ft of repellency for a maximum of 4 hours per mat
- 30 This box (package)(product) contains {X} mats Each mat provides 4-hours (of) repellency
- 31 Repellent lasts a maximum of 4 hours [per mat]
- 32 Repels mosquitoes, black flies and other flying insects
- 33 Repels mosquitoes [using] [uses] a heat activated repellent mat
- 34 Repels mosquitoes, black flies and other [outdoor] flying insects from an area a maximum of 15 by 15 feet

- 35 Repels mosquitoes, black flies and other [outdoor] insects in an area as large as an average size deck, or patio, or outdoor campsite (15 feet in diameter or 225 square feet or an area 15' x 15') for up to 4 hours
- 36 Repels mosquitoes, black flies and other [outdoor] flying insects creating an [area] of repellency

How it [ThermaCELL® Mosquito Repellents] Work

- 37 Heat-activated repellent mat repels mosquitoes, black flies and other [outdoor] flying insects
- 38 Heating [Heated] [the] [repellent] mat releases repellent into the air and provides repellency from mosquitoes, black flies and other [outdoor] flying insects
- 39 Repellent mat releases repellent when heated by the ThermaCELL® [power] cartridge
- 40 ThermaCELL® cartridge heats the repellent mat, repellent is released creating an [area] of repellency

Where Product is Used

- 41 Ideal for decks, patios, and backyards [outdoor entertaining parties]
- 42 [ThermaCELL® Mosquito Repellent products can be used] For backyard[s], barbecues*, outdoor camping, outdoor campsites, decks, gardening, hunting, [other] social events [gatherings], outdoor dining* [entertaining*], parties, patios, picnics*, spectator sports, beaches, pools, parks [and yards]

*Cover or remove all exposed food

- 43 Protect your deck [or] [patio] [or] [backyard] from uninvited guests
- 44 Ideal for decks, patios and backyards

Placement

- 45 Place product upwind for maximum repellency

Other


- 46 Effective repellency
- 47 Refills available wherever Schawbel [ThermaCELL®] repellent products are sold
- 48 The Schawbel Corporation [Schawbel] offers convenient refill kits for use with this product
- 49 Lantern and Post Cap with LED Lights
- 50 [Dual use] Repels mosquitoes and provides [bright] [ambient] light
- 51 If [lantern] [Post Cap] light stops working, replace batteries {Patio/Outdoor/Post Cap lantern}
- 52 [The] [Bright] [Lantern] [Post Cap] light comes from [is created by] [is provided by]{number} [LED][lights] [light bulbs]
- 53 [Does not] [no] [require] [need][needed] [candles] or [open flame] [to operate]
- 54 [Lantern] [Post Cap] [device] [light] can [operate][be used] [year round]
- 55 [Lantern] [Light] + Mosquito repellent
- 56 Use the lantern to repel mosquitoes and other [outdoor] flying insects
- 57 Outdoor lantern/Post Cap light is 2x brighter than previous models [such as the Lantern [and/or] Patio Lantern]
- 58 Lantern Dimensions [actual lantern size] x ['] [mm] high, [x] [inches][mm] diameter
- 59 Lantern weight [weighs] x ounces
- 60 [Post Cap] [Device] [Lantern] Dimensions [actual post cap size] x ['] [mm] high, [x] [inches][mm] diameter
- 61 [Post Cap] [Device] [Lantern] weight [weighs] x ounces

Mini appliances and lanterns with self starters

- 62 Easy to light [start], no match or lighter needed
- 63 Easy start on [button], no match needed to light
- 64 Quick start feature, no match needed to light

65 Mosquitoes, black flies, bugs, outdoor flying insects and biting blackflies [are uninvited guests who] can [spoil just about any] outdoor [fun] [activity] whether you are entertaining [friends on the deck or enjoying] [guests at] [a] [good book on your patio] barbecue or working in your backyard Now you can alleviate the annoyance from these insects[] [ThermaCELL] [for a maximum of four hours [per mat], it] silently and continuously releases a repellent that repels mosquitoes, [biting] black flies, outdoor flying insects and bugs [for a maximum of 4 hours per mat] This product efficiently repels and reduces the annoyance of mosquitoes, [biting] black flies, outdoor flying insects and bugs in an area as large as an average size deck or patio (15 feet in diameter or 225 square feet [an area 15' by 15'] for up to 4 hours This product is portable For use in backyards, and on patios, decks This product is silent

66 Additional graphics and/or symbols



Promotional item language (when appliance or lantern is used as promotional items)

- 67 NWTF Logo National Wild Turkey Federation
- 68 Team Realtree logo [America's Most Versatile Camo Pattern]
- 69 Realtree Hardwoods Green HD logo

[] Denotes alternate/optional verbiage { } Denotes verbiage not printed on market labeling