

71983-1

5-9-2000


1/5

[FRONT LABEL PANEL]

Roof Reclaim!TM

Mildew Prevention System Component I

For Commercial, Residential
or Industrial Use.



[OPTIONAL SELLING CLAIMS:

- Designed for Effective Control of Unsightly Algae Growth on Shingles
- Designed for Effective Control of Unsightly Mildew Growth on Shingles
- Designed for Effective Control of Unsightly Mildew and Algae Growth on Shingles
- Algae Discoloration Treatment for Shingles
- Mildew Discoloration Treatment for Shingles
- Algae & Mildew Discoloration for Shingles
- Formulated to Inhibit the Unsightly Growth of Algae on shingles
- Formulated to Inhibit the Unsightly Growth of Mildew on shingles
- Formulated to Inhibit the Unsightly Growth of Algae and Mildew on Shingles
- For Protection of Exterior Surfaces Against Growth of Dark Colored Algae
- For Protection of Exterior Surfaces Against Growth of Dark Colored Mildew
- For Protection of Exterior Surfaces Against Growth of Dark colored Algae & Mildew]

ACTIVE INGREDIENT:

Copper Sulfate Pentahydrate* 3.91%

INERT INGREDIENTS: 96.09%

TOTAL: 100.00%

* Metallic copper equivalent, 1.0%

2/5

[FRONT LABEL PANEL- CONT'D]


KEEP OUT OF REACH OF CHILDREN -

CAUTION

See Back/Side Panel for Additional Precautionary Statements

NET CONTENTS 1/2 GALLON

ACCEPTED
MAY 0 9 2000
Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 71983-1



[BACK/SIDE LABEL PANEL]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General: RoofReclaim! Mildew Prevention System Component I, requires the use of **Component I** and **Component II**. **RoofReclaim! Mildew Prevention System Component I**, the pesticide product, is one part of the entire **RoofReclaim! Mildew Prevention System** as described in the enclosed brochure entitled, **RoofReclaim! Mildew Prevention System Application Instructions**. **RoofReclaim! Mildew Prevention System Component I**, the pesticide product, must be used with the non-pesticidal product, **RoofReclaim! Mildew Prevention System Component II**, a transparent acrylic copolymer. Always apply **RoofReclaim! Mildew Prevention System Component I**, the pesticide product, prior to the non-pesticidal transparent acrylic copolymer product, **RoofReclaim! Mildew Prevention System Component II**. If shingles are visibly discolored by mildew and algae, **RoofReclaim! Restorer** must be used prior to application of the two-part **RoofReclaim! Mildew Prevention System**.

Application Equipment: TAMKO recommends the use of low shear spray equipment capable of delivering liquids at a pressure less than 100 PSI and a flow rate less than 5 gpm. The application equipment should also provide recirculation of the spray solution through the supply tank, and/or gentle agitation, to maintain suspension of any solids in the spray solution. Separate mixing tanks should be used for each component of the **RoofReclaim! Mildew Prevention System**.

Preparation: Prepare shingles to be treated with **RoofReclaim! Mildew Prevention System Component I** by removing any foreign materials such as leaves, twigs or pine needles. Examine the structure for areas where unexpected over spray may occur, for example, along eaves, edges, etc. Cover or remove items near or beneath these areas. Proper application techniques should ensure spray solution remains on the treated surface.

How To Use RoofReclaim! Mildew Prevention System Component I:

Mix one container of **RoofReclaim! Mildew Prevention System Component I** (½ gallon) with 7½ gallons of clean water and apply to uniformly cover an average shingled surface area of 3,500 square feet. Under conditions which may effect the evaporation rate of the water carrier, it may be helpful to adjust the dilution of **RoofReclaim! Mildew Prevention System Component I** with a minimum of 5½ gallons to a maximum of 19½ gallons of clean water to cover 2,800 to 4,200 square feet of shingled surface area. Adjust the dilution rate within the prescribed ranges when roof surface temperatures are high and require a higher dilution rate for adequate coverage. Swirl or gently agitate, then completely empty a single ½ gallon of **RoofReclaim! Mildew Prevention System Component I** into the application equipment spray tank, or into a clean, plastic mixing vessel. Follow, by adding a sufficient amount of clean water (i.e. 5½ to 19½ (gallons) with the ½ gallon of **RoofReclaim! Mildew Prevention System Component I**. This should result in a total spray solution volume to 6 to 20 gallons. Use a portion of the 5½ to 19½

ACCEPTED

MAY 09 2000

Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 71983-1

4/5

[BACK/SIDE LABEL PANEL]

gallons of dilution water to thoroughly rinse the **RoofReclaim! Mildew Prevention System Component I** ½ gallon container. The **RoofReclaim! Mildew Prevention System Component I** ½ gallon container should be rinsed three times with the rinsate added to the application equipment spray tank or mixing vessel. Use recirculation and/or gentle agitation, as described above under "Application Equipment" to uniformly disperse the **RoofReclaim! Mildew Prevention System Component I** spray solution.

Use a spray application pattern and rate that provides for complete and uniform coverage of a thin film of spray solution over the shingled surface area. The application pattern should be designed to avoid walking on treated areas which may become dangerously slick until they have completely dried.

NOTE: Refer to the enclosed brochure entitled **RoofReclaim! Mildew Prevention System Application Instructions** for additional information on application of the non-pesticidal transparent acrylic copolymer product **RoofReclaim! Mildew Prevention System Component II** and cleanup of shingled surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry area and avoid temperatures below 32°F. Do not put this product or diluted material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, confine spills using sand, clay, cat litter, dirt or other approved confinement materials. Place damaged container and collected spilled material in a holding container. Properly label contents in accordance with applicable Federal, state and local regulations. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage or transit, temperature, potential for crushing or damage due to stacking, and penetration of moisture.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

5/5

[BACK/SIDE LABEL PANEL]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not apply directly to water. Do not contaminate water in cleaning of equipment or disposal of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) Permit and the permitting authority has notified the local sewage treatment plant authority. For guidance, contact your state water board or regional office of the EPA.

Tamko Roofing Products, Inc.
220 West Fourth Street
P.O. Box 1404
Joplin, MO 64802-1404
Phone: 417-624-6644

EPA Reg. No. 71983-1
EPA Est. No. 70815-GA-001

U.S. Patent No. 5,599,586

