



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 31, 2016

Ms. Ona Maune
Federal Regulatory Affairs Manager
Monsanto Company Lawn & Garden Products
1300 I Street, NW, Suite 450 East
Washington, DC 20005

Subject: Notification per PRN 98-10 –label revisions
Product Name: Glyphosate 18% Concentrate
EPA Registration Number: 71995-6
Application Date: May 2, 2016
Decision Number: 517197

Dear Ms. Maune:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Beth Benbow at 703-347-8072 or via email at Benbow.bethany@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Beth Benbow for".

Reuben Baris, Product Manager 25
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Editorial Notes : Bracketed text [] is for internal use or serves as a placeholder for graphics.

Parenthetical text () denotes optional wording

[Refer to Appendix 1 for consolidated list of label claims]

NOTIFICATION

71995-6

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

05/31/2016

Master Label for EPA Reg. No. 71995-6

Registered Brand Names: Glyphosate 18% Concentrate

[Insert Brand Name and Logos]

[Insert Claims from Appendix 1 or 2] [Insert Graphics]

Keep Out of Reach of Children CAUTION

ACTIVE INGREDIENT

Glyphosate, isopropylamine salt* 18.0%

OTHER INGREDIENTS 82.0%

TOTAL 100.0%

*Contains 1.2 lbs. glyphosate acid equivalent per US gallon.

Read precautions and directions on back label

(See (Read) back panel (label) (booklet) for additional precautionary statements)

NET (Net Contents) [16, 32, 64, 128 fl oz, 1 gallon] FL OZ or GAL [Insert Metric Conversion]

[Net contents of final printed labeling based on various commercial sizes to be marketed]

[Insert Optional Instructions for Booklet]

OPEN (HERE)

(PULL HERE TO OPEN LABEL)

(PEEL HERE)

(PRESS TO RESEAL)

(Resealable Label for Directions & Precautions)

[Insert Brand Name]

[Insert brand name] (This product) will kill almost all annual and perennial weeds, grasses, and other unwanted plants (and is formulated to handle (kill) tough weeds and brush.). Mix [insert brand name] (this product) with water and use to control weeds on driveways and walkways (sidewalks), or around (along) fences, trees, flower beds, shrubs, and other areas in your yard. This product can also be used for large jobs such as lawn restoration/renovation and garden plot preparation. This product [Insert brand name] kills weeds by stopping the production of a substance found in plants. This product [Insert brand name] [Glyphosate] will not move in or on the soil to untreated plants.

[Optional Product Usage]

Product Facts:	Makes up to X gallons [insert appropriate per size in appendix]
	Treats up to X sq ft [insert appropriate per size in appendix]
Kills:	(All types of) Weeds and grasses
Use on:	Patios, walkways (sidewalks) or driveways
	Around fruits, and (&) vegetables plants, flowers, shrubs or trees
	Along fences
In Large Areas:	For lawn replacement (renovation)
	For garden replacement (preparation)
AMOUNT TO USE:	For best results mix 6 fl oz (12 Tbs) per gallon of water. (If hard-to-control weeds are not killed within 4 weeks, reapply).

(Questions, Comments Call [insert telephone number] and/or [insert website])

(IN CASE OF EMERGENCY CALL [Insert Telephone Number])

(FOR CHEMICAL SPILL, (OR) LEAK, (FIRE, OR EXPOSURE), CALL CHEMTREC (800)424-9300)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL INSTRUCTIONS (, OBSERVING ALL PRECAUTIONS).

WHEN TO USE

Use anytime weeds (and brush) are actively growing. (Most treated weeds usually show initial symptoms within 1 week (in 2-4 days) and complete kill in 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for complete kill.) For best results, (this product) [Insert Brand Name] (works best in warm sunny weather) (apply on a warm sunny day) when daytime temperature is above 60° F and no rainfall is forecast for 24 hours. Warm, sunny weather will speed up weed control. Apply only when air is calm. Reapply if it rains within 6 hours (2 hours) after application. (Rainfall or watering 6 (2) hours after application will not wash away effectiveness.) Hard-to-control weeds (e.g., bermudagrass) may require a repeat application if they regrow. Do not use recommended for spot weed control in lawns since glyphosate kills green plants, including lawn grass.

WHERE TO USE

Weed Control: Use along fences, paths, patios, sidewalks (walkways) and driveways, around trees, shrubs, ornamental plantings and flower beds (flowers), around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. Do NOT use for spot weed control in lawns since glyphosate kills green plants, including lawn grass.

Spot Spraying: Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Make sure (this product) [insert brand name] does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants. (This product [insert brand name] will not move in or on the soil to untreated plants. (If (this product) [insert brand name] is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.)

Landscaping: Use this product to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

Lawn Renovation: Use (this product) [insert brand name] to kill existing weeds and grasses including the (old) lawn.

- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using this product.
- Do not mow for 7 days before and after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris. (If green patches remain after 7 days, reapply.)
- ~~Mix in starter fertilizer and other amendments, if needed. Level the soil.~~
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks, to establish new lawn, (then) water as needed.

Brush Control (For Tough Weed Control): Use when brush is green and growing. (Use on green, actively growing parts of unwanted plants.) If plants are taller than 5 feet, cut back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species including Blackberry, Kudzu, [Poison Ivy](#) or Poison Oak may require a second application.

Stump Treatment: Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within 5 minutes of being cut down.

- Cut the stump close to the soil surface
- Drive 4-5 nail holes into the stump
- Flood the stump with undiluted product

IMPORTANT: Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

[Optional text] This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum, eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

To Kill Vines:

- If vine is growing up a pole, fences, or mature tree trunk, cut vine to a height of 3 to 4 feet and spray to thoroughly cover remaining vine.
- If vine is climbing a shrub or immature (green) tree trunk, cut vines at base and spray its regrowth. Shield shrubs and green bark from spray drift with a sheet (piece) or cardboard or plastic.

HOW TO USE

IMPORTANT: [insert brand name][This product] is an all-purpose weed and grass killer which will kill almost all plants contacted. Spray to evenly wet the weed. Spray (**carefully**) when air is calm (**to prevent spray or drift onto desirable plants, lawn grasses, shrubs or trees**). If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water.

To apply this product use:

- Plastic or stainless steel tank sprayer
- ORTHO DIAL N SPRAY® (**applicator/ hose-end sprayer**)
- ~~ORTHOSPRAY-ETTE®~~
- (**Other**) hose-end sprayer recommended for weed killers
- Hand trigger sprayer

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with a sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. After a very thorough cleaning, sprayer may be used to apply other products.

Use the following table to determine the amount of [insert brand name] you need. Close cap tightly after use. (**Mix only what you can use in a day.**)

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Use 6 fl oz (12 Tbs) in 1 gallon of water.	Spray to evenly wet. Covers 300 sq ft (30 ft X 10 ft)
ORTHO DIAL N SPRAY® (Hose-End Sprayer)	Add 6 fl oz (12 Tbs) to sprayer jar. DO NOT ADD WATER. Set dial to 6 oz and spray.	Spray to evenly wet. Covers 300 sq ft (30 ft X 10 ft)
ORTHOSPRAY-ETTE®	Add 24 oz to sprayer jar. Fill to the 4 gallon mark and spray.	Spray to evenly wet. Covers 1200 sq. ft. (30 ft X 40 ft)
Hand Trigger Sprayers	Use 2 Tbs in 24 fl oz of water	Use for spot treatments or single weeds.

1 fl oz = 2 Tbs

For easy to kill weeds such as seedlings, use 3 fl oz (6 Tbs) to 1 gallon of water.

[Alternate mixing instructions for measuring cap container]

Measuring cap: To open, squeeze cap sides at the points indicated while unscrewing. The measuring cap has four levels indicated inside. The following table and the measuring cap should be used to determine the amount of [insert brand name] [this product] you need. Close cap tightly after use. No need to rinse.

- Level 1 = 1 teaspoon (tsp)
- Level 2 = 1 tablespoon (Tbs) = 3 tsp
- Level 3 = 1 fl oz (2 Tbs)
- Level 4 = 2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Fill cap to Level 4 three times (12 Tbs). Add to 1 gallon of water.	Spray to evenly wet. For lawn renovation, covers 300 sq ft (30 ft X 10 ft)
ORTHO DIAL N SPRAY® (Hose-end Sprayer)	Fill cap to Level 4 three times (12 Tbs) and add to sprayer jar. DO NOT ADD WATER. Set dial to 6 oz.	Spray to evenly wet. For lawn renovation, covers 300 sq ft (30 ft X 10 ft)
ORTHO SPRAY-ETTE®	Fill cap to Level 4 twelve times (24 oz) and add to sprayer jar. Fill to the 4-gallon mark and spray.	Spray to evenly wet. For lawn renovation, covers 1200 sq. ft. (30 ft X 40 ft)
Hand Trigger Sprayers	Fill cap to Level 3 and add to 24 fl oz of water	Use for spot treatments or single weeds.

For easy to kill weeds such as seedlings, use 3 fl oz (6 Tbs) to 1 gallon of water.

This product can be used to refill [insert brand name for 71995-27].

WEEDS CONTROLLED INCLUDE: Bahiagrass, Barnyardgrass, Bermudagrass, CanadaThistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Kudzu, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepardspurse, Smooth Bromegrass, Sowthistle, White Clover, and Yellow Nutsedge (and other broadleaf weeds/ and other grassy weeds).

[OR alternate text]

CONTROLS WEEDS AND GRASSES INCLUDING:

Weed Control (Annuals)

Annual Bluegrass	Creeping Beggarweed	Horseweed/marestail	Sandspur
Annual Ryegrass	Diffuse Lovegrass	Knotweed	Shepherdspurse
Barnyardgrass	Dog Fennel	Lambsquarters	Smooth Cat's Ear
Beggarweed	Evening Primrose	Little Bitter Cress	Smooth Pigweed
Black Medic	Fall Panicum	London Rocket	Sowthistle
Blue Mustard	Fiddleneck	Maiden Cane	Spotted Spurge
Blue Toadflax	Field Pennycress	Mallow	Sprangletop
Brassbuttons	Field Sandbur	Mayweed	Tansy Mustard
Bromegrass	Filaree	Mouseear Chickweed	Tansy Ragwort
Bur Clover	Florida Pusley	Pennsylvania Smartweed	Teaweed
Buttercup	Foxtail	Prickly Lettuce	Texas Panicum
Chickweed	Garden Spurge	Prostrate Spurge	Tumble Mustard
Common Groundsel	Goosegrass	Puncture Vine	Witchgrass
Common Plantain	Henbit	Redroot Pigweed	Wild Mustard
Crabgrass			

Tough Weed Control (perennials, Brush)

Alder	Dallisgrass	Nimblewill	Smooth Bromegrass
Artichoke Thistle	Dewberry	Nutsedge	Smooth Bentgrass
Bahiagrass	Elderberry	Oak species	St. Augustinegrass
Bentgrass	False Dandelion	Oldenlandia	Sumac
Bermudagrass	Fescue species	Orchardgrass	Tall Fescue
Blackberries	Field Bindweed (Wild Morningglory)	Oxalis	Timothy
Broadleaf Plantain	Guineagrass	Pampasgrass	Torpedograss
Canada Thistle	Honeysuckle	Pennywort	Trumpetcreeper
Cattail	Horsenettle	Perennial Ryegrass	Vaseygrass
Ceanothus	Horseradish	Poison Hemlock	Virginia Creeper
Cherry species	Iceplant	Poison Oak	White Clover
Cocklebur	Johnsongrass	Poison Ivy	Whitetop
Cogongrass	Kentucky Bluegrass	Primrose	Wild Barley
Common Mullein	Kikuyugrass	Purple Nutsedge	Wild Oats
Common Ragweed	Knapweed	Quackgrass	Wild Sweet Potato
Coyote Brush	Kudzu	Quaking Aspen	Willow
Creeping Bentgrass	Lantana	Ragweed	Yellow Nutsedge (Nutgrass)
Creeping Charlie	Milkweed	Raspberry	Yellow Starthistle
Curly dock	Multiflora Rose	Red Clover	Zoysia
Dandelion	Nightshade silverleaf		

[Optional phone icon] For Information regarding specific weeds controlled by this product call [insert number] .

WHEN TO REPLANT (RE-SEEDING AND REPLANTING IN SPRAYED AREAS)

- All ornamental flowers, trees and (&) shrubs may be planted **1 day after** application.
- The following berries may be planted **1 day after** application:
Blackberry, Blueberry, Boysenberry, ~~Cranberry~~, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry and (&) Raspberry (Black and (&) Red).
- The following fruits, vegetables &(and) herbs may be planted **1 day after** application:
Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussel Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Turnips & (and) Yams.
- The following fruits, vegetables & (and) herbs may be planted **3 days after** application:
Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer & (and) winter), Tomatillo, Tomato (by seed) & (and) Watercress.
- Lawn grasses may be planted **7 days after** application.
- Tomatoes from transplant & (and) unlisted fruits, vegetables & (and) herbs may be planted **30 days after** application.

WHEN TO HARVEST *[optional SECTION if fruits and vegetable uses are excluded on product label]*

If *[insert brand name]* is used to control weeds around fruit or nut trees, caneberries or grapevines, allow 17 days before eating the fruits or nuts.

[or Alternate text]

If used to control weeds around fruits or nuts, wait the following number of days before harvesting:

- Citrus (Citron, Grapefruit, Kumquat, Lemon, Lime, Mandarin, Orange, Pummelo, Tangelo, Tangerine), Guava, Papaya – **1 day**
- Nuts (Almond, Beechnut, Brazil Nut, Butternut, Cashew, Chestnut, Filbert, Hazelnut, Hickory Nut, Macadamia, Pecan, Pistachio, Walnut) –**3 days**.
- Apple, Avocado, Banana (Plantains), Berries, Dates, Figs, Grapes, Loquat, Passion Fruit, Pear, Persimmon, Pomegranate & (and) Quince – **14 days**.
- Apricot, Cherries, Nectarine, Olives, Peach, Plum and (&) Prunes – **17 days**.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a safe place away from direct sunlight. Keep container closed and protect from freezing.

PESTICIDE DISPOSAL AND (&) CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. (To avoid wastes, use all material in this container by application according to label directions.) ~~Place in trash or offer for recycling if available.~~

If Empty: Place in trash or offer for recycling if available. If recycling option is not available, discard in the trash. **If Partly Filled:** Call your local solid waste agency (or (insert toll free number) for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

[Optional reentry icon] People and pets may enter treated areas after spray has dried.

FIRST AID

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
- Call a poison control center, ~~or 1-800-768-6387~~ [insert contact telephone # *must have 24/7 coverage or use 1-800-768-6387*] or doctor for treatment advice.

Emergency Medical Information

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact ~~1-800-768-6387~~ [insert contact telephone # *must have 24/7 coverage or use 1-800-768-6387*] for emergency medical treatment information.
- This product is identified as [insert brand name], **EPA Reg. No. 71995-6-** [insert company number if distributor product]

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in clam weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated areas will help avoid runoff to water bodies or drainage systems.

WARRANTY AND DISCLAIMER (NOTICE): [To the extent consistent with applicable law](#), buyer assumes all responsibility for safety and use (Buyer assumes all risks of use, storage, or handling of this product) not in accordance with directions. (Product guaranteed to the extent of purchase price, only when used according to label directions.)

[Insert applicable patent statements]
[Insert applicable trademark statements]

Manufactured (Distributed)(Produced) (Made) for (by)

[Insert company name and address]

[Form _____]

EPA Reg. No. 71995-6-[insert company number for distributor product]

EPA Est. [Insert establishment numbers]

Superscript (Subscript) (used) is first letter of lot (run) code (number) (on container)

(Marketed Through:) [Insert Company Name] [Insert Address]

(Made in USA) (Manufactured in/ Produced in/ Assembled in/ Product of) [Insert Country] (with [insert# %] or more US parts) (with over [insert# %] US parts) (factory certified) (with foreign and domestic parts)

[Insert optional anti-theft device statement] (This bottle (may) contain(s) an anti-theft device, either inside or on the back of the bottle.) (It does not affect product performance.)

[Insert optional NOTES section for any blank pages inside booklet]

[Insert 2D code/ Label code/ SKU code] [Insert UPC barcode (PROOF OF PURCHASE)]

[Insert LOT number or LOT number will be printed directly on the container]

APPENDIX 1 - Consolidated List of Label Claims

- A single application kills most weeds
- Built-in Measuring Cap
- Can be used in [Insert Packaging Type/ Sprayer Type]
- Can be used over the root zone of trees, shrubs, or desirable plants
- Can reseed or sod lawns 7 days after treatment
- ~~Child resistant cap~~
- Completely kills even the toughest weeds and grasses
- Concentrated for extra value
- Controls existing weeds, is not preemergent
- Covers up to 300 sq ft per gallon of spray, 75 sq ft per quart, 55 sq ft per 24 fl oz
- Dead weeds guaranteed * (* must be qualified on distributor label)
- Does not have soil activity
- Economical – mix 12 tablespoons (6 fl oz) per gallon
- Effects within one week (initial symptoms in 2-4 days) with complete kill in 2 to 4 weeks (1 to 2 weeks)
- For general weed control – Kills Weeds and Grasses in 2 to 4 weeks – Roots & All
- (For) outdoor (residential) use (only)
- (Formula) Enters the plant within 6 (or 2) hours (won't wash off)
- Great Value
- Guaranteed results in one application* (* must be qualified on distributor label)
- Ideal for tough weeds in flower beds and vegetable gardens
- Ideal for spot treatment on driveways, sidewalks, and patios
- Kills grass and weeds around flower beds, trees, shrubs, and sidewalks
- Kills grass and weeds in drives, sidewalks, around (flower beds,) trees, shrubs and fences
- Kills over 175 types of weeds (as listed)
- Kills Eliminates roots and weeds (guaranteed * (* must be qualified on distributor label)
- Kills the root (so weeds won't grow back)
- Kills to the root
- Kills tough and hard-to-kill weeds!
- Kills tough weeds (in 1 to 2 weeks) (roots and all)
- Kills unwanted weeds and grasses, (roots and all)
- Kills weeds and grasses (down to the root)
- Kills (spray) weeds in flower beds and around fences, trees, driveways, walkways, and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways
- Kills weeds roots and all
- ~~NEW!~~LARGER SIZE Covers XX sq ft
- Make only what you need
- Makes up to X gallons [where X = Net Wt./3]
- Makes up to Y gallons [where Y = Net Wt./6]
- ~~NEW!~~MEASURING CAP AND POUR SPOUT INCLUDED
- Mix with water to make up to 5/21 gallons of spray solution (varies with qt/gal container size)
- Multipurpose grass & broadleaf weed control
- ~~New (formula) [use limited to 6 months from significant change]~~
- ~~New, improved formula~~
- No odor
- ~~No root, no weed, guaranteed* (* must be qualified on distributor label)~~
- ~~No root. No weed. No problem.® [if used, include attribution Registered trademark of Monsanto Technology LLC]~~
- Now easier to measure and pour
- One (Each) gallon treats (covers) 300 sq ft

- Ornamental gardens can be reseeded or planted (replanted) 1 day after treatment
- Rainproof in 6 (or 2) hours
- Rainfast (rainproof) in hours
- Rainfall or watering within 6 (or 2) hours after application will not wash away effectiveness
- Rainfall within 6 (or 2) hours could affect performance
- Rainfast (rainproof) in 2 hours
- Rainproof in 6 (2) hours
- Satisfaction guaranteed or your money back with proof of purchase* (* must be qualified on distributor label)
- Single application controls (kills) most weeds
- Spray woody brush, trees, and vines around houses, buildings, wooded lots, vacant lots, storage and recreational areas and along fences and driveways, or anywhere tough weeds are growing.
- Sprayed areas can be reseeded or replanted 1 day after application in a flower bed
- ~~• Starts working in 24 hours~~
- ~~• Starts working overnight~~
- Use in or around vegetable gardens (flower beds, trees, shrubs)
- Use in/apply with a BIG SHOT™ Multi-purpose sprayer or other tank sprayer, ORTHO® DIAL N' SPRAY®, ORTHO SPRAY-ETTE® or other ORTHO hose-end sprayers
- Use to prepare sites for large plantings, for planting flower beds, for planting fruit trees, ornamentals, vegetables, garden sites, and to renovate lawns
- ~~• Use to (Dilute to) refill [Insert brand name of ready-to-use product based on 71995-27]~~
- Use for Stump Treatment
- Visible results in 7 days
- Water-based formula
- ~~• Yellowing and wilting in (about) 24 hours~~