

[Editorial Notes: Bracketed text [] is for internal use or serves as a 'place holder' for graphics. Parenthetical text () denotes optional wording.]

[Refer to APPENDIX 1 for consolidated list label claims.]

[Refer to APPENDIX 2 for packaging related claims.]

[Refer to APPENDIX 3 for packaging related instructions]

Master Label for EPA Reg. No. 71995-8

Registered Brand Names : Roundup Ready-To-Use Weed & Grass Killer

ACCEPTED
SEP 17 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for the pesticide
registered under
EPA Reg. No. 71995-8

Active Ingredient	
Glyphosate, isopropylamine salt	0.96%
Other Ingredients	99.04%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel (booklet) for additional precautionary statements. (Read precautions and directions on back label)

NET [] fl. oz.

[Insert brand name] is a fast-acting, ready-to-use weed killer (is pre-mixed and pre-measured). [Insert brand name] starts working in 24 hours (overnight). It will kill almost all annual and perennial weeds, grasses and other unwanted plants. Kills tough weeds in 1 to 2 weeks- roots and all. Use in (on) (around) (along) flowerbeds, trees and shrubs, fences, walks, driveways, patios, sidewalks, and mulch plus other areas in your yard. (Will not build up in the soil to hurt desirable plants growing nearby.)

Product Usage	
Kills:	(All types of) Weeds and grasses
Use on:	<ul style="list-style-type: none"> • Use as a spot treatment along sidewalks, fences, driveways, and patios • In flower (beds) & vegetable gardens • Around flowers, shrubs & trees • Along fences & foundations • Other areas in your yard
Amount to Use:	Ready-To-Use. Requires no mixing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE ONLY IN ACCORDANCE WITH LABEL INSTRUCTIONS.**

HOW TO USE

[Optional: Insert container and sprayer-specific operating instructions]

[All sprayer types except for sprinkler type applicators] Adjust the nozzle to a coarse spray (desired spray setting). Position sprayer tip approximately 1 - 2 feet from the weed. Spray weeds until foliage is wet.

Flowers or ornamentals may be reseeded or replanted into treated areas the next day. *[OR alternate When To Replant section].*

IMPORTANT: (Spray carefully. Avoid spray or drift onto desirable plants (lawn grasses, shrubs or trees.)) This product (is an all-purpose weed and grass killer which) can kill (or damage) (almost) all vegetation (plants) contacted. If necessary, use cardboard or plastic to shield desirable plants. If accidental spray contacts desirable foliage, immediately rinse the foliage with water (If plants are accidentally sprayed, rinse off immediately with water).

WHEN TO USE

Apply when weeds are actively growing. For best results, apply on a sunny day when daytime temperature is at least 60° F. Apply only when the air is calm. (Warm, sunny weather will speed up weed control.) Reapply if it rains within 6 hours (2 hours) of application. (Hard-to-control weeds (such as bermudagrass) may require a repeat application, if they regrow.)

[Optional text] Not recommended for spot weed control in lawns since *[Insert brand name]* kills all green plants, including lawn grass.

ADDITIONAL TIPS (Where To Use) *[Optional SECTION]*

- **To Kill Vines**

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray its regrowth. If spraying regrowth, shield shrubs and green bark trunk from spray drift with a sheet (piece) of cardboard or plastic.

- **For Lawn Replacement**

Use *[insert brand name]* to kill a (an old) (an unwanted) lawn and (its) weeds before planting (a) new lawn.

[Alternate text] For lawn replacement use *[insert brand name]* to kill lawn and weeds before planting new lawn.

- Skip on mowing before spraying.
- If soil is dry, water before application and 2 to 3 days after application.
- Wait 7 days after last application to rake, till or replant with seed or sod.
[Alternate text] Wait 7 days for weeds and lawn to die. Repeat if necessary.
- Rake or till to prepare area for planting seed or sod.
- (If green patches remain after 7 days, reapply.)

- **Kudzu**

For best results, apply in mid to late summer when vines are mature and actively growing.

- **Wild Blackberry**

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

- **Poison Ivy & Poison Oak**
Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.
- **For Flowerbed and Garden (Plot) Preparation**
Use [*Insert Brand Name*] to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.
 - If soil is dry, water before application and 2 to 3 days after application.
 - Apply evenly over treatment area.
 - Wait (at least) 1 day before planting.

WHEN TO REPLANT [*optional SECTION*]

- All ornamental flowers, trees and (&) shrubs may be planted **1 day after** application.
- The following berries may be planted **1 day after** application:
Blackberry, Blueberry, Boysenberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry and (&) Raspberry (Black and (&) Red).
- The following fruits, vegetables & (and) herbs may be planted **1 days after** application:
Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussels Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip & (and) & Yams.
- The following fruits, vegetables & (and) herbs may be planted **3 days after** application:
Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer & (and) winter), Tomatillo, Tomato (by seed) & (and) Watercress.
- Lawn grasses may be planted **7 days after** application:
- Tomatoes from transplant & (and) unlisted fruits, vegetables & (and) herbs may be planted **30 days after** application.

WHEN TO HARVEST [*optional SECTION*]

If [*insert brand name*] is used to control weeds around fruit or nut trees, caneberries or grapevines, allow 17 days before eating the fruits or nuts.

[or Alternate text]

If used to control weeds around fruits or nuts, wait the following number of days before harvesting:

- Citrus (Citron, Grapefruit, Kumquat, Lemon, Lime, Mandarin, Orange, Pummelo, Tangelo, Tangerine), Guava, Papaya – 1 day
- Nuts (Almond, Beechnut, Brazil Nut, Butternut, Cashew, Chestnut, Filbert, Hazelnut, Hickory Nut, Macadamia, Pecan, Pistachio, Walnut) –3 days.
- Apple, Avocado, Banana (Plantains), Berries, Dates, Figs, Grapes, Loquat, Passion Fruit, Pear, Persimmon, Pomegranate & (and) Quince – 14 days.
- Apricot, Cherries, Nectarine, Olives, Peach, Plum and (&) Prunes – 17 days.

WEEDS CONTROLLED INCLUDE: Bahiagrass, Barnyardgrass, Bermudagrass, CanadaThistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Kudzu, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepardspurse, Smooth Bromegrass, Sowthistle, White Clover, and Yellow Nutsedge

[OR alternate text]

CONTROLS WEEDS AND GRASSES INCLUDING:

General Weed Control (Annuals)

Annual Bluegrass	Fiddleneck	Pennsylvania-Smartweed
Annual Ryegrass	Fall Panicum	Prickly Lettuce
Barnyardgrass	Field Pennycress	Prostrate Spurge
Beggarweed	Field Sandbur	Puncture Vine
Black Medic	Filaree	Redroot Pigweed
Blue Toadflax	Florida Pusley	Sandspur
Brassbuttons	Foxtail	Shepherdspurse
Blue Mustard	Goosegrass Garden	Smooth Cat's ear
Buttercup	Spurge	Smooth Pigweed
Bromegrass	Horseweed/marestail	Sowthistle
Bur Clover	Henbit	Spotted Spurge
Chickweed	Knotweed	Tansy Ragwort
Common Groundsel	Lambsquarters	Tansy Mustard
Common Plantain	Little Bittercress	Teaweed
Crabgrass	London Rocket	Texas Panicum
Creeping Beggarweed	Maiden Cane	Tumble Mustard
Diffuse Lovegrass	Mallow	

6/A

Dog Fennel
Evening Primrose
False Dandelion

Mayweed
Mooseear Chickweed
Oxalis

Sprangletop
Witchgrass
Wild Mustard

Tough Weed Control (Perennials, Brush)

Alder
Artichoke Thistle
Bahigrass
Bentgrass
Bermudagrass
Blackberries
Broadleaf Plantain
Canada Thistle
Cattail
Ceanothus
Cherry species
Cocklebur
Cogongrass
Common Mullein
Common Ragweed
Coyote Brush
Creeping Bentgrass
Creeping Charlie
Curly dock
Dallisgrass
Dandelion
Dewberry
Elderberry
False Dandelion
Fescue species
Field Bindweed
(Wild Morningglory)

Guineagrass
Honeysuckle
Horsenettle
Horseradish
Iceplant
Johnsongrass
Kentucky Bluegrass
Kikuyugrass
Knapweed
Kudzu
Lantana
Milkweed
Multiflora Rose
Nightshade, silverleaf
Nimblewill
Nutsedge
Oak species
Oldenlandia
Orchardgrass
Oxalis
Pampasgrass
Pennywort
Perennial Ryegrass
Poison Hemlock
Poison Ivy
Poison Oak
Primrose

Purple Nutsedge
Quackgrass
Quaking Aspen
Ragweed
Raspberry
Red Clover
Smooth Bromegrass
St. Augustinegrass
Sumac
Tall Fescue
Timothy
Torpedograss
Trumpet creeper
Vaseygrass
Virginia Creeper
White Clover
Whitetop
Wild Barley
Wild Oats
Wild Sweet Potato
Willow
Yellow Nutgrass
Yellow Starthistle
Zoysia

STORAGE AND DISPOSAL

STORAGE: Use and store this product only in its original container. Store product in a safe place away from direct sunlight. Keep from freezing.

DISPOSAL: Do not reuse this container (except to refill). **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste Agency or 1-

800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

HOW TO REFILL [optional SECTION]

[All containers *except for Pull N Spray*] This container and sprayer can be reused. Use [Insert Brand Name] to refill the container. To this empty container add [x oz] of [Insert Brand Name], then fill with water slowly to avoid foaming.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

[Optional reentry icon] People and pets may enter treated areas after spray has dried.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. • Call a poison control center (insert optional contact telephone number) or doctor for additional treatment advice.
Emergency Medical Information	
<ul style="list-style-type: none"> • Have the product container or label with you when calling a poison control center or doctor, or going for treatment. • You may contact [insert contact telephone number] for emergency medical treatment • [Optional statement] This product is identified as [insert brand name], EPA Reg. No. 71995-8] 	

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

WARRANTY AND DISCLAIMER (NOTICE): Buyer assumes all responsibility for safety and use (Buyer assumes all risks of use, storage, or handling of this product) not in accordance with directions. Product guaranteed to the extent of purchase price, only when used according to label directions.

This product is protected by U.S. Patents No. No. 5,196,044. Other patents pending. No license granted under any non-U.S. patent(s).

Manufactured (Distributed) for:
[name and address]

Form No. _____

EPA Reg. No. 71995-8

EPA Est. No. _____

Made in USA

APPENDIX 1 – Consolidated List of Label Claims

- (See) effects within one week with complete kill in 2 to 4 weeks
- After *[graphic of dead weed]*
- Before *[graphic of live weed]*
- Can be used over the root zone of trees, shrubs, or desirable plants
- Contains glyphosate
- Dead weeds guaranteed
- Does not have soil activity
- Easy to store
- Effects within one week with complete kill in 2 to 4 weeks
- Eliminates roots and weeds (guaranteed)
- Fast acting (all purpose) ready to use weed and grass killer (which will kill almost all plants contacted)
- Fast acting (formula)
- (Formula) enters the plant within 6 hours (2 hours) (won't wash off)
- (Glyphosate Herbicide) is a fast acting and ready to use weed killer
- Guaranteed results in one application
- Ideal for spot treatment on driveways, sidewalks and patios
- Ideal for tough weeds in flower beds and vegetable gardens
- Kills almost all annual and perennial weeds, grasses and other unwanted plants (vegetation)
- Kills over 175 types of weeds
- Kills the root (so weeds don't grow back)
- Kills tough weeds in 1 to 2 weeks – roots and all
- Kills undesirable (unwanted) weeds and grasses (vegetation) around trees, shrubs, fences, driveways, walkways, and patios
- Kills weeds and grasses (around flower beds, trees, shrubs, and sidewalks)
- New (formula)
- No root, no weed, Guaranteed
- Now
- Ornamental gardens can be reseeded or replanted 1 day after treatment
- Outdoor use only *[graphic]*
- Pre-measured
- Quick and easy to use
- Ready-To-Use
- Ready-To-Use grass & weed killer
- Requires no mixing (pre-mixed)
- Rainproof (fainfast) in 6 hours (2 hours)

- Rainfall or watering 6 hours (2 hours) after application will not wash away effectiveness
- Rainfall within 6 hours (2 hours) could affect performance
- Satisfaction guaranteed or your money back with proof of purchase
- See results in 24 hours
- Single application controls (kills) most weeds
- Sprayed areas may be reseeded or replanted (in) 1 day after application
- Starts working in 24 hours
- Starts working overnight
- Suitable for use around flower beds, trees, shrubs, fences, walks and spot treatment in lawns
- Systemic grass and weed killer for spot treatment of undesirable vegetation
- Use (in) around vegetable gardens, flower beds, trees and shrubs
- Water based
- Will not build up in soil to hurt desirable plants growing nearby
- Won't stain gravel or paved areas
- Yellowing and wilting in about 24 hours

APPENDIX 2 – Packaging Claims

Net Contents

24 fl. oz (1pt. 8 fl. oz.) (709 mL)

32 fl. oz. (1 quart) (946 mL)

128 fl oz (1 gallon) (3.7 L)

30 fl. oz. (1 pt. 14 fl. oz.) (887 mL)

64 fl oz (0.5 gallon) (1.89 L)

170 fl. oz. (1.33 gallon) (5 L)

Pull 'n Spray:

- NEW
- NOW
- No more hand fatigue (cramping from) caused by trigger sprayers Fast and (&) easy application
- Quickly covers large areas
- Refillable container
- Easy to use tank sprayer
- Adjustable sprayer
- (1-4) –ft extension cord enclosed (in spray wand)
- No hand fatigue
- Continuous, adjustable spray
- No pumping
- Just pull

Tip & Pour Applicator:

- EASY To Use Sprinkler TOP

APPENDIX 3 – Packaging Related Assembly and Use Instructions

[Pull N' Spray] [Optional Illustrations]

1. Detach green (or other color) wand. Pull plug and tubing from bottom of wand. Insert plug firmly into 'T-handle' until it clicks. **ONCE CONNECTED, PLUG CANNOT BE REMOVED WITHOUT DAMAGING 'T-HANDLE'.**
2. Slide white (or other color) strip on cap, then grab 'T-handle' and pull all the way up. **JUST PULL UP – NO NEED TO PUMP.**
3. Point wand at unwanted weeds or grasses and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern.
4. Pull 'T-handle' again as needed to continue spraying. **JUST PULL UP – NO NEED TO PUMP.** When finished, push 'T-handle' gently down to cap. Flip down spout. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.**

[T-handle Sprayer] [Optional Illustrations]

1. **Assemble Discharge Assembly to Tank**
 - Set tank on level surface
 - **Remove** black tank plug (part with screwdriver slot) from tank and discard.
 - Insert white supply tube securely into hose adaptor at end of hose.
 - Screw tank adapter tightly into tank.
2. **Enable Pump**
 - **Cut** white plastic safety strip from pump and discard. **Make sure** pump is securely screwed into tank.
 - Make sure shut off lever is in the "Off" position by pulling back.
 - **Pull and push** pump handle several times to create pressure in tank.
3. **Spray**
 - Push shut off lever to "On" position to begin spraying.
 - Adjust spray pattern by turning nozzle cap.
 - Pull shut off lever to "Off" position to stop spraying.

[Sprinkler Applicator] [Optional Illustrations]

- Remove top cap. Tighten the built-in sprinkler applicator.
- **To use as an edger:** Turn jug upside down. Walk slowly, holding jug 2-6 inches above the ground or weeds. Apply product to thoroughly cover unwanted vegetation. One gallon will cover a band 2 (3) inches wide and 1200 feet long.
- **To control weeds in larger areas,** such as brick or gravel walks and patios; Turn jug upside down. Hold jug (about) waist high to apply. Adjust the width of the spray pattern to cover weeds by raising or lowering the jug.

Description of Changes for 071995-00008.20030725.pdf

This label amendment incorporates the following :

- Revised First Aid Statement per PR Notice 2001-1
- Reformatted label and updated Appendices 1, 2, 3
- Revised Storage and Disposal section per PR Notice 2001-6
- Added "moderate" to the statement "Causes moderate eye irritation"