



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

April 6, 2015

Ona E. Maune  
Federal Regulatory Affairs Manager  
Monsanto Company  
1300 I St. NW, Suite 450 East  
Washington, DC 20005

Subject: Label Amendment – Reorganization of label  
Product Name: Roundup Ready-To-Use Weed & Grass Killer  
EPA Registration Number: 71995-8  
Application Date: October 3, 2014  
Decision Number: 496227

Dear Ms. Maune:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 71995-8  
Decision No. 496227

with FIFRA section 6. If you have any questions, please contact Sarah Meadows by phone at 703-347-0505, or via email at meadows.sarah@epa.gov.


Sincerely,



Reuben Baris, Product Manager 25  
Herbicide Branch  
Registration Division (7505P)  
Office of Pesticide Programs

Enclosure

**MASTER LABEL FOR EPA REG. NO. 71995-8**



**Primary Brand Name:**  
**Roundup Ready-To-Use Weed & Grass Killer**

**Alternative Brand Name:**  
**Roundup L&G Ready-To-Use Fast Acting Formula Grass & Weed Killer**

**Editorial Notes:**  
***Bold, italicized text is information for the reader and is not part of the label.***  
Bracketed text [ ] is optional text and a 'place holder' for graphics. Text separated by a backslash '/' denotes 'and/or' options.  
***Refer to APPENDIX 1 for Consolidated List of Label Claims; and APPENDIX 2 for Packaging Related Claims.***

[Insert Brand Name and Logo]  
[Insert Claims from Appendix 1 or 2] [Insert Graphics]

<b>ACTIVE INGREDIENTS:</b>	
Glyphosate, isopropylamine salt *	0.96%
Pelargonic acid and related fatty acids	1.00%
<b>OTHER INGREDIENTS</b>	<b>98.04%</b>
<b>TOTAL</b>	<b>100.00%</b>

\*Contains 0.06 lbs. glyphosate acid equivalent per US gallon.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See [back/ side] [panel/ booklet/ label] for additional precautionary statements.  
**Alternative Text:** [Read precautions and directions on back label.]

NET [CONTENTS] [Insert FL OZ or GAL, see Appendix 2] [Insert Metric Conversion]  
**Net contents of final printed labeling based on various commercial sizes to be marketed**

[Insert 2D code/ Label code/ SKU Code]

**Optional Instructions for Booklet**

OPEN/ ABRA

Open booklet for details

OPEN HERE

PEEL HERE

PULL HERE [TO OPEN LABEL]

Press to Reseal

Resealable Label for Directions & Precautions

[Insert Brand Name]

[Insert Claims from Appendix 1 or 2]

**Select the Following OR include inside ECL/booklet:**

**[HOW IT WORKS/ PRODUCT FACTS]**

[Insert Brand Name/ This product] is a fast-acting, ready-to-use weed killer [and is pre-mixed and pre-measured]. [Insert Brand Name/ This product] starts working [in 24 hours/ overnight]. It will kill almost all annual and perennial weeds, grasses and other unwanted plants. Kills tough weeds in 1 to 2 weeks – roots and all. [Use [in/ on/ around/ along] [flowers beds/ trees and shrubs/ fences/ walks/ driveways/ patios/ sidewalks/ mulch/ plus other areas in your yard [and/ &/ or]]. Any product not absorbed by the plant breaks down without moving in or on the soil to untreated plants. **Alternative Text:** [Will not build up in the soil to hurt desirable plants growing nearby.]

**Alternate Text:** [Insert Brand Name/ This product] provides visible results in 24 hours, is ready to use and requires no mixing. It will kill almost all annual and perennial weeds, grasses and other unwanted plants.

**Optional Section:**

<b>[PRODUCT FACTS/ Product Usage:]</b>	
<b>[Kills:]</b>	[All types of] Weeds [and grasses]
<b>[Use/ On:]</b>	[Use] [as a spot treatment along sidewalks, fences, driveways, [and/ &] patios]
	[In flower [beds] [and/ &] vegetable gardens]
	[Around flowers, shrubs [and/ &] trees]
	[[Along fences [and/ &] foundations]
	[Other areas in your yard]
<b>[Amount to Use:]</b>	[Ready-To-Use. Requires no mixing.]

[Questions [or], Comments,/ Call [Insert Telephone Number]/ [or visit [Insert website]]

[IN CASE OF EMERGENCY CALL [Insert Telephone Number]]

©[Insert year] [MONSANTO COMPANY] [Insert Company Name]

[Distributed/ Produced/ Manufactured/ [for/ by]]

[Monsanto Company Lawn & Garden Products] [Insert Company Name]

[P.O. Box 418 Marysville, OH 43041] [Insert Address]

[Insert Website]]

[Marketed Through:] [Insert Company Name]

[Insert Address]

[EPA Reg. No. 71995-8[-XXXXX]]

[EPA Est. [Insert Establishment(s)]]

[Subscript [used]/ Superscript] is first letter of [run/ lot] [code/ number] [on container]]

[Made in USA/ [Made in/ Product of] [Insert Country]]

[Insert 2D code/ Label code/ SKU code] [Insert UPC barcode/ PROOF OF PURCHASE]

[Insert LOT number or LOT number will be printed directly on the container]

---

## DIRECTIONS FOR USE

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions. **Alternative Text:** [READ ENTIRE LABEL. USE ONLY IN ACCORDANCE WITH LABEL INSTRUCTIONS.] **Alternative Text:** [Insert Stop Image] [Read and Follow Label Instructions]

---

[HOW TO [USE/ APPLY] [CONTINUED] [Insert Graphics] **Select applicable packaging type below:**

---

[[Insert Applicator Name] [Insert Applicator/ Sprayer] Directions]

### TRIGGER SPRAYER [Insert Graphics]

1. Turn sprayer nozzle to open.
2. Adjust sprayer nozzle as desired. **Alternative Text:** [Set sprayer to a coarse spray]
3. Hold 8 to 10 inches from the surface to be sprayed.
4. Spray surface until [slightly damp/ wet]. **Alternative Text:** [Spray weeds until foliage is wet.]

### QUICK CONNECT SPRAYER [Insert Graphics]

1. Pull sprayer from bottle.
2. Pull [Insert Color] hose connector and coil from sprayer handle.
3. Insert hose connector into [Insert Color] [spout/ knob/ opening] on cap [until it clicks] into place.
4. Flip up spout. **Alternative Text:** Flip up [Insert Color] spout until fully upright/ Twist [spout/ knob] to "ON"/ Pull spout up.] Turn sprayer nozzle to open, and [pull trigger to] spray.
5. [Open/Adjust] nozzle [at end of sprayer] to the desired spray setting.
6. [Hold 8 to 10 inches from the surface to be sprayed.]
7. [Spray surface until [slightly damp/ wet]. **Alternative Text:** [Spray weeds until foliage is wet.]

#### **Alternative Text:**

1. Remove sprayer. Pull cord ALL THE WAY OUT.
2. Insert [Insert Color] plug into [spout/ knob/ opening] [on cap] [until it clicks].
3. Flip up spout. **Alternative Text:** [Flip up [Insert Color] spout until fully upright/ Twist [spout/ knob] to "ON"/ Pull spout up.] Open nozzle at end of sprayer [and pull trigger to spray].

### PULL 'N SPRAY II [Insert Graphics]

**Printing Instructions for Pull 'N Spray Handle:** [PULL OUT SLOWLY AND HOLD FOR [Insert #] SECONDS.]

1. [Illustration #1]
  - Remove sprayer from side carrier and unwrap hose completely.
  - Insert [Insert Color] plug at end of hose into [Insert Color] [spout/ knob/ opening] on cap [until it clicks].
  - Flip up spout. **Alternative Text:** [Flip up [Insert Color] spout/ Twist [spout/ knob] to "ON"/ Pull spout up] [until fully upright].] [Spout must remain up while spraying.]
2. [Illustration #2]
  - [Twist nozzle as end of sprayer to desired spray pattern.]
3. [Illustration #3]
  - Point sprayer away from body.
  - Grasp sprayer by the handle.
  - [Slowly/ SLOWLY] pull ring at bottom of sprayer handle until it stops [and hold for [2/ two] seconds] to [ready the sprayer/ prime the sprayer].
4. [Illustration #4]
  - [Adjust nozzle [at the end of sprayer] to the desired spray setting].]
  - Press and hold [trigger] button on sprayer to begin spraying [and hold down for continuous spray].
  - Pull ring at sprayer bottom again as needed to continue spraying.
  - Hold 8 to 10 inches from the surface to be sprayed.
  - Spray surface until [slightly damp/ wet]. **Alternative Text:** [Spray weeds until foliage is wet.]

## **BATTERY OPERATED SPRAYER with Wand** [Insert Graphics]

**Wand Safety Sticker:** [Always lock sprayer when opening and closing] [Always lock after use] [icons]  
[Insert Illustration or Photo]

### **1. Remove**

- Remove [wand/ Insert Applicator Name] [from] [side/ carrier/ holder/ clip/ bottle].
- [Pull connector by slightly twisting from [side/ carrier/ holder/ clip/ bottle] and unwrap hose completely.]
- Remove protective strip from battery compartment to activate batteries.

### **2. Connect**

- Insert [Insert Color] plug at end of hose into [Insert Color] [spout/ knob/ opening] on cap [until it clicks]. Flip up [Insert Color] spout. **Alternative Text:** [Twist [spout/ knob] to "ON"/ Pull spout up] [until fully upright.] [Spout must remain up while spraying.]

### **3. Extend**

- Flip open [wand/ Insert Applicator Name] until it [clicks and] locks into position.

### **4. Spray**

- [Slide trigger lock on [wand/ Insert Applicator Name] handle to the unlocked position.]
- Twist nozzle [at end of [wand/ Insert Applicator Name]] to desired spray pattern.
- [Ensure trigger lock is disengaged before spraying.]
- [[Point [Insert Applicator Name] nozzle away from body and] hold [Insert Color] trigger for continuous spray.]  
**Alternative Text:** [Aim Sprayer towards the targeted area to be treated, and away from people and pets.]
- Hold 8 to 10 inches from the surface to be sprayed. **Alternative Text:** Position Sprayer tip approximately 1-2 feet away from the weed. [Press the trigger to spray.]
- Spray surface until [slightly damp/ wet]. **Alternative Text:** [Spray weeds until foliage is wet.]
- [Release trigger to stop spray.]

#### **Alternative Text:**

- [TO ATTACH SPRAYER
- Remove sprayer from holster by undoing wrap and fastener holding sprayer to holster.
- Extend the hose from sprayer.
- Remove protective seal and cap from top of cap on container.
- Firmly snap the plug into the opening on cap until it snaps in place.
- Remove the plastic tab near the top of sprayer to activate batteries.
- Twist nozzle to adjust/spray from CLOSE [Optional Illustration] to SPRAY [Optional Illustration] or STREAM [Insert Optional Illustration].
- IMPORTANT: When priming the sprayer, hold sprayer level to ground. Sprayer will not prime if it is held at an angle. Once primed, it will spray in any direction.]

[After Use: Twist nozzle to OFF position. [Engage trigger lock.] Flip the [wand/ Insert Applicator Name] closed and store on the [side/ holder/ clip/ bottle].] **Alternative Text:** [After Use: 1. Twist nozzle to the completely closed position. 2. Secure sprayer upright in the holster. 3. Failure to adjust nozzle to the CLOSE position and to properly secure sprayer in holster may result in leakage and damage to property or injury to people or animals.]

**Important Use Information:** Do not submerge in water. When storing sprayer for long periods, remove batteries.

**Alternative Text:** [Additional Operating Notes: 1. Do not submerge in water. 2. Before each use, inspect sprayer carefully – make sure hose is flexible and not kinked, worn or cracked and that all connections are tight. 3. When storing sprayer for prolonged periods spray clean water thru sprayer to rinse tube and sprayer. Then store sprayer without batteries to preserve life of sprayer.]

**To Replace Batteries:** Open battery compartment at bottom of [wand/ Insert Applicator Name] with a small screwdriver. Remove used batteries and replace with [Insert #/ four] new [AA/ alkaline] batteries [in correct position as marked inside battery compartment]. [Insert Graphics]

Securely close battery compartment door and screw closed firmly. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

**Alternative Text:** [To replace batteries: 1. Push release button near nozzle and lift up on battery hatch. 2. Remove used batteries and insert two new AA batteries in the correct position as marked per diagram inside of battery compartment. Always use complete set of new batteries of the same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable batteries.]

**Optional Section for Battery Operated Sprayer Only:**

**IMPORTANT SPRAYER INFORMATION**

- Read and follow all directions before use.
- Do not drop or throw sprayer.
- Do not [submerge/ immerse] sprayer in water. Never place sprayer in dishwasher.
- Do not use soap or other cleaning agents to clean sprayer. If necessary, clean outer sprayer surface only with damp towel.
- Insert batteries in their correct (+/-) position. Remove batteries for winter storage or when storing product for long periods of time.
- Always use a complete set of new alkaline batteries. Never mix alkaline, carbon-zinc, or rechargeable batteries.
- Always follow the manufacturer's instructions for battery disposal and use.
- Purge [Insert Applicator Name] of liquid for winter storage or place [wand/ Insert Applicator Name] in a heated storage area.

---

**WHEN TO [USE/ APPLY] [CONTINUED]**

---

Use anytime weeds [and grasses] are actively growing. For best results, apply on a warm sunny day when daytime temperatures are above 60° F and no rainfall is forecasted for 24 hours. Apply only when the air is calm to prevent drift to desirable plants. Warm, sunny weather will speed up weed control. [Reapply if it rains within 2 hours of application.] [Rainfall or watering 2 hours after application will not wash away effectiveness.] Hard-to-control weeds [(such as bermudagrass)] may require a repeat application [, if they regrow]. Do not use for spot weed control in lawns since [glyphosate/ Insert Brand Name/ this product] kills [all green plants, including] lawn grass[es].

**IMPORTANT:** [Insert Brand Name/ This product] is an all-purpose weed and grass killer which will kill almost all plants contacted. Spray carefully when air is calm to prevent spray or drift onto desirable plants, lawn grasses, shrubs or trees. [Spray to evenly wet the weeds.] If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water [or cut off treated area]. **Alternative Text:** [When spot treating weeds around desirable plants, shield plants from draft with a [sheet/ piece] of cardboard or plastic. If desirable plants are accidently sprayed, rinse off immediately with water [or cut off treated area].

---

**WHERE TO [USE/ APPLY] [CONTINUED] *Select from the Uses Below (must select one or more)***

---

**[For] General Weed Control:** Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. DO NOT use for spot weed control in lawns since [glyphosate/ Insert Brand Name] [all green plants, including] kills lawn grass[es].

**[For] Spot Spraying:** Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. [Make sure [this product/ Insert Brand Name] does not contact the leaves, green stems, or exposed roots of plants you don't want to kill.] [[If necessary] use cardboard or plastic to shield plants.] [This product/ Insert Brand Name] will not move in or on the soil to untreated plants.

**[For] Landscaping:** Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.



**[For] Lawn [Renovation/ Replacement]:** Use [this product/ Insert Brand Name] to kill existing weeds and grasses including the [old/ existing] lawn. **Alternative Text:** [Use [this product/ Insert Brand Name] to kill lawn and weeds before planting new lawn.]

- For best results, apply in the Spring or Fall, when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using [this product/ Insert Brand Name].
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.
- [If green patches remain after 7 days, reapply.]
- Apply seed according to directions on seed package, or install sod. Grass seed must have a good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.

**[For] Flowerbed and Garden [Plot] Preparation:** Use [this product/ Insert Brand Name] to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait 1 to 3 days after last application before planting flowers, trees and shrubs. See [WHEN TO REPLANT/ RE-SEEDING AND REPLANTING IN SPRAYED AREAS/ section] for details.

**To Kill Vines Alternative Text: [For/ Vine Treatment]:**

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or immature tree trunks with green bark, cut vines at base and [treat cut vines or] spray regrowth. If spraying regrowth, shield shrubs and immature tree trunks from spray drift with a [sheet/ piece] of cardboard or plastic.]

**[For] Kudzu**

For best results, apply in mid to late summer when vines are mature and actively growing.

**[For] Wild Blackberry**

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

**[For] Poison Ivy & Poison Oak**

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.



**WEEDS CONTROLLED INCLUDE: *Select from list below***

[Bahigrass, Barnyardgrass, Bermudagrass, CanadaThistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Kudzu, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepardspurse, Smooth Bromegrass, Sowthistle, White Clover, and Yellow Nutsedge [and other broadleaf weeds/ and other grassy weeds]

**Alternative Text: [CONTROLS WEEDS AND GRASSES INCLUDING/ WEEDS CONTROLLED INCLUDE:]**  
*Select from list below*

**General Weed Control [Annuals]**

Annual Bluegrass	Creeping Beggarweed	Knotweed	Sandspur
Annual Ryegrass	Diffuse Lovegrass	Lambsquarter[s]	Shepherdspurse
Barnyardgrass	Dog Fennel	Little Bitter Cress	Smooth Cat's Ear
Beggarweed	Evening Primrose	London Rocket	Smooth Pigweed
Black Medic	Fall Panicum	Maiden Cane	Sowthistle
Blue Mustard	Fiddleneck	Mallow	Spotted Spurge
Blue Toadflax	Field Pennycress	Mayweed	Sprangletop
Brassbuttons	Field Sandbur	Mouseear Chickweed	Tansy Mustard
Bromegrass	Filaree	Oxalis	Tansy Ragwort
Bur Clover	Florida Pusley	Pennsylvania Smartweed	Teaweed
Buttercup	Foxtail	Prickly Lettuce	Texas Panicum
Chickweed	Garden Spurge	Prostrate Spurge	Tumble Mustard
Common Groundsel	Goosegrass [Garden]	Puncture Vine	Witchgrass
Common Plantain	Henbit	Redroot Pigweed	Wild Mustard
Crabgrass[es]	Horseweed/ Maretail		

**Tough Weed Control [Perennials/ Brush]**

Alder	Dallisgrass	Nimblewill	Smooth Bromegrass
Artichoke Thistle	Dewberry	Nutsedge	Smooth Bentgrass
Bahigrass	Elderberry	Oak species	St. Augustinegrass
Bentgrass	False Dandelion	Oldenlandia	Sumac
Bermuda grass	Fescue species [Fescues]	Orchardgrass	Tall Fescue
Blackberries	Field Bindweed (Wild Morningglory)	Oxalis	Timothy
Broadleaf Plantain	Guineagrass	Pampasgrass	Torpedograss
Canada Thistle	Honeysuckle	Pennywort	Trumpetcreeper
Cattail	Horsenettle	Perennial Ryegrass	Vaseygrass
Ceanothus	Horseradish	Poison Hemlock	Virginia Creeper
Cherry species	Iceplant	Poison Oak	White Clover
Cocklebur	Johnsongrass	Poison Ivy	Whitetop
Cogongrass	Kentucky Bluegrass	Primrose	Wild Barley
Common Mullein	Kikuyugrass	Purple Nutsedge	Wild Oats
Common Ragweed	Knapweed	Quackgrass	Wild Sweet Potato
Coyote Brush	Kudzu	Quaking Aspen	Willow
Creeping Bentgrass	Lantana	Ragweed	Yellow Nutsedge (Nutgrass)
Creeping Charlie	Milkweed	Raspberry	Yellow Starthistle
Curly dock	Multiflora Rose	Red Clover	Zoysia

[Insert Phone Icon] [For information regarding specific weeds controlled by this product call [Insert Telephone Number].

---

**RE-SEEDING AND REPLANTING IN SPRAYED AREAS *Alternative Text:* [WHEN TO REPLANT] [CONTINUED]**  
***Select from the Options Below (must select one or more)***

---

- [All] ornamental flowers, trees [and/ &] shrubs may be [reseeded or] planted **1 day after** application.  
***Alternative Text:*** [Flowers or ornamentals may be reseeded or replanted into treated areas the next day.]
- The following berries may be planted **1 day after** application:  
Blackberry, Blueberry, Boysenberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry [and/ &] Raspberry [(Black/ and/ & Red)].
- The following fruits, vegetables [and/ and] herbs may be planted **1 day after** application:  
Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussel Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip [and/ and] Yams.
- The following fruits, vegetables [and/ and] herbs may be planted **3 days after** application:  
Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash [(summer/ & and/ winter)], Tomatillo, Tomato (by seed) [and/ and] Watercress.
- Lawn grasses may be [planted/ reseeded/ in] **7 days [after]** application].
- Tomatoes from transplant [and/ and] unlisted fruits, vegetables [and/ and] herbs may be planted **30 days after** application.

**STORAGE AND DISPOSAL** *Select applicable packaging type below:*

**Battery Operated Sprayer Containers:**

**PESTICIDE STORAGE:** Flip down spout to close. **Alternative Text:** [Close [Insert Color] spout on cap/ Flip spout down/ Twist [spout/ knob] to "OFF"/ Push spout down]. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Completely dispense product in sprayer prior to storage. Twist sprayer nozzle to the OFF position. [Engage trigger lock.] Flip the [wand/ Insert Applicator Name] closed and place [sprayer] back in side [carrier/ clip/ holder]. Store [product] in original container in a safe place away from direct sunlight. **Alternative Text:** [Always store pesticides in the original container. Store in a safe place away from food and pet food.] Keep from freezing. [If frozen, allow to thaw and shake well before using.]

**Quick Connect Sprayer Containers**

**PESTICIDE STORAGE:** Flip down spout to close **Alternative Text:** [Close [Insert Color] spout on cap / Flip spout down/ Twist [spout/ knob] to "OFF"/ Push spout down]. **NO NEED TO DISCONNECT TRIGGER SPRAYER.** Turn sprayer nozzle to "OFF" [X]. **Alternative Text:** [Close nozzle on trigger sprayer.] Snap sprayer back in place. **Alternative Text:** [Place trigger sprayer under handle on container to keep sprayer above the level of contents.] Store [product] in original container in a safe place away from direct sunlight. **Alternative Text:** [Always store pesticides in the original container. Store in a safe place away from food and pet food.] Keep from freezing. [If frozen, allow to thaw and shake well before using.]

**Pull 'N Spray II Containers:**

**PESTICIDE STORAGE:** Flip down spout to close. **Alternative Text:** [Close [Insert Color] spout on cap/ Flip spout down/ Twist [spout/ knob] to "OFF"/ Push spout down]. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Completely dispense product in sprayer prior to storage. Place sprayer back inside carrier on bottle with nozzle facing down. Store [product] in original container in a safe place away from direct sunlight. **Alternative Text:** [Always store pesticides in the original container. Store in a safe place away from food and pet food.] Keep from freezing. [If frozen, allow to thaw and shake well before using.]

**Trigger Sprayer Containers:**

**PESTICIDE STORAGE:** Turn sprayer nozzle to "OFF" [X]. **Alternative Text:** [Rotate nozzle to closed position.] Store [product] in original container in a safe place away from direct sunlight. **Alternative Text:** [Always store pesticides in the original container. Store in a safe place away from food and pet food.] Keep from freezing. [If frozen, allow to thaw and shake well before using.]

**ALL Packaging Types:**

**PESTICIDE DISPOSAL [AND/ &] CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency [or Insert Telephone Number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

---

**PRECAUTIONARY STATEMENTS**

---

**HAZARDS TO HUMANS & DOMESTIC ANIMALS****KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

[Re-entry icon]

People and pets may enter treated area after spray has dried.

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.</li><li>• Call a poison control center [or Insert Telephone Number] or doctor for treatment advice.</li></ul>
<b>EMERGENCY MEDICAL INFORMATION</b>	
<ul style="list-style-type: none"><li>• Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</li><li>• You may contact [Insert Telephone Number] for emergency medical treatment information.</li><li>• This product is identified as [Insert Brand Name], EPA Reg. No. 71995-8[-XXXXX].</li></ul>	

**ENVIRONMENTAL HAZARDS:**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated areas will help avoid runoff to water bodies or drainage systems.

**[LIMITED/ WARRANTY AND DISCLAIMER/ NOTICE]:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions. **Alternative Text:** [To the extent consistent with applicable law, [the] buyer assumes all risks of use, storage, or handling of this product] not in accordance with directions.] [Product guaranteed to the extent of purchase price, only when used according to label directions.]

---

**Optional Spanish Translations:**

[Insert generic logo and brand name in English & Spanish]

[Insert Label Language in Spanish as Applicable]

---

[QUESTIONS OR COMMENTS? Call [Insert Telephone Number] [Insert Website]]

[IN CASE OF EMERGENCY CALL [Insert telephone Number]]

©[Insert year] [MONSANTO COMPANY] [Insert Company Name]

[Distributed/ Produced/ Manufactured/ [for/ by]]

[Monsanto Company Lawn & Garden Products] [Insert Company Name]

[P.O. Box 418 Marysville, OH 43041] [Insert Address]

[Marketed Through:] [Insert Company Name]

[Insert Address]

EPA Reg. No. 71995-8[-XXXXX]

EPA Est. [Insert Establishment(s)]

[Subscript [used]/ Superscript] is first letter of [run/ lot] [code/ number] [on container]]

[Form No. \_\_\_\_\_]

[Made in USA/ [Made in/ Product of] [Insert Country]]

[Insert Relevant Trademark Disclosure Statement(s)]

[Insert Relevant Patent Information Statement(s)]

[Insert relevant Anti-theft device Statement] [This bottle [may] contain[s] an anti-theft device[, either inside or on the back of the bottle]. [It does not affect product performance.]]

[Insert 2D code/ Label code/ SKU Code] [Insert UPC Barcode/ PROOF OF PURCHASE]

---

## APPENDIX 1: Consolidated List of Label Claims

---

- Absorbed into both broadleaf and grassy weeds
- Absorbs on contact, starts working immediately
- After [Insert graphic of dead weed]
- Also use for large jobs such as lawn renovation and vegetable and flower garden preparation
- Before [Insert graphic of live weed]
- Begins absorbing on contact
- Begins [to work/ working] in [Insert value of between 1 and 24] hours
- Can be used over the root zone of trees, shrubs, or desirable plants
- Can reseed or sod lawns 7 days after treatment
- Completely kills even the toughest weeds and grasses
- Contains Glyphosate
- Contains Pelargonic [Acid]
- Controls existing weeds, is not a pre-emergent
- Do NOT add water
- Does not have soil activity
- Effects within one week with complete kill in 2 to 4 weeks
- Fast acting [all purpose] ready to use weed and grass killer [which will kill almost all plants contacted]
- Fast-acting formula
- [Formula] Enters the plant within 2 hours [won't wash off]
- [Insert Brand Name] is a fast acting and ready to use weed killer
- For general weed control - kills weeds and grasses in 1 to 2 weeks - roots [and/ &] all
- Ideal for killing unwanted weeds and grasses [throughout your yard]. Use along fences; in cracks of walks, drives and patios; and around flower beds, trees and shrubs
- Ideal for spot treatment on driveways, sidewalks, and patios
- Ideal for vegetable garden weed control
- Ideal for tough weeds in flower and vegetable gardens
- [Insert Brand Name] can be used [almost] anywhere weeds and grasses grow, including patios, walkways, and driveways; along fences; in [landscaped/ mulched] beds; or around flowers, shrubs and trees
- Kills all types of [tough] weeds [and/ &/ grasses]
- Kills almost all [annual and perennial] weeds, grasses and other unwanted [plants/ vegetation]
- Kills grass [and/ &] weeds around flower beds, trees, shrubs, [and/ &] sidewalks
- Kills Grass [and/ &] Weeds in Drives, Sidewalks, Around Trees, Shrubs [and/ &] Fences
- Kills [Poison Ivy/ Poison Oak/ Poison Sumac/ Wild Blackberry/ Kudzu]
- Kills over 175 types of weeds
- Kills the root [so weeds don't grow back]
- Kills [to] the root
- Kills tough weeds in 1 to 2 weeks [- roots and all]
- Kills [undesirable/ unwanted] weeds and grasses [vegetation] [around trees, shrubs, fences, driveways, walkways, and patios]
- Kills weeds and grasses [around flower beds, trees, shrubs, and sidewalks]
- [Kills/ spray] weeds in flower beds and around fences, trees, driveways, walkways, and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways
- Kills weeds, roots and all
- Multipurpose grass and broadleaf weed control
- No Mixing [necessary]
- Ornamental gardens can be reseeded or planted 1 day after treatment
- Outdoor use only [Insert Graphic]
- Pre-measured
- [Provides/ See] visible results in 24 hours

- Quick and easy to use
- Ready-To-Use
- Ready-To-Use [grass & weed killer]
- Requires no mixing [pre-mixed]
- [Rainproof/ Rainfast] in 2 hours
- Rainproof [in 2 hours], won't wash away
- Rainfall or watering 2 hours after application will not wash away effectiveness
- Rainfall within 2 hours could affect performance
- Requires no mixing
- Satisfaction guaranteed or [your money back with proof of purchase]
- [See] effects within one week with complete kill in 2 to 4 weeks
- [See/ visible] results in [[insert value between 1 and 24] hours/ overnight]
- Single application [controls/ kills] most weeds
- Sprayed areas may be reseeded or replanted 1 day after application in flower beds
- Starts working [in [24] hours/ overnight]
- Suitable for use around flower beds, trees, shrubs, fences, walks
- Systemic grass and weed killer for spot treatment of undesirable vegetation
- Use along fences, paths, paver patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, under decks and in brick and gravel walkways.
- Use around flower beds, trees and shrubs
- Use around fruits and vegetables
- Use as a first step for renovating or replanting your lawn
- Use as a first step for turning brushy fields into grassy areas or parks
- [Use] For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways
- [Use] For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flowerbeds or similar plantings.
- Use for large jobs like garden plot preparation and lawn [replacement/ renovation]
- [Use] For Lawn Renovation
- [Use] For Spot Spraying: Use in and around flowerbeds, ornamental, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways
- Use [in/ around] fences, driveways, walkways, shrubs, trees, [and/ &] mulch beds
- Use [in/ around] [vegetable gardens/ flower beds/ trees and shrubs]
- Use in flower beds, along fences, and around trees, shrubs, driveways and walkways.
- Use to prepare sites: for large plantings, for planting flowerbeds, fruit trees, ornamentals, vegetables and gardens, and for renovating lawns
- Use to trim and edge landscape areas.
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction.
- Visible Results in 24 Hours!
- WATER BASED [formula] [Insert Icon]
- What it does: Kills All Types of Weeds [and/ &] Grasses
- When to Use: For Best Results, Apply During Warm, Sunny Weather (Above 60 °F)
- Where to Use [Outdoors]: On Patios, Walkways, or Driveways. In Flower [and/ &] Vegetable Gardens, Around Trees [and/ &] Shrubs. Along Fences [and/ &] Foundations. For Garden Plot Preparation.
- Will not build up in soil to hurt desirable plants growing nearby
- Works only when absorbed by the foliage of weeds
- Yellowing and wilting in about 24 hours



### Promotional Offering Options

- [Insert #] Bottles [Included]
- Bonus [Size/ Pack/ Pak]
- Club [Pack/ Pak]
- Combo [Pack/ Pak]
- FREE [Insert Brand Name] [Insert Amount] [VALUE]
- Free [Insert Description] with this purchase of [Insert Brand Name] [Insert Container Size]
- FREE SAMPLE
- Great Value
- NEW! ***Use only if new package or formulation***
- New! Larger size [covers up to [Insert value] sq ft]
- NOW! ***Use only if new package or formulation***
- [Insert Packaging Type/ Sprayer] Refill
- SAMPLE NOT FOR SALE
- Save up to \$[Insert Value] on [your] next purchase
- TWIN [PACK/ PAK]
- Value [Pack/ Pak]
- VALUE [SIZE/ SIZED]

---

**APPENDIX 2: Packaging Related Claims**

---

**Calculation of Spray and Weed Coverage**

---

- *To determine how many square feet can be treated, divide the number of fluid ounces by 128 and multiply by 300 (X= Net contents (fl oz) ÷ 128 x 300 sq ft)*
- *To determine approximate number of weeds that can be treated, multiple the number of fluid ounces by 8.333 (Y= Net contents (fl oz) x 8.333 weeds)*

NET CONTENT SKU Size	Spray Coverage	Weed Coverage
24 FL OZ [(1 PT 8 FL OZ)]	• Treats up to 56 sq ft	• Treats more than 200 weeds
30 FL OZ [(1 PT 14 FL OZ)]	• Treats up to 70 sq ft	• Treats more than 250 weeds
32 FL OZ [(1 QT)]	• Treats up to 75 sq ft	• Treats more than 265 weeds
64 FL OZ [(½ GAL/ 2 QTS)]	• Treats up to 150 sq ft	• Treats more than 500 weeds
1 GALLON [(128 FL OZ)]	• Treats up to 300 sq ft	• Treats more than 1000 weeds
1.25 GALLON [(160 FL OZ)]	• Treats up to 375 sq ft	• Treats more than 1300 weeds
1.33 GALLON [(170 FL OZ)]	• Treats up to 400 sq ft	• Treats more than 1400 weeds

**Other Packaging Related Claims****General:**

- Accurate
- Accurately targets [what/ the weeds] you want to [spray/ kill]
- Accurately targets [precisely/ exactly] [what/ the weeds] you want to [spray/ kill]
- Adjustable sprayer
- Adjustable [spray/ sprayer] nozzle for maximum control
- Adjustable spray pattern [for maximum control]
- Convenient
- [Easy/ Convenient] To Use
- Easy to store
- EASY-TO-USE [Insert Applicator Name]
- Fast and easy [application/ way to spray]
- Great for large or small [jobs/ areas]
- Ideal for large or small [jobs/ areas]
- It's always ready to spray
- No leaks or mess
- Precise control [for maximum accuracy]
- Quick [&/ and] easy to use
- [Save[s] time and energy
- Targeted spray
- Targets weeds [in tight places]
- The [fast/ and/ &/ easy] way to kill weeds
- The [fast/ and/ &/ easy] way to spray
- You're always ready to spray

#### **Pull 'N Spray™ II Sprayer:**

- [1-4] -ft extension cord [enclosed/ in spray wand]
- Consistent spray [Wand] [for maximum accuracy]
- [Continuous/ adjustable] spray [Wand]
- Cut your spray time in half
- Easy to use tank sprayer
- For best results, pull out slowly and hold for 2 seconds
- Just pull
- No [constant] pumping
- No constant trigger squeezing
- No [More] Hand Fatigue [with Pull 'N Spray]
- No more hand fatigue [with PNS II/ Pull 'N Spray II/ Spray Master™/ Insert Applicator Name]
- No more pumping [just pull/ and spray]
- No more squeeze, squeeze, squeeze
- No more tired [aching] hands
- No pumping, Just Pull [! /N' Spray]
- [One/ 1] pull [=/ equals] [Insert #] trigger sprays
- [One/ 1] pull delivers [Insert #] trigger sprays
- Over X [minutes/ mins] of continuous spray
- [One/ 1] push of the button [=/ equals] [Insert #] trigger sprays
- Quickly covers large areas
- Reduces hand fatigue
- Refillable container
- Up to X [minutes/ mins] of continuous spray

#### **Battery Operated Sprayer with Wand:**

- Batteries Included
- Battery Operated [Sprayer]
- [Comfort/ Shot] Wand
- Comfort Wand™
- Continuous Spray
- Easy to Use Battery Sprayer
- Extended Reach
- Just attach hose and spray
- [Improved] Applicator
- No [constant] pumping
- No constant trigger squeezing
- No more [bending/ kneeling]
- No [More] Hand Fatigue
- No more pumping, no more pulling, just spray
- No more squeeze, squeeze, squeeze
- No more tired [aching] hands
- [PUSH/ TWIST/ LOCK]
- Quickly covers large areas
- Refillable
- Reusable Battery Operated Sprayer
- [Unsnap holder/ Twist left/ Pull]