

[Editorial Notes: Bracketed text [] is for internal use or serves as a 'place holder' for graphics. Parenthetical text () denotes optional wording.]

[Refer to APPENDIX 1 for consolidated list of label claims.]

[Refer to APPENDIX 2 for packaging related claims.]

[Refer to APPENDIX 3 for packaging related instructions.]

Master Label For Reg. No. 71995-13

Registered Brand Names : Roundup Ready-To-Use Weed & Grass Killer 2

Active Ingredient

Glyphosate, isopropylamine salt 0.96%

Other Ingredients 99.04%


KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel (booklet) for additional precautionary statements. (Read precautions and directions on back label.)

NET [] FL OZ ()

Pull here to open label
Peel open for use directions and further information
Press here to reseal



2 8 12

[Insert brand name] is a fast-acting and ready-to-use weed and grass killer. Kills tough weeds in 1 to 2 weeks, roots and all. Use in flower beds, around trees and shrubs, along fences, walks, driveways, patios, sidewalks, and mulch. Will not build up in the soil to hurt desirable plants growing nearby.

Product Usage

Kills: Weeds and grasses

Use on: Use as a spot treatment along sidewalks, fences, driveways, and patios
In flower (beds) and vegetable gardens
Around flowers, shrubs and trees
Along fences and foundations
Other areas in your yard

Amount to Use: Ready-To-Use. Requires no mixing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO THE FOLLOWING DIRECTIONS AND OBSERVE ALL PRECAUTIONS.

HOW TO USE

For Spot Application, adjust spray nozzle to a course spray. Position sprayer (tip) approximately 1-2 feet from weeds, grasses, and undesirable plants, and apply until completely covered. Flowers and ornamentals may be reseeded or replanted into treated areas the next day.

[Optional: Insert container- and sprayer- specific operating instructions.]

IMPORTANT: (Spray carefully. Avoid spray or drift onto desirable lawn grasses, shrubs, or trees.) This product (is an all purpose weed and grass killer which) can kill (or damage) all vegetation (plants) contacted. If necessary, use cardboard or plastic to shield desirable plants. If accidental spray contacts desirable foliage, immediately rinse the foliage with water.

WHEN TO USE

Use anytime weeds are actively growing. For best results, apply on a warm sunny day when daytime temperature is above 60° F. Warm, sunny weather will speed up weed control. Apply only when air is calm. Reapply if it rains within 6 hours (2 hours) after application. Hard-to-control weeds (such as bermudagrass) may require a repeat application if they regrow. (NOT recommended for spot weed control in lawns since *[insert brand name]* kills all green plants, including lawn grass.) (Treated weeds usually show initial symptoms within 1 week (2-4 days) and complete kill in 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for complete kill.)

WEEDS CONTROLLED

[Insert brand name] will completely kill most tough annual weeds, grasses, and any undesirable plants found in and around fences, trees, driveways, flower beds, walkways, and shrubs.

Bahiagrass, Barnyardgrass, Bermudagrass, Blackberry, Thistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Foxtail, Johnsongrass, Kentucky Bluegrass, Kudzu, Lambsquarters, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Clover, Shepardspurse, and Yellow Nutsedge and many other annual and perennial grasses, weeds, sedges, and brush.

[OR alternate weed tables]

CONTROLS WEEDS AND GRASSES INCLUDING:

General Weed Control (Annuals)

Annual Bluegrass	Fiddleneck	Pennsylvania Smartweed
Annual Ryegrass	Fall Panicum	Prickly Lettuce
Barnyardgrass	Field Pennycress	Prostrate Spurge
Beggarweed	Field Sandbur	Puncture Vine
Black Medic	Filaree	Redroot Pigweed
Blue Toadflax	Florida Pusley	Sandspur
Brassbuttons	Foxtail	Shepherdspurse
Blue Mustard	Goosegrass	Smooth Cat's ear
Buttercup	Garden Spurge	Smooth Pigweed
Bromegrass	Horseweed/Marestail	Sowthistle
Bur Clover	Henbit	Spotted Spurge
Chickweed	Knotweed	Tansy Ragwort

Common Groundsel	Lambsquarters	Tansy Mustard
Common Plantain	Little Bittercress	Teaweed
Crabgrass	London Rocket	Texas Panicum
Creeping Beggarweed	Maiden Cane	Tumble Mustard
Diffuse Lovegrass	Mallow	Sprangletop
Dog Fennel	Mayweed	Witchgrass
Evening Primrose	Mouseear Chickweed	Wild Mustard
False Dandelion	Oxalis	

Tough Weed Control (Perennials, Brush)

Alder	Guineagrass	Primrose
Artichoke Thistle	Honeysuckle	Purple Nutsedge
Bahiagrass	Horsenettle	Quackgrass
Bentgrass	Horseradish	Quaking Aspen
Bermudagrass	Iceplant	Ragweed
Blackberries	Johnsongrass	Raspberry
Broadleaf Plantain	Kentucky Bluegrass	Red Clover
Canada Thistle	Kikuyugrass	Smooth Bromegrass
Cattail	Knapweed	St. Augustinegrass
Ceanothus	Kudzu	Sumac
Cherry species	Lantana	Tall Fescue
Cocklebur	Milkweed	Timothy
Cogongrass	Multiflora Rose	Torpedograss
Common Mullein	Nightshade, silverleaf	Trumpetcreeper
Common Ragweed	Nimblewill	Vaseygrass
Coyote Brush	Nutsedge	Virginia Creeper
Creeping Bentgrass	Oak species	White Clover
Creeping Charlie	Oldenlandia	Whitetop
Curly dock	Orchardgrass	Wild Barley
Dallisgrass	Oxalis	Wild Oats
Dandelion	Pampasgrass	Wild Sweet Potato
Dewberry	Pennywort	Willow
Elderberry	Perennial Ryegrass	Yellow Nutgrass
False Dandelion	Poison Hemlock	Yellow Starthistle
Fescue species	Poison Ivy	Zoysia
Field Bindweed (Wild Morningglory)	Poison Oak	

HOW TO REFILL (TO REFILL) [optional section]

This container (and sprayer) can be reused. Use *[Insert brand name]* to refill the container. Follow these dilution directions: Add [x] of *[Insert brand name]* to this empty container, then fill with water slowly to avoid foaming.

Note: All ornamental flowers, trees, and shrubs may be planted 1 day after application. *[Alternatively use **When To Replant** section]*

WHEN TO REPLANT [above replant statement may be used in place of this section]

- All ornamental flowers, trees and(&) shrubs may be planted **1 day after** application.
- The following berries may be planted **1 day after** application:
Blackberry, Blueberry, Boysenberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry and(&) Raspberry (Black and(&) Red).
- The following fruits, vegetables &(and) herbs may be planted **1 day after** application:
Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussels Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip &(and) Yams.
- The following fruits, vegetables &(and) herbs may be planted **3 days after** application:
Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer &(and) winter), Tomatillo, Tomato (by seed) &(and) Watercress.
- Lawn grasses may be planted **7 days after** application.
- Tomatoes from transplant & (and) unlisted fruits, vegetables &(and) herbs may be planted **30 days after** application.

WHEN TO HARVEST -[optional SECTION]

If used to control weeds around fruits or nuts, wait the following number of days before harvesting:

- Citrus (Citron, Grapefruit, Kumquat, Lemon, Lime, Mandarin, Orange, Pummelo, Tangelo, Tangerine), Guava, Papaya – **1 day**.
- Nuts (Almond, Beechnut, Brazil Nut, Butternut, Cashew, Chestnut, Filbert, Hazelnut, Hickory Nut, Macadamia, Pecan, Pistachio, Walnut) – **3 days**.
- Apple, Avocado, Banana (Plantains), Berries (except Cranberries), Dates, Figs,

Grapes, Loquat, Passion Fruit, Pear, Persimmon, Pomegranate &(and) Quince – 14 days.

- Apricot, Cherries, Nectarine, Olives, Peach, Plum and(&) Prunes– 17 days.

STORAGE AND DISPOSAL *[trash can illustration]*

STORAGE: Store in original container in a safe place away from direct sunlight. Protect container from freezing. *[Optional: insert container or sprayer specific storage instructions.]*

DISPOSAL: Do not reuse container. **Empty Container:** Put in trash. Recycle where available. **Partially Full Container:** Call your local waste disposal service (or 1-800-CLEANUP). Never pour product down any drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Wash thoroughly with soap and water after handling.

[Reentry icon] Keep children and pets off treated areas until spray is thoroughly dry.

EMERGENCY MEDICAL INFORMATION
<ul style="list-style-type: none"> • Have the product container or label with you when calling a poison control center or doctor, or going for treatment. • <i>[Optional text]</i> You may contact <i>[Insert optional contact telephone #]</i> for emergency medical treatment information. • <i>[Optional text]</i> This product is identified as <i>[Insert brand name]</i>, EPA Reg. No. 71995-13- <i>[Insert distributor company number]</i>

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

7 8 12

NOTICE: Buyer assumes all responsibility for safety and use (Buyer assumes all risk of use, storage, or handling) not in accordance with directions. (Product guaranteed to the extent of purchase price, only when used according to label directions).

■ Questions, comments, or Information? Call *[Insert telephone no. and/or Website address]*

Manufactured for (Distributed by):

[Name and address]

Form _____

EPA Reg. No. 71995-13

EPA Est. _____

Made in USA

APPENDIX 1 – Consolidated List of Label Claims

- (Formula) enters the plant within two hours [won't wash off]
- [Insert brand name] is a fast acting and ready to use weed killer
- Can be used over the root zone of trees, shrubs, or desirable plants
- Covers XX sq. ft. (varies with container size)
- Dead weeds guaranteed
- Does not have soil activity
- Effects within one week with complete kill in 2 to 4 weeks
- Eliminates roots and weeds [guaranteed]
- Fast Acting [formula]
- Guaranteed results in one application (or your money back)
- Guaranteed results with one application
- [Insert brand name] is a fast acting and ready to use weed killer
- Ideal for tough weeds in flower beds and vegetable gardens
- Kills grass and weeds around flower beds, trees, shrubs, and sidewalks
- Kills over 175 types of weeds [as listed]
- Kills the root [so weeds won't grow back]
- Kills tough weeds in 1 to 2 weeks [roots and all]
- Kills unwanted weeds and grasses, roots and all
- Kills weeds and grasses [down to the root][roots and all]
- New (formula)
- No root No weed Guaranteed
- No odor
- No staining (dye)
- Rainfall or watering within 2 hours after application will not wash away effectiveness
- Rainfall within 6 hours could affect performance
- Rainfast {rainproof} in hours
- Rainproof in 2 hours (won't wash off)
- Ready-To-Use, no mixing.
- Replant (flowers, ornamentals) the next day
- Satisfaction guaranteed or your money back
- Satisfaction guaranteed or your money back with proof of purchase
- (See) results in 24 hours
- Single application controls (kills) most weeds
- Spray weeds in and around fences, trees, driveways, flower beds, walkways, and shrubs
- Sprayed areas can be reseeded or replanted in 1 day after application in a flower bed
- Starts working in 24 hours (overnight)
- Systemic grass and weed killer for spot treatment of undesirable vegetation

- Outdoor Use [optional logo]
- Use around flower beds
- Use around trees and shrubs
- Use in and around vegetable gardens
- Water base [optional logo]
- Yellowing and wilting in about 24 hours

APPENDIX 2 – Packaging Related Claims

NET	24 FL OZ (1PT 8 FL OZ) 709 mL;	64 FL OZ (½ GAL) 1.89 L
	2L (67.7 FL OZ) 0.52 GAL;	128 FL OZ (1 GAL) 3.7 L
	4L (135.4 FL OZ) 1.05 GAL;	5 L (170 FL OZ) 1.3 GAL
	6 L (202 FL OZ) 1.58 GAL;	256 FL OZ (2 GAL) 7.7 L

Pull 'n Spray:

- (1-4) -ft extension cord enclosed (in spray wand)
- Adjustable sprayer
- Continuous, adjustable spray
- Easy to use tank sprayer
- Fast and(&) easy application
- Just pull
- NEW
- No hand fatigue
- No more hand fatigue (cramping from) caused by trigger sprayers
- No pumping
- NOW
- Quickly covers large areas
- Refillable container

Tip & Pour Applicator:

- EASY To Use Sprinkler TOP

APPENDIX 3 – Packaging Related Instructions

Pull N' Spray [Optional Illustrations]

1. Detach green (or other color) wand. Pull plug and tubing from bottom of wand. Insert plug firmly into 'T-handle' until it clicks. **ONCE CONNECTED, PLUG CANNOT BE REMOVED WITHOUT DAMAGING 'T-HANDLE'.**
2. Slide white (or other color) strip on cap, then grab 'T-handle' and pull all the way up. **JUST PULL UP – NO NEED TO PUMP.**
3. Point wand at unwanted weeds or grasses and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern.
4. Pull 'T-handle' again as needed to continue spraying. **JUST PULL UP – NO NEED TO PUMP.** When finished, push 'T-handle' gently down to cap. Flip down spout. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.**

[Instructions on PNS wand] **IMPORTANT!** Follow directions and illustrations on back of container to assemble and use Pull 'N Spray correctly.

T-handle Sprayer [Optional Illustrations]

1. **Assemble Discharge Assembly to Tank**
 - a. Set tank on level surface.
 - b. **Remove** black tank plug (part with screwdriver slot) from tank and discard.
 - c. Insert white supply tube securely into hose adaptor at end of hose.
 - d. Screw tank adapter tightly into tank.
2. **Enable Pump**
 - e. **Cut** white plastic safety strip from pump and discard. **Make sure** pump is securely screwed into tank.
 - f. Make sure shut off lever is in the "Off" position by pulling back.
 - g. **Pull and push** pump handle several times to create pressure in tank.
3. **Spray**
 - h. Push shut off lever to "On" position to begin spraying.
 - i. Adjust spray pattern by turning nozzle cap.
 - j. Pull shut off lever to "Off" position to stop spraying.

11 8 12

Sprinkler Applicator [Optional Illustrations]

- Remove top cap. Tighten the built-in sprinkler applicator.
- **To use as an edger:** Turn jug upside down. Walk slowly, holding jug 2-6 inches above the ground or weeds. Apply product to thoroughly cover unwanted vegetation. One gallon will cover a band 2 (3) inches wide and 1200 feet long.
- **To control weeds in larger areas,** such as brick or gravel walks and patios: Turn jug upside down. Hold jug (about) waist high to apply. Adjust the width of the spray pattern to cover weeds by raising or lowering the jug.

12 of 12

Description of Changes for 071995-00013.20030703.pdf

This label amendment incorporates the following :

- Revised *When To Replant* section to provide consistency across glyphosate-based labels
- Added weed control tables
- Added *How To Refill* and *When to Harvest* sections
- Revised *Storage & Disposal* section
- Added Emergency Medical Information box
- Revised Appendices 1, 2 and 3