··· ·· PM			95-1	7	2-4-9	39	10414
Please read instructions on rel	Environme	United State	ection Ag			tration	OPP Identifier Number 266204
	Α	Applicatio	n for Pes	ticide - Sec	tion I		
1. Company/Product Numb	er 239-2653 Trans	erred to 7	1995-17 2.	EPA Product M James	anager Tompkins	3. F	Proposed Classification
Company/Product (Nam Roundup Rainfast (	•	& Grass K	1 .	/# (P	M 25)	<u> </u>	None Restricted
5. Name and Address of A The SOLARIS Group of P. O. Box 5006 San Ramon, CA 94583-09	Monsanto	Code)	(p		is similar or ide	ntical in cor	IFRA Section 3(c)(3) reposition and labeling to:
Check if this is a new			P	roduct Name		·	
			Sectio	n - Il			<del></del>
Amendment - Explain	pelow.			Final printe Agency lett	ed labels in respor ter dated	rse to <b>NOT</b>	FICATION
Resubmission in respo	onse to Agency letter d	ated		Me Too" A	application.	FEB	4 - 1999
Notification - Explain b	elow.			Other - Exp	olain below.		
"This notification is consistent we confidential statement of formula understand that if this notification enforcement action and penalties	rith the provisions of PR a of this product. I unders on is not consistent with t	Notice 98-10 ar stand that it is a the terms of PR	nd EPA regulation violation of 18	ons at 40 CFR 152.4 U.S.C. Sec. 1001 to	46, and no other cha willfully make any	anges have be	en made to the labeling or the nt to the EPA. I further
			Section	n - III			
1. Material This Product Will Child-Resistant Packaging Yes* No	Unit Packaging Yes No		Water Sol	uble Packaging	M D P	of Container letal lastic	
*.Certification must	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package v	No. per wgt. container	P	aper	
3. Location of Net Contents In		4. Size(s) Re	tail Container		5. Location of L		<del></del>
6. Manner in Which Label is A	ffixed to Product	Lithogr Paper (	glued	Other			
			Section				1133
Contact Point (Complete ite     Name	ms directly below for i	dentification of	findividual to b	e contacted, if ned	cessary, to proces		ation,), , , , and Area Code)
_	D. Bourke			egistration Spe	ecialist	releption	925-355-3336
I certify that the statemer I ackπowledge that any k both under applicable law	nowingly false or misle		attachments th				6. Date Application Received (Stamped)
2. Signature			3. Title	legulatory Affai	irs	,,,,,	ا از
4. Typed Name	D. Bourko		5. Date	anuan/11 100	)O	<del></del>	1 ''

**EPA Reg No. 239-2653** 

ABN: Roundup Concentrate Weed & Grass Killer 1

NOTIFICATION

NEW! MEASURING CAP AND POUR SPOUT INCLUDED

NEW! LARGER SIZE Covers xx sq ft

FEB 4 - 1999

Now easier to measure and pour. Child Resistant Cap

Kills the root so weeds don't come back. No root. No weed. No problem.

Built-in measuring cap, No odor, Water - based formula

Mix with water to make up to 10 / 21 gallons of spray solution [1.58 L=17 gal/5000 sq ft, 1/2 gal = 21 gal/ 6300 sq ft, 16 fl oz = 5 gal / 1500 sq ft ] varies with qt / gal container size]

[1/11/99 Notification: Reword text for clarity and add coverage for 6 and 3 oz sample sizes]

Makes up to 21/17/10/5 Gallons, Covers up to 6,300/5,100/3,000/1,500/300 sq ft (depending on product container size ½ gal / 53 oz / 32 oz / 16 oz / 6 oz / 3 oz) Mix with water to cover xx sq ft. (varies with package size)

[1/11/99 Notification] Mix with water to make xx gallon of spray

Kills the root

Covers up to 300 sq ft per gallon of spray, 75 sq ft per qt, 55 sq ft per 24 oz Does not have soil activity, Controls existing weeds, is not a preemergent Kills unwanted weeds and grasses, roots and all, kills to the root, kills weeds roots and all

Use in / Apply with a BIG SHOT™ Multi-Purpose Sprayer or other tank sprayer, ORTHO® DIAL 'n SPRAY®, ORTHO SPRAY-ETTE® or other ORTHO hose-end sprayers

Use to prepare sites for large plantings, for planting flower beds, for planting fruit trees, ornamentals, vegetables, garden sites and to renovate lawns

[10/20/97 Notification] Free Roundup Sample!

Roundup kills weeds in - Patios - Driveways - Sidewalks - Gardens and other non-lawn areas.

Save Up To \$(X) On Your Next Purchases, Free Weed Guide Inside

[10/23/97 Notification] Roundup kills weeds & grasses in – Patios – Driveways –

Sidewalks – Gardens and other non-lawn areas.

[11/11/97 Notification] FREE Schultz Plant Food Plus with this purchase of Roundup concentrate Quart, Weed Control Guide Inside, Save Up To \$(x) On Next Purchases! Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots.

Apply Roundup, Rainfast starts working immediately.

Guaranteed same effective results even if it rains within hours

New formulation enters the plant within one hour, won't wash off

Quick uptake, eliminates weather concerns, Rainfast in hours - enters the plant on contact

Won't wash off New and Improved Formulation -Now Rainfast - Fast Uptake Won't wash away - Rain-proof in two hours for control that doesn't wash away [6/12/98 Notification] Rain-proof in two hours for control that won't wash away

Works first time, every time Kills the weed you see and the root you don't Approved for most/ many lawn and garden uses

239-2653.n8.doc

EPA Accepted 9/29/97

**EPA Reg No. 239-2653** 

Kills over 100 weeds

Can be used around small fruits and vegetables

Kills / spray weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways,

Economical-mix 6 to 12 tablespoons (3 - 6 oz) per gallon,

Concentrated For Extra Value

Satisfaction guaranteed or your money back with proof of purchase

Use to refill Roundup Ready-To-Use

For General Weed Control - Kills Weeds And Grasses In 2 To 4 Weeks - Roots & All New, Improved Formula Completely kills even the toughest weeds and grasses Multipurpose Grass & Broadleaf Weed Control

Visible Results In 2 to 4 Days Can Reseed or Sod Lawns 7 Days After Treatment Lawns and gardens can be reseeded or planted soon after treatment.

Ornamental gardens can be reseeded or planted 1 day after treatment

## KEEP OUT OF REACH OF CHILDREN

**CAUTION** Read precautions and directions on back label. (or) See back panel booklet for additional precautionary statements

**Active Ingredient** 

(	Glyphosate, [4/28/98 Notifi	cation] isopropylamine sal	<u>t</u>	18.0%
[6/12	/98 Notification] Inert-Other	Ingredients	******	82.0%
Net	16 fl oz (1 pt) 473 mL,	32 fl oz (1 qt) 946mL	53.7 fl oz (	(.42gal) 1.5 L,
	64 fl oz (1/2 gal) 1.89L	128 fl oz (1 gal) 3.7 L	6 fl oz	<u>3 fl oz</u>

#### PULL HERE TO OPEN LABEL

Roundup Rainfast Concentrate once it enters the plant, it won't wash off, killing almost all annual and perennial weeds, grasses and other unwanted plants.

[Alternative texf] Roundup Concentrate kills almost all weeds, grasses and other unwanted plants.

Once it enters the plant, it is rainproof within two hours and won't wash off. Mix, ..., Roundup with water and use on driveways and walkways, or around fences, trees, flower beds, shrubs, gardens, fruit trees and other areas in your yard. Roundup can also be used for large jobs such as lawn renovation, vegetable and flower garden preparation. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into nativital materials. Roundup will not move in or on the soil to untreated plants. Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction.

[Alternate text on how Roundup works and Product Fact Table.]

239-2653.n8.doc EPA Accepted 9/29/97

Notifications of 10/20/97, 10/23/97, 11/11/97, 4/28/98 & 6/12/98, 1/11/99

. . . . . . .

EPA Reg No. 239-2653

### **HOW IT WORKS**

Roundup kills weeds by stopping the production of a substance found only in plants. It enters plants through foliage & moves systemically down to the roots. Any product not absorbed by plants breaks down into natural materials. Roundup will not move in or on the soil to untreated plants. Weeds usually begin to wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

[4/28/98 Notification] (or) Roundup enters plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found only in plants. Any product, not absorbed by plants, breaks down into natural materials without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

Product Facts	e	<u> </u>	
	,500 sq ft (approx. size of ¾ tennis courts) [Pint]		
,	,000 sq ft (approx. size of 11/2 tennis courts) [Quart]	1	
Treats up to 5	,100 sq ft (approx. size of 2½ tennis courts) [53 oz]		
Treats up to 6	,300 sq ft (approx. size of 3 tennis courts) [1/2 gal]		
KILLS	[Illustrate grassy, broadleaf and woody weeds]		
WEEDS	ALL TYPES OF WEEDS & GRASSES		
WHERE	On patios, walkways or driveways		
TO USE	<ul> <li>Around fruits, vegetables, flowers, shrubs or trees</li> </ul>		
	Along fences		
	In large areas		
	- For lawn replacement		
	- For garden plot preparation		
AMOUNT	For best results -		
TO USE	6 fl oz (12 Tbs) per gal of water		
[6/12/98 Notif	ication]		
	Product Info-Information Call 1-800-225-2883		
http://www.roundup.com			
	Medical Info-Information Call 1-800-454-2333		

[1/11/99 Notification: Alternate wording for sample size packages]

WHERE
 On patios, walkways, or driveways, or along fences.
 Around fruits, vegetables, flowers, shrubs, or trees.

For large areas, consider using the Ortho ® Dial'n Spray ®

[10/21/98 Non-notification: This endorsement no longer in use.] Used, by, American Zoo and Aquarium Association member zoos to effectively control weeds. (or) ; ; ; ; ; Recommended to zoos everywhere by the American Zoo and Aquarium Association for the control of weeds.

239-2653.n8.doc

EPA Accepted 9/29/97

**EPA Reg No. 239-2653** 

Peel open for use directions and further information. (or) Open resealable label for directions & precautions.

Press to reseal. Press here to reseal. (or) PEEL HERE

**CAUTION:** Causes eye irritation. Avoid contact with eyes or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

## CONTROLS WEEDS AND GRASSES INCLUDING:

General Weed Control (Annuals)

Fiddleneck Pennsylvania Annual Bluegrass Annual Ryegrass Fall Panicum Smartweed Barnyardgrass Field Pennycress Prickly Lettuce Beggarweed Field Sandbur Prostrate Spurge Black Medic Puncture Vine Filaree Blue Toadflax Florida Pusley Redroot Pigweed Foxtail Sandspur Brassbuttons Shepherdspurse Smooth Blue Mustard Goosegrass Garden Catsear Buttercup Spurge Bromegrass Horseweed/marestail Smooth Pigweed Bur Clover Henbit Sowthistle Chickweed Knotweed Spotted Spurge Common Groundsel Lambsquarters Tansy Ragwort Tansy MustardTeaweed Common Plantain Little Bittercress London Rocket Texas Panicum Crabgrass Creeping Beggarweed Maiden Cane Tumble Mustard Diffuse Lovegrass Mallow Sprangletop Dog Fennel Mayweed Witchgrass **Evening Primrose** Mouseear Chickweed Wild Mustard

Tough Weed Control (Perennials, Brush)

Alder Purple Nutsedge Guineagrass Artichoke Thistle Honeysuckle Quackgrass Quaking Aspen Bahiagrass Horsenettle Bentgrass Horseradish Ragweed,,,,, Bermudagrass Raspberry Iceplant Blackberries Johnsongrass Red Clover Broadleaf Plantain Kentucky Bluegrass Smooth Bromegrass\*\*\*\* Canada Thistle Kikuyugrass St. Augustinegrass Cattail Knapweed Sumac Ceanothus Kudzu Tall Fescue

239-2653.n8.doc

False Dandelion

EPA Accepted 9/29/97

Notifications of 10/20/97, 10/23/97, 11/11/97, 4/28/98 & 6/12/98, 1/11/99

Oxalis

# 60416

## Roundup® Rainfast Concentrate Weed & Grass Killer

EPA Reg No. 239-2653

Cherry species
Cocklebur
Cogongrass
Common Mullein
Common Ragweed
Coyote Brush
Creeping Bentgrass
Creeping Charlie
Curly dock
Dallisgrass

Creeping Charlie
Curly dock
Dallisgrass
Dandelion
Dewberry
Elderberry
False Dandelion

Fescue species Field Bindweed

(Wild Morningglory)

Lantana Milkweed Multiflora Rose Nightshade, silverleaf

Nimblewill Nutsedge Oak species Oldenlandia Orchardgrass Oxalis

Pampasgrass

Pennywort
Perennial Ryegrass
Poison Hemlock
Poison Ivy

Poison Oak Primrose Timothy

Torpedograss Trumpetcreeper Vaseygrass Virginia Creeper Virginia Creeper White Clover

White Clove
Whitetop
Wild Barley
Wild Oats

Wild Sweet Potato

Willow

Yellow Nutgrass Yellow Starthistle

Zoysia

For additional weeds controlled by this product call 1-800-225-2883.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS OBSERVING ALL PRECAUTIONS.

#### WHEN TO USE

Use anytime weeds and grasses are actively growing. Most treated weeds usually show initial symptoms within 2 to 4 days and complete kill in 1 to 2 weeks. Roundup works best in warm sunny weather with daytime temperature above 60° F. For best results, apply when weeds are small and before seedheads have formed. Reapply, if it rains within 1 to 2 hours / soon after application. If hard-to-control weeds are not killed within 4 weeks, reapply.

## WHERE TO USE

For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around process, and in brick and gravel walkways. Use to trim and edge landscape areas. Do NOT use for spot weed control in lawns since Roundup kills all green plants, including lawn grass.

For Spot Spraying: Use on actively growing weeds in and around flower, beds ornamental trees, fruit and nut trees, grapevines, shrubs, fences driveways and walkways. Spray when air is calm. Make sure Roundup does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If

239-2653.n8.doc

EPA Accepted 9/29/97

**EPA Reg No. 239-2653** 

necessary, use cardboard or plastic to shield plants. Roundup will not move in or on the soil to untreated plants. If Roundup is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.

For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

For Wildlife Areas: Use to prepare areas for planting wildlife food. Exotic or undesirable plants can be controlled to allow for planting or recovery of native plant species. Spot treatments can be made to selectively remove unwanted plants. Be careful to keep spray off desirable plants.

## For Lawn Renovation:

- Use Roundup to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using Roundup
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and other amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have a good contact with soil to germinate and grow.
- Keep area moist for 2 weeks, to establish new lawn, then water as needed.

For Brush Control: Use when brush is green and growing. If plants are taller than 5 feet, cut back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species such as Blackberry, Kudzu, or Poison Oak may require a second application.

## STUMP TREATMENT

Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within 5 minutes of being cut down.

- Cut the stump close to the soil surface.
- Drive 4-5 nail holes into the stump.
- Flood the stump with undiluted product.

This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgurh, and tan oak.

239-2653.n8.doc

EPA Accepted 9/29/97

**EPA Reg No. 239-2653** 

#### **HOW TO USE**

IMPORTANT: Roundup is an all-purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water. Spray when air is calm. Spray to evenly wet the weed.

To apply this product use

- Plastic, aluminum or stainless steel tank sprayer
- ORTHO DIAL' n SPRAY ®
- ORTHO SPRAY-ETTE®

Other hose-end sprayer recommended for weed killers Hand-trigger sprayer

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with a sprinkling can. (or) Do not apply with a galvanized or unlined steel sprayer, or through any irrigation system.

To clean sprayer after use: Rinse sprayer and/& all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used to apply/for other products.


**Measuring Cap:** To open, squeeze cap sides at the points indicated while unscrewing. The measuring cap has four levels indicated inside. The following table and the measuring cap should be used to determine the amount of Roundup you need. Close cap tightly after use. No need to rinse.

Level 1 = 1 teaspoon (tsp)

Level 2 = 1 Tablespoon (Tbs) = 3 tsp

Level 3 = 1 fl oz (2 Tbs)

Level 4 = 2 fl oz (4 Tbs)



# **EPA Reg No. 239-2653**

APPLICATOR	MIXING INSTRUCTIONS General Weed Control Annuals	MIXING INSTRUCTIONS Tough Weed Control Perennials or Brush Lawn Renovation	AREA TO TREAT
Tank Sprayer	Fill cap to Level 3 three times (6 Tbs). Add to 1 gallon of water.	Fill cap to Level 4 three times (12 Tbs). Add to 1 gallon of water.	300 sq ft (30 ft x 10 ft)
ORTHO DIAL 'n SPRAY® Hose-End sprayer	Fill cap to Level 3 three times (6 Tbs) and add to sprayer jar. DO NOT ADD WATER. Set dial to 3 oz and spray.	Fill cap to Level 4 three times (12 Tbs) and add to sprayer jar. DO NOT ADD WATER. Set dial to 5 oz and spray.	300 sq ft
ORTHO SPRAY- ETTE®	Fill cap to Level 4 six times (12 oz ) and add to sprayer jar. Fill to the 4 gallon mark and spray.	Fill cap to Level 4 ten times (20 oz ) and add to sprayer jar. Fill to the 4 gal mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level 1 four times (4 tsp). Add to 24 oz of water.	Fill cap to Level 2 three time (3 Tbs). Add to 24 oz of water.	Use for spot treatments or single weeds

[Alternative directions for use when measuring cap packaging is not used] Use the following table to determine the amount of Roundup you need. Close cap tightly after use. No need to rinse.

1 teaspoon (tsp)

1 Tablespoon (Tbs) = 3 tsp

1 fl oz (2 Tbs)

2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS General Weed Control Annuals	MIXING INSTRUCTIONS Hard-To-Control Weeds, Brush or Lawn Renovation	AREA TO TREAT
Tank Sprayer	Use 3 oz (6 Tbs) Roundup in 1 gal of water.	Use 6oz (12 Tbs) Roundup in 1 gal of water.	300 sq ft (30 ft x 10 ft),
ORTHO DIAL 'n SPRAY® Hose-End sprayer	Add 3 oz (6 Tbs) Roundup to sprayer jar. DO NOT ADD WATER. Set dial to 3 oz and spray.	Add 6 oz (12 Tbs) Roundup to sprayer jar. DO NOT ADD WATER. Set dial to 5 oz and spray.	300 sq ft,
ORTHO SPRAY- ETTE®	Add 12 oz Roundup to sprayer jar. Fill to the 4 gal mark and	Add 20 oz Roundup to sprayer jar. Fill to the 4 gal mark and spray.	1200 sq ft (30 ft x 40 ft)

**EPA Reg No. 239-2653** 

	spray.		
Hand trigger sprayers	Use 4 tsp in 24 oz of water.	Use 3 Tbs in 24 oz of water.	Use for spot treatments or single weeds

This product can be used to refill Roundup Ready-To-Use Weed & Grass Killer. (or) This product can be used to refill Roundup Ready-To-Use Weed & Grass Killer, following mixing directions on the Roundup Ready-To-Use bottle. For best results after mixing with water, use within 2 weeks.

[Alternate mixing instruction table]

## **MIXING INSTRUCTIONS**

Tank Sprayer (plastic, aluminum or stainless steel)

- Add 6 fl oz (12 Tbs) to 1 gal of water.
- Spot treat or spray evenly over 300 sq ft.

## Ortho® Dial 'n Spray®

- Set dial to 5 oz
- To sprayer jar add 6 fl oz [4/28/98 Notification] (12 Tbs) [6/12/98 Notification] for each 300 sq ft
- DO NOT add water.
- Spray evenly over measured area.

[1/11/99 Notification: Alternate format for small, sample size packaging.]

Mixing	Use a Tank Sprayer (plastic, aluminum or stainless steel)
<u>Instructions</u>	<ul> <li>Add entire contents (6 fl oz) to 1gal of water. (or)</li> </ul>
	<ul> <li>Add entire contents (3 fl oz) to ½ gallon of water.</li> </ul>
	Spot treat or spray evenly over 300 [6 fl oz] / 150 [3 fl oz] sq ft.
	For large areas consider using the Ortho® Dial 'n Spray®.
}	Set dial to 5 oz.
	Add entire contents (6 fl oz) to sprayer jar. DO NOT add water.
	Spray evenly over 300 sq ft.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

For easy to kill weeds such as Crabgrass, Chickweed, Plantain & Spurge 3 fl oz per gal for each 300 sq ft can be used.

[4/28/98 Notification] (or) For easy to kill weeds such as seedling weeds suce 3 fl oz (6 Tbs) per gal of water for each 300 sq ft.

[Alternate instructions for How & When to use product.]

239-2653.n8.doc

EPA Accepted 9/29/97

EPA Reg No. 239-2653

## **HOW TO APPLY**

Spray the weeds or grasses you want to kill until thoroughly wet.

• If weed is taller than 5 ft, or is climbing a shrub or tree, cut weed at base & spray its regrowth.

• When spot treating weeds around desirable plants shield plants from drift with a sheet of cardboard or plastic. If desirable plant is <a href="[6/12/98 Notification]/plants are accidentally sprayed, rinse off immediately with water.">[6/12/98 Notification]/plants are accidentally sprayed, rinse off immediately with water.</a>

**IMPORTANT:** Do not spray plants or grasses you like - they may die too. Not recommended for spot weed control in lawns since Roundup kills lawn grasses.

### WHEN TO APPLY

· Apply when weeds are actively growing.

• For best results apply during warm sunny weather (above 60° F) to accelerate systemic movement from foliage to roots.

• Apply when air is calm to prevent drift to desirable plants.

- [1/11/99 Notification: Include previously registered claim of Rainproof]
- Rainproof Rain or watering 2 hours after application will not wash away effectiveness.
- Apply when weeds are small & [6/12/98 Notification] /and before seedheads have formed [4/28/98 Notification] /seeds form. Established weeds may require a repeat application.
- If used to control weeds around fruit or nut trees, caneberries or grapevines, allow 21 days before harvesting.

### **ADDITIONAL TIPS**

# For Lawn Replacement

 Use Roundup to kill lawn & [6/12/98 Notification] /and weeds before planting a new lawn. [4/28/98 Notification] (or) For lawn replacement use Roundup to kill lawn weeds before planting new lawn.

Skip one mowing before spraying.

- [4/28/98 Notification] Use 6 fl oz (12 Tbs) per gal of water for each 300 sq ft.
- Roundup works best when grass is actively growing. If soil is dry water before application & [6/12/98 Notification] /and 2 to 3 days after application.

• If green patches remain after 7 days, reapply.

• Wait 7 days after last application to rake, till or replant with seed or scd.

## [4/28/98 Notification] To Kill Vines

If vine is growing up a pole, fence or mature tree trunk, cut vine to a height of 3 to 4 feet and spray to thoroughly cover remaining vine.

If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these, plants, cut vine at base and spray its regrowth. Shield shrub and green trunk from spray

239-2653.n8.doc

EPA Accepted 9/29/97

# Daf16


# Roundup® Rainfast Concentrate Weed & Grass Killer

**EPA Reg No. 239-2653** 

drift with a sheet of cardboard or plastic.

[6/12/98 Notification] If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 ft and spray vines thoroughly.

If vines are climbing shrubs, or tree trunks with green bark, cut vines at base and spray regrowth. Shield shrubs and green bark from spray drift with a sheet of cardboard or plastic.



130Hb

# Roundup® Rainfast Concentrate Weed & Grass Killer

EPA Reg No. 239-2653

## **RE-SEEDING AND REPLANTING IN SPRAYED AREAS**

Ornamentals and Flowers - May be reseeded or replanted the next day.

**Vegetables -** To plant listed vegetables, wait 3 days after spraying, before seeding or transplanting. For tomato transplants or unlisted vegetables, wait 30 days after spraying.

beans beet greens broccoli brussels sprouts

brussels sprou cabbage cantaloupe carrot cauliflower casaba melon

celery
chard (Swiss)
chicory
collards
corn
Crenshaw melon
cucumber

eggplant endive garlic gourds

honeydew melon honey ball melon

horseradish Jerusalem artichoke

kale kohlrabi leek lentils lettuce

mango melon melons muskmelon mustard greens

okra onion rape greens parsley

parsnips

peas pepper

Persian melon

potato pumpkin radish rhubarb rutabaga spinach

summer squash sweet potato tomatillo tomato\* turnip watercress watermelon winter squash

yams

\*Note: Tomatoes planted from seed only. Wait 30 days for rooted transplants.

**Small Fruits and Berries:** The following listed crops may be planted by seed, rooted cutting, or transplant 7 days after spraying Roundup. For unlisted small fruit and berries, wait 30 days after spraying.

Blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, and red raspberry.

Fruit and Nut Trees, Caneberries or Grapevines: If Roundup is used to control, weeds around fruit or nut trees, caneberries or grapevines, allow 21 days before eating the fruits or nuts.

For tropical fruits or special ornamental plants call for specific information 1-800-225-2883

For tropical fruits, special ornamental plants or specific weeds controlled by this product call 1-800-225-2883.

239-2653.n8.doc

EPA Accepted 9/29/97

EPA Reg No. 239-2653

[Alternate replanting instructions text.]

#### WHEN TO REPLANT

• All ornamental flowers, trees & [6/12/98 Notification] /and shrubs may be planted 1 day after application.

• The following [6/12/98 Notification] list of fruits, vegetables & /and herbs may be planted 3 days after application:

Beans, Beet Greens, Broccoli, Brussels Sprouts, Cabbage, Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Corn, Cucumber, Eggplant, Endive, Garlic, Gourds, Horseradish, Jerusalem Artichoke, Kale, Kohlrabi, Leek, Lentils, Lettuce, Melons, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Peas, Pepper, Potato, Pumpkin, Radish, Rhubarb, Rutabaga, Spinach, Squash, Sweet Potato, Tomatillo, Tomato (by seed), Turnip, Watercress & Yams.

• Lawn grasses & [6/12/98 Notification] /and the following list of berries may be planted | 7 days after application:

Blackberry, Black Raspberry, Blueberry, Boysenberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry & Red Raspberry [4/28/98]
Notification (or instead of listing both separate) Raspberry (Red & Black).

• Tomatoes from transplant &[6/12/98 Notification] /and unlisted fruits, vegetables & /and herbs may be planted 30 days after application.

[1/11/99 Notification: Apply 7 oz claims to 3 and 6 oz package]
Text to be used for small, sample packaging (ex: 6 or 7 oz)

FREE SAMPLE

SAMPLE NOT FOR SALE

See mixing instructions on outside of booklet.

#### Version 1:

Mix with water to make one Gallon of Spray COVERS UP TO 300 SQ FT

To make 1 gallon of spray, pour entire contents (6 or 7 fl oz) into sprayer. Slowly add 1 gallon of clean tap water.

## Version 2:

Mix with water to make two Gallons of Spray COVERS UP TO 600 SQ FT RAIN-PROOF® IN TWO HOURS

To make 2 gallons of spray, pour entire contents (6 or 7 fl oz) into sprayer. Slovyly add 2 gallons of clean tap water.

### Version 3:

FREE REFILL

Mix with water to make one Gallon of Spray

COVERS UP TO 300 SQ FT

Use to refill 1 gallon Roundup Ready-To-Use Weed & Grass Killer container.

239-2653.n8.doc EPA Accepted 9/29/97

Notifications of 10/20/97, 10/23/97, 11/11/97, 4/28/98 & 6/12/98, 1/11/99

.

# 150+16

## Roundup® Rainfast Concentrate Weed & Grass Killer

**EPA Reg No. 239-2653** 

To refill empty 1 gallon Roundup® Ready-To-Use Weed & Grass Killer: Add entire contents (6 or 7 fl oz) to empty container, then slowly add 1 gallon of clean tap water.

For use directions see Roundup Ready-To-Use Weed & Grass Killer container.

## STORAGE AND DISPOSAL

**STORAGE:** Store this product only in its original container and in a secured storage area. Protect container from freezing. **DISPOSAL:** Securely wrap partially filled or empty container in several layers of newspaper and discard in trash. Do not reuse container. **SPILL OR LEAK:** In case of spill or leak, soak up spill with paper towels and discard in trash.

#### PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

**CAUTION:** Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

[Reentry icon] People and pets may enter treated areas after spray has dried. FIRST AID: IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

Note to Physicians: Emergency Information call 1-800-454-2333/ 1-800-225-2883.

#### **Environmental Hazards**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**NOTICE:** BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

Medical Information call 1-800-454-2333 Product Information call 1-800-225-2883		;;;;; ;;;;;
http://www.roundup.com (alternate location)		* ; ;
[6/12/98 Notification: Add alternative]	*****	, , ,
Questions, Comments or Medical Information	; ';	
Call 1-800-225-2883 www.roundup.com	11213	
	,,,,,,	*****
® Trademarks of Monsanto Company	12244	,
©MONSANTO COMPANY 1998		, , , ,
Manufactured for The SOLARIS Group of Monsanto Company		* * * *
239-2653 n8 doc		• • • • •

EPA Reg No. 239-2653

P.O. Box 5008
San Ramon CA 94583-0808
Form \_\_\_\_\_
EPA Reg. No. 239-2653
EPA Est. 239-IA-3<sup>I</sup>, 524-LA-1<sup>L</sup>, 56100-LA-1<sup>G</sup>
Superscript is first letter of lot number
Solaris®
Made in USA

