65/25/2000 EPA Reg No. 71995-25

7

1/12

[Editorial Notes: Bracketed text [] is for internal use or serves as a 'place holder' for graphics. Parenthetical text () denotes optional wording.]

[Refer to APPENDIX 1 for consolidated list of label claims.]

[Refer to APPENDIX 2 for packaging related claims/instructions]

# Roundup® Weed & Grass Killer Super Concentrate

Active Ingredient Glyphosate, isopropylamine salt ...... 50.2 % Other Ingredients ...... 49.8 %

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel booklet for additional precautionary statements. (Read precautions and directions on back label.)

## NET [\_\_\_]

ACCEPTED MAY 25 2000 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under NPA Reg. No 71995-25

71995-25.amend.doc

)

EPA Registered 12/3/99 Amendment Submitted 5/4/00 Master Label

Product Facts				
Treats up to xx sq ft (approx. size of XX tennis courts)				
[When calculating coverage, one gallon treats 300 sq ft and a tennis court				
is 2,106 sc	7 ft.] 👘			
KILLS	[Illustrate grassy, broadleaf and woody weeds]			
WEEDS	ALL TYPES OF WEEDS & GRASSES			
WHERE	On patios, walkways, driveways, gravel or mulch beds			
TO USE	<ul> <li>Around fruits, vegetables, flowers, shrubs or trees</li> </ul>			
]	Along fences			
	<ul> <li>In large areas - For lawn replacement</li> </ul>			
	- For garden plot preparation			
AMOUNT	For best results			
TO USE	• 21/2 fl oz (5 Tbs) per gallon of water (for established or tough			
weeds)				
[phone icon] Questions, Comments or Medical Information				
	call 1-800-225-2883 <u>www.roundup.com</u>			
	(call 1-888-Roundup)			

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

	MIXING INSTRUCTIONS
[optio	nal tank sprayer illustration]
Tank steel)	Sprayer (plastic, aluminum, fiberglass, plastic-lined steel or stainless
•	For easy to kill weeds such as seedlings, add 1½ fl oz (3 Tbs) to 1 gallon of water
•	(For tough established weeds / For best results,) add 2½ fl oz (5 Tbs) to 1 gallon of water
٠	Spot treat or spray evenly over 300 sq ft.
[optio	nal DNS illustration]
Hose	-End Sprayer
For la	rge areas consider using the Ortho Dial 'n Spray®
•	Set dial to 2½ oz.
٠	To sprayer jar add 2½ fl oz (5 Tbs) for each 300 sq ft. DO NOT add water.
٠	Spray evenly over measured area.
	After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

71995-25.amend.doc

)

EPA Registered 12/3/99 Amendment Submitted 5/4/00 Master Label 2

2/12

3

3/12

Do not (mix, store or) apply with (in) a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

# HOW TO APPLY [optional illustration]

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet (piece) of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

# IMPORTANT

Do not spray plants or grasses you like - they may die too. Not recommended for spot weed control in lawns since Roundup kills lawn grasses.

## WHEN TO APPLY [optional illustration]

- Apply when weeds are actively growing. Use anytime weeds and grasses are actively growing.
- For best results, apply during warm, sunny weather (above 60° F) to accelerate systemic movement from foliage to roots.
- Apply when air is calm to prevent drift to desirable plants.
- (RAIN-PROOF:) Rain or watering 2 hours after application will not wash away effectiveness.
- Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.

# ADDITIONAL TIPS [optional illustration]

- To Kill Vines
  - If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
  - If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a sheet (piece) of cardboard or plastic

## To Kill Bamboo

- Cut canes close to the ground.
- Make cut just below a stem joint to create a hollow stem reservoir.
- Pour 1 Tbs of undiluted product into the hollow stem reservoir.
- 3

71995-25.amend.doc

- Browning of the canes will occur in 7-14 days.
- Spray foliage if regrowth occurs.

## To Kill Stumps

- Cut living stump close to ground.
- Drive 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

#### • For Lawn Replacement

Use Roundup to kill a (an old) lawn and (its) weeds before planting (a) new lawn.

- Skip one mowing before spraying.
- Use 21/2 fl oz (5 Tbs) per gallon of water for each 300 sq ft.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait 7 days after last application to rake, till or replant with seed or sod.

## (Alternate text)

- Wait 7 days for weeds and lawn to die. Repeat if necessary. \*
- Rake or till to prepare area for planting seed or sod.

#### Kudzu

For best results, apply in mid to late summer when vines are mature and actively growing.

#### • Wild Blackberry

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

## • Poison Ivy & Poison Oak

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

## • For Flowerbed & Garden Preparation

Use Roundup to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait the number of days indicated below before planting.

## WHEN TO REPLANT [optional illustration]

 All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be planted 1 day after application: Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry. boysenberry, broccoli, brussels sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss),

71995-25.amend.doc

EPA Reg No. 71995-25

chicory, collards, cranberry, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentils, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnips, potato, radish, rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams.

- The following fruits, vegetables and herbs may be planted **3 days after** application: Com, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumpkin, squash (summer and winter), tomatillo, tomato (by seed) and watercress.
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted 30 days after application.
- Lawn grasses may be planted 7 days after application.

## WHEN TO HARVEST [optional illustration]

If used to control weeds around fruits or nuts, allow the following number of days before harvesting:

- Citrus (citron, grapefruit, lemon, lime, mandarin, orange, tangelo and tangerine) 1 day.
- Nuts (almond, beechnut, cashew, chestnut, hazelnut, pecan, pistachio and walnut) 3 days.
- Apple, avocado, banana (plantains), berries (except cranberries), dates, figs, grapes, kiwi fruit, loquat, passion fruit, pear, persimmon, pomegranate and quince – 14 days.
- Apricot, cherries, nectarine, olives, peach, plum and prunes- 17 days.
- If used to control weeds around fruit or nut trees, caneberries or grapevines, allow 17 days before harvesting.

## HOW IT WORKS [optional illustration]

)

Roundup enters plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found only in plants. Any product (Roundup) not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

# KILLS ALL TYPES OF WEEDS & GRASSES [optional illustration]

Weeds (including): Artichoke thistle, beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, ..., common ragweed, creeping beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wide morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish, horseweed/ marestail, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverieaf),

æ

71995-25.amend.doc

6/12

oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpetcreeper, tumble mustard, Virginia creeper, white clover, whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow starthistle, and other broadleaf weeds

**Grasses (including)**: Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bernudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds

#### Brush (Tough Weeds) Unwanted Tress, Shrubs & Vines (including):

Alder, ash, (quacking) aspen, bamboo, blackberry, bluegum eucalyptus, broom (French, Scotch), buckwheat, ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthom, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, wild rose (multiflora) willow and other tough weeds

[re-entry icon] People and pets may enter treated area after spray has dried.

STORAGE AND DISPOSAL [trash can illustration]

STORAGE: Store in original container in a safe place.

**DiSPOSAL: Empty Container**: Put in trash. (Recycle where available.) **Partially Full Container**: Call your local waste disposal service. If local laws permit, put partially full container in trash. Never pour product down any drain.

PRECAUTIONARY ST	TATEMENTS [optional illustration]	

#### **HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

71995-25.amend.doc

EPA Registered 12/3/99 Amendment Submitted 5/4/00 Master Label

-	FIRST AID
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently for 15-20 minutes.</li> <li>Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>Call a poison control center (1-800-225-2883 or 1-888-768-6387 or 1-888-Roundup) or doctor for treatment advice.</li> </ul>
	Emergency Medical Information
center or d	roduct container or label with you when calling a poison control octor, or going for treatment. You may contact 1-800-225-2883 -6387 or 1-888-Roundup) for emergency medical treatment

information.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

This product is protected by U.S. Patents No. 4,405,531 and No. 5,703,015. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED.

hone icon] Questions, Comments or Medical Information				
call 1-800-225-2883	www.roundup.com			
(call 1-888-Roundup)	· · · · · · · · · · · · · · · · · · ·			

Roundup is a trademark of Monsanto Company

©[\_\_\_] MONSANTO COMPANY

Manufactured for Monsanto Company, Lawn & Garden Products P.O. Box 1750 Columbus, OH 43216 Form [\_\_\_] EPA Reg. No. 71995-25 EPA Est. 239-IA-3<sup>I</sup>, 58996-MO-1<sup>A</sup> Superscript is first letter of lot number Made in USA

71995-25.amend.doc

EPA Registered 12/3/99 Amendment Submitted 5/4/00 Master Label

)

#### APPENDIX 1 – Consolidated List of Label Claims [Ordered alphabetically]

20% more concentrated 20% stronger 20% stronger to speed absorption to the root Absorbed into both broadleaf and grassy weeds Absorbs on contact, starts working immediately Also use for large jobs such as lawn renovation and vegetable and flower garden preparation Approved for most (many) lawn and garden uses. Before [weed graphics] / After [weed graphics] Begins absorbing on contact Can be used around (small) fruits and vegetables Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots. Can reseed or sod lawns 7 days after treatment Concentrated for extra value Covers up to 300 sq ft per gallon of spray **Dead Weeds Guaranteed** Dead Weeds Guaranteed or Your Money Back Does not have soil activity Economical Economical concentrate formula Easy to apply with an Ortho Dial 'n Spray®, hose-end, tank or (hand held) trigger sprayer Even if it rains - Roundup won't lose its effectiveness Exclusive Roundup formula For control that doesn't (won't) wash away For general weed control - kills weeds and grasses in 2 to 4 weeks - roots and all Guaranteed same effective results even if it rains within hours Improved extra strength formula Improved formula, completely kills even the toughest weeds and grasses Improved formulation -now RainFast - fast uptake Kills almost all (annual and perennial) weeds, grasses and other unwanted plants Kills existing weeds only, no residual activity in soil Kills more weeds in more places Kills over 100 weeds Kills the root so weeds don't come back Kills the roots of (both) broadleaf and grassy weeds Kills the weed you see and the root you don't Kills (to) the root Kills unwanted weeds and grasses, roots and all 4 71995-25.amend.doc 8 EPA Registered 12/3/99 Amendment Submitted 5/4/00

Master Lahel

Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard.

Kills weeds, roots and all

Lawns and gardens can be reseeded or planted soon after treatment Make only what you need Multipurpose grass and broadleaf weed control NEW! No odor No root. No weed. No problem. NOW! Now a shorter wait for replanting! Once it enters the plant, it won't wash off Ornamental gardens can be reseeded or planted 1 day after treatment. RainFast in hours - enters the plant on contact RAIN-PROOF™ RAIN-PROOF™ in two hours (Roundup) Kills the weed you see and the root others leave behind Roundup kills weeds and grasses in - Patios - Driveways - Sidewalks - Gardens and other non-lawn areas Satisfaction guaranteed or we will gladly refund purchase price Satisfaction guaranteed or your money back with proof of purchase Speeds absorption to the root for complete kill Spray weeds (Use) in flowerbeds, around trees, shrubs and around fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard Starts working immediately Stronger Tougher formula Transorb technology speeds Roundup to the root to kill even tough weeds Ultra concentrated formula, 20% more weed killing power Ultra formula Use around fruits and vegetables. (Use) For Bamboo Control (Use) For Brush Control (Use) For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways. Use to trim and edge landscape areas (Use) For Landscaping: Use to prepare areas for planting of ornamentals, trees; .... shrubs, desert landscapes, rock gardens, flowerbeds or similar plantings Use for large jobs like garden plot preparation and lawn replacement (renovation) .... (Use) For Lawn Renovation

(Use) For Spot Spraying: Use in and around flowerbeds, ornamental, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways

71995-25.amend.doc

)

EPA Registered 12/3/99 Amendment Submitted 5/4/00 Master Label

10/17

#### (Use) For Stumps

)

(Use) For Wildlife Areas: Use to prepare areas for planting wildlife food. Exotic or undesirable plants can be controlled to allow for planting or recovery of native plant species. Spot treatments can be made to selectively remove unwanted plants.

(Use in) Apply with a Big Shot™ Multi-Purpose Sprayer or other tank sprayer, Ortho Dial 'n Spray® or other hose-end sprayer, or a (hand held) trigger sprayer

Use to prepare sites: for large plantings, for planting flowerbeds, fruit trees, ornamentals, vegetables and gardens, and for renovating lawns

Use to refill Roundup Ready-To-Use containers

Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction Visible results in 2 to 4 days Water based formula Won't wash away Won't wash off Works first time, every time

[Promotional options] Free [ ] with this purchase of Roundup concentrate quart FREE REFILL FREE SAMPLE Free weed guide inside SAMPLE NOT FOR SALE Save up to \$[x] on (your) next purchase

71995-25.amend.doc

EPA Registered 12/3/99 Amendment Submitted 5/4/00 Master Label

۰.

)

. . .

......

11/12

APPENDIX 2 – Packaging Related Claims		
8 fl ( 16 fl 32 fl 53 fl	oz (qt or gal) (xx mL or L) oz (237 mL) oz (1 pt) (473 mL) oz (1 qt) 946 mL) oz (0.42 gal) (1.5 L) fl oz (1 gal) (3.79 L)	<del>,</del>
PULL HER PEEL HER	Label for Directions & Precautions E TO OPEN LABEL E N FOR USE DIRECTIONS AND FURTHER INF	
[Net conte	nts] Makes up to 'X' gallons Makes between 'X' and 'Y' gallons Mix with water to make 'X' gallons of spray so Covers up to 'Z' sq ft Mix with water to cover up to 'Z' sq ft	lution
	[ X = net contents ÷ 1.5 ] [ Y = net contents ÷ 2.5 ] [ Z = X * 300 ]	
[Pint]	Makes up to 10 gallons Makes between 6 – 10 gallons Mix with water to make 10 gallons of spray so Covers up to 3,000 sq ft Mix with water to cover up to 3,000 sq ft	blution
[Quart]	Makes up to 21 gallons Makes between 12 – 21 gallons Mix with water to make 21 gallons of spray so Covers up to 6,300 sq ft Mix with water to cover up to 6,300 sq ft	- blution
[0.42 Gallo	n] Makes up to 35 gallons Makes between 21 – 35 gallons Mix with water to make 35 gallons of spray so Covers up to 10,500 sq ft Mix with water to cover up to 10,500 sq ft	lution
[Gallon]	Makes up to 85 gallons	•
71995-25.amen	d.doc EPA Registered 12/3/99 Amendment Submitted 5/4/00	11

Master Label

#### **Backaging Bolated Claims** ADDENIDIY 2

12/12

Makes between 51 – 85 gallons Mix with water to 85 gallons of spray solution Covers up to 25,500 sq ft Mix with water to cover up to 25,500 sq ft

New! Larger size, covers up to [ 'Z' ] sq ft



71995-25.amend.doc