

71995-25

9/16/2004

1/17

**Roundup Weed & Grass Killer Super Concentrate**

**EPA Reg No. 71995-25**

*[Editorial Notes: Bracketed text [ ] is for internal use or serves as a 'place holder' for graphics. Parenthetical text ( ) denotes optional wording.]*

*[Refer to APPENDIX 1 for consolidated list of label claims.]*

*[Refer to APPENDIX 2 for packaging related claims/instructions]*

**Roundup® Weed & Grass Killer Super Concentrate**

**Alternate Brand Names:** Roundup Pull N' Spray Refill Super Concentrate  
Roundup Pull N' Spray II Refill Super Concentrate

**Active Ingredient**

Glyphosate, isopropylamine salt ..... 50.2 %  
Other Ingredients ..... 49.8 %

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel booklet for additional precautionary statements.  
(Read precautions and directions on back label.)

ACCEPTED  
SEP 16 2004  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended for the pesticide  
registered under  
EPA Reg. No. 71995-25

NET [ ]

2/17

**Roundup Weed & Grass Killer Super Concentrate**

**EPA Reg No. 71995-25**

|  |   |
|--|---|
| <b>Product Facts</b>   |   |
| Makes up to <i>[Insert # of gallons from Appendix 2]</i><br>Treats up to xx sq ft (approx. size of XX tennis courts)<br><i>[When calculating coverage, one gallon treats 300 sq ft and a tennis court is 2,106 sq ft.]</i>           |   |
| <b>KILLS WEEDS</b>   | <i>[Illustrate grassy, broadleaf and woody weeds]</i><br><b>ALL TYPES OF WEEDS &amp; GRASSES</b>  |
| <b>WHERE TO USE</b>  | <ul style="list-style-type: none"> <li>• On patios, walkways, driveways, gravel or mulch beds</li> <li>• Around fruits, vegetables, flowers, shrubs or trees</li> <li>• Along fences</li> <li>• In large areas - For lawn replacement<br/>For garden plot preparation</li> <li>• Other areas in (of) your yard</li> </ul> |
| <b>AMOUNT TO USE</b>   | <b>For best results</b><br>• 2½ fl oz (5 Tbs) per gallon of water (for established or tough weeds)  |
| <i>[For Roundup Pull N' Spray (II) Refill Super Concentrate]</i><br><b>To refill Roundup Pull N' Spray (II)</b><br>• Empty entire contents (6.5 oz) into empty 1.33 gallon Roundup Pull N' Spray (II) container and fill with water. |   |
| <i>[Phone icon]</i> <b>Questions, Comments or Medical Information</b><br>Call (insert contact #) <a href="http://www.roundup.com">www.roundup.com</a>  |   |

*[For products where an anti-theft device has been added]* This bottle contains an anti-theft tag, either inside or on the back of the bottle. It does not affect Roundup's performance.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**MIXING INSTRUCTIONS**

*[Optional tank sprayer illustration]*

**Tank Sprayer** (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- *[Optional text]* For easy to kill weeds such as seedlings, add 1½ fl oz (3 Tbs) to 1 gallon of water
- (For tough established weeds / For best results,) add 2½ fl oz (5 Tbs) to 1 gallon of water
- Spot treat or spray evenly over 300 sq ft.

*[Optional DNS illustration]*

**Hose-End Sprayer**

For large areas consider using the Ortho Dial 'n Spray®

- Set dial to 2½ oz.
- To sprayer jar add 2½ fl oz (5 Tbs) for each 300 sq ft. DO NOT add water.
- Spray evenly over measured area.
- After spraying, unused product can be poured back into its original container.

*[Optional PNS (II) illustration]*

**Roundup Pull N' Spray (II)**

- Add entire contents of 6.5 fl oz (13 Tbs) Roundup Pull N' Spray (II) Refill Super Concentrate to the empty Roundup Pull N' Spray (II) container and fill with water.

OR

- Add 6.5 fl oz (13 Tbs) Roundup Super Concentrate to the empty Roundup Pull N' Spray (II) container and fill with water.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

Do not (mix, store or) apply with (in) a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

4/17

**HOW TO APPLY** *[optional illustration]*

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet (piece) of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

**IMPORTANT**

Do not spray plants or grasses you like - they may die too. Not recommended for spot weed control in lawns since Roundup kills lawn grasses.

**WHEN TO APPLY** *[optional illustration]*

- Apply when weeds are actively growing. (Use anytime weeds and grasses are actively growing.)
- For best results, apply during warm, sunny weather (above 60° F) to accelerate systemic movement from foliage to roots.
- Apply when air is calm to prevent drift to desirable plants.
- (RAIN-PROOF:) Rain or watering 2 hours (30, 45, 60, or 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after application will not wash away effectiveness.
  - **Alternate text**  
*[Insert brand name]* is Rainproof in 2 hours (30, 45, 60, or 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes)
- *[Optional text]* Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.
- *[Optional text]* If used to control weeds around fruit or nut trees, caneberries, or grapevines, allow 17 days before harvesting.

**ADDITIONAL TIPS** *[optional illustration]* *[Optional Section]*

- **To Kill Vines**
  - If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
  - If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a sheet (piece) of cardboard or plastic
- **To Kill Bamboo**
  - Cut canes close to the ground.

5/17

**Roundup Weed & Grass Killer Super Concentrate**

**EPA Reg No. 71995-25**

- Make cut just below a stem joint to create a hollow stem reservoir.
- Pour 1 Tbs of undiluted product into the hollow stem reservoir.
- Browning of the canes will occur in 7-14 days.
- Spray foliage if regrowth occurs.

• **To Kill Stumps**

- Cut living stump close to ground.
- Drive (drill) 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

**IMPORTANT:** Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

• **For Lawn Replacement**

Use [*Insert brand name*] to kill a (an old) lawn and (its) weeds before planting (a) new lawn.

- Skip one mowing before spraying.
- Use 2½ fl oz (5 Tbs) per gallon of water for each 300 sq ft.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait 7 days after last application to rake, till or replant with seed or sod.

(Alternate text)

- Wait 7 days for weeds and lawn to die. Repeat if necessary.
- Rake or till to prepare area for planting seed or sod.

• **Kudzu**

For best results, apply in mid to late summer when vines are mature and actively growing.

• **Wild Blackberry**

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

• **Poison Ivy & Poison Oak**

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

• **For Flowerbed & Garden (Plot) Preparation**

Use [*Insert brand name*] to kill weeds, grasses and brush before planting flowers,

6/17

fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait the number of days indicated below before planting.

**WHEN TO REPLANT** *[optional illustration]* *[Optional section]*

- All ornamental flowers, trees and shrubs may be planted **1 day after** application:
- 
- Lawn grasses, herbs, vegetables (all), and fruits may be planted **3 days after** application.

**WHEN TO HARVEST** *[optional illustration]*

If used to control weeds around fruits or nuts, allow the following number of days before harvesting:

- Citrus (citron, grapefruit, lemon, lime, mandarin, orange, tangelo and tangerine) – **1 day.**
- Nuts (almond, beechnut, cashew, chestnut, hazelnut, pecan, pistachio and walnut) – **3 days.**
- Apple, avocado, banana (plantains), berries (except cranberries), dates, figs, grapes, kiwi fruit, loquat, passion fruit, pear, persimmon, pomegranate and quince – **14 days.**
- Apricot, cherries, nectarine, olives, peach, plum and prunes – **17 days.**

(OR)

- *[Statement may be placed in the When To Apply section instead]* If used to control weeds around fruit or nut trees, caneberries or grapevines, allow 17 days before harvesting.

**HOW IT WORKS** *[Optional illustration]* *[Optional section]*

*[Insert brand name]* enters plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Any product (Roundup) *[or insert brand name]* not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

[Optional section]

**KILLS ALL TYPES OF WEEDS & GRASSES** [optional illustration]

**Weeds (including):** Artichoke thistle, beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish, horseweed/ marestalk, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpetcreeper, tumble mustard, Virginia creeper, white clover, whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow starthistle, and other broadleaf weeds

**Grasses (including):** Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds

**Brush (Tough Weeds) Unwanted Tress, Shrubs & Vines (including):**

Alder, ash, (quacking) aspen, bamboo, blackberry, bluegum eucalyptus, broom (French, Scotch), buckwheat, ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, wild rose (multiflora) willow and other tough weeds

**STORAGE AND DISPOSAL** *[trash can illustration]*

**PESTICIDE STORAGE:** Store product in original container in a safe place away from direct sunlight.

**DISPOSAL: If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency (or 1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**HOW TO REFILL ROUNDUP READY-TO-USE CONTAINERS** *[Optional Section]*

- **24 fl oz Roundup Weed & Grass Killer<sub>1</sub> Ready-To-Use:**  
To empty container add 1 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **½ Gallon Roundup Weed & Grass Killer<sub>1</sub> Ready-To-Use:**  
To empty container add 2½ fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **Gallon Roundup Weed & Grass Killer<sub>1</sub> Ready-To-Use:**  
To empty container add 5 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **1.33 Gallon Roundup Weed & Grass Killer<sub>1</sub> Ready-To-Use PNS (II):**  
To empty container add 6.5 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **6L Roundup Weed & Grass Killer<sub>1</sub> Ready-To-Use:**  
To empty container add 8 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **2 Gallon Roundup Weed & Grass Killer<sub>1</sub> Ready-To-Use:**  
To empty container add 10 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.



9/17

**PRECAUTIONARY STATEMENTS** *[optional illustration]*

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

*[Re-entry icon]* People and pets may enter treated area after spray has dried.

| <b>FIRST AID</b>   |   |
|--|---|
| <b>If in eyes</b>  | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center (insert contact #) or doctor for treatment advice.</li> </ul> |
| <b>Emergency Medical Information</b>   |   |
| <ul style="list-style-type: none"> <li>• Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</li> <li>• You may contact (insert contact #) for emergency medical treatment information.</li> <li>• This product is identified as <b>[Insert brand name], EPA Reg. No. 71995-25</b></li> </ul> |   |

**ENVIRONMENTAL HAZARDS:** Do not apply directly to any body of water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

This product is protected by U.S. Patents No. 4,405,531 and No. 5,703,015 and No. 6,063,733 and No. 6,121,199 and No. 6,121,200. Other patents pending. No license granted under any non-U.S. patent(s).

This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging.

*[phone icon]* **Questions, Comments or Medical Information**  
 call (insert contact #) [www.roundup.com](http://www.roundup.com)

10/17

**Roundup Weed & Grass Killer Super Concentrate**

**EPA Reg No. 71995-25**

Roundup is a trademark of Monsanto Technology LLC

©[ ] MONSANTO COMPANY

Manufactured for  
Monsanto Company, Lawn & Garden Products  
P.O. Box 418  
Marysville, OH -43041  
Form [ ]  
EPA Reg. No. 71995-25  
EPA Est. 239-IA-3<sup>1</sup>, 58996-MO-1<sup>A</sup>  
Superscript is first letter of lot number  
Made in USA

11/17

**APPENDIX 1 – Consolidated List of Label Claims**  
*[Ordered alphabetically]*

- 20% more concentrated
- 20% stronger
- 20% stronger to speed absorption to the root
- Absorbed into both broadleaf and grassy weeds
- Absorbs on contact, starts working immediately
- Also use for large jobs such as lawn renovation and vegetable and flower garden preparation
- Approved for most (many) lawn and garden uses.
- Before [*weed graphics*] / After [*weed graphics*]
- Begins absorbing on contact
- Can be used around (small) fruits and vegetables
- Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots.
- Can reseed or sod lawns 7 days after treatment
- Concentrated for extra value
- Covers up to 300 sq ft per gallon of spray
- Dead Weeds Guaranteed
- Dead Weeds Guaranteed or Your Money Back
- Does not have soil activity
- Economical
- Economical concentrate formula
- Easy to apply with an Ortho Dial 'n Spray®, hose-end, tank or (hand held) trigger sprayer
- Even if it rains – Roundup won't lose its effectiveness
- Exclusive Roundup formula
- FastAct™ (Technology)
- For control that doesn't (won't) wash away
- For general weed control - kills weeds and grasses in 2 to 4 weeks - roots and all
- Guaranteed same effective results even if it rains within an hour (hours)
- Improved extra strength formula
- Improved formula, completely kills even the toughest weeds and grasses
- Improved formulation -now RainFast - fast uptake
- Kills almost all (annual and perennial) weeds, grasses and other unwanted plants
- Kills existing weeds only, no residual activity in soil
- Kills more weeds in more places
- Kills over 100 weeds
- Kills the root so weeds don't come back
- Kills the roots of (both) broadleaf and grassy weeds

12/17

**Roundup Weed & Grass Killer Super Concentrate**

**EPA Reg No. 71995-25**

- Kills the weed you see and the root you don't
- Kills (to) the root
- Kills unwanted weeds and grasses, roots and all
- Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard.
- Kills weeds, roots and all
- Lawns and gardens can be reseeded or planted soon after treatment
- Make only what you need
- Multipurpose grass and broadleaf weed control
- NEW!
- No odor
- No root. No weed. No problem.
- NOW!
- Now a shorter wait for replanting!
- Once it enters the plant, it won't wash off
- Ornamental gardens can be reseeded or planted 1 day after treatment.
- Only Roundup's effectiveness (exclusive formula) won't be washed away by rain or watering 2 hours (30, 45, 60, 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after treatment
- RainFast in hours (an hour) - enters the plant on contact
- RAIN-PROOF™
- RAIN-PROOF™ in one hour (two hours)
- Rainproof in two hours (30, 45, 60, 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes)) (for control that won't wash away)
- Results in 24 hours
- (Roundup) Kills the weed you see and the root others leave behind
- Roundup kills weeds and grasses in – Patios – Driveways – Sidewalks – Gardens and other non-lawn areas
- Satisfaction guaranteed or we will gladly refund purchase price
- Satisfaction guaranteed or your money back with proof of purchase
- Speeds absorption to the root for complete kill
- Spray weeds (Use) in flowerbeds, around trees, shrubs and around fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
- Starts working immediately
- Stronger
- The Strongest Roundup you can buy
- Tougher formula
- Transorb technology speeds Roundup to the root to kill even tough weeds
- Use around fruits and vegetables.
- (Use) For Bamboo Control
- (Use) For Brush Control

**Roundup Weed & Grass Killer Super Concentrate**

**EPA Reg No. 71995-25**

- (Use) For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways. Use to trim and edge landscape areas
- (Use) For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flowerbeds or similar plantings
- Use for large jobs like garden plot preparation and lawn replacement (renovation)
- (Use) For Lawn Renovation
- (Use) For Spot Spraying: Use in and around flowerbeds, ornamental, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways
- (Use) For Stumps
- (Use) For Wildlife Areas: Use to prepare areas for planting wildlife food. Exotic or undesirable plants can be controlled to allow for planting or recovery of native plant species. Spot treatments can be made to selectively remove unwanted plants.
- (Use in) Apply with a Big Shot™ Multi-Purpose Sprayer or other tank sprayer, Ortho Dial 'n Spray® or other hose-end sprayer, or a (hand held) trigger sprayer
- Use to prepare sites: for large plantings, for planting flowerbeds, fruit trees, ornamentals, vegetables and gardens, and for renovating lawns
- Use to refill Roundup Ready-To-Use containers
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction
- Visible results in 2 to 4 days (hours)
- Water based formula
- (Weeds) start dying in 1 day (24 hours)
- Won't wash away
- Won't wash off
- Works first time, every time
- Works only when absorbed by the foliage of weeds
  
- *[Promotional options]*
- Free [ ] with this purchase of Roundup concentrate quart
- [X] % Free (More)
- FREE REFILL
- FREE SAMPLE
- Free weed guide inside
- SAMPLE NOT FOR SALE
- Save up to \$[x] on (your) next purchase
- Value sized

**APPENDIX 2 – Packaging Related Claims**

- NET xx fl oz (qt or gal) (xx mL or L)
- 6 fl oz (177 mL)
  - 6.5 fl oz (192 mL)
  - 8 fl oz (237 mL)
  - 13 fl oz (384 mL)
  - 16 fl oz (1 pt) (473 mL)
  - 32 fl oz (1 qt) 946 mL)
  - 40 fl oz (1.18 L)
  - 53.7 fl oz (0.42 gal) (1.59 L)
  - 64 fl oz (1.89 L)
  - 128 fl oz (1 gal) (3.79 L)

*[corner flap]*

OPEN

Resealable Label for Directions & Precautions

PULL HERE TO OPEN LABEL

PEEL HERE

PEEL OPEN FOR USE DIRECTIONS AND FURTHER INFORMATION

PRESS TO RESEAL

*[Net contents]* Makes up to 'X' gallons

Makes between 'X' and 'Y' gallons

Mix with water to make 'X' gallons of spray solution

Covers up to 'Z' sq ft

Mix with water to cover up to 'Z' sq ft

$$[X = \text{net contents} \div 1.5]$$

$$[Y = \text{net contents} \div 2.5]$$

$$[Z = X * 300]$$

*[6.5 oz PNS (II) Refill Super Concentrate]*

Pre-measured

Convenient

Refills (Refill for) (Roundup) Pull N' Spray (II)

Use to refill (Roundup) Pull N' Spray (II)

Refill (Roundup) Pull N' Spray (II) and save

Save money

Easy-to-pour

Refill

Makes one (1) refill for (Roundup) Pull N' Spray (II)

15/17

**NEW  
NOW  
(Roundup) Pull N' Spray (II) Refill  
Compare to the price of a new (Roundup) Pull N' Spray (II)  
No mess  
No messy clean-up  
No measuring  
Easy-to-use  
Save time  
Less waste  
Treat more weeds for less money  
Treat twice as many weeds for less money  
Great (Excellent) (Outstanding) value  
Value Refill Bottle  
Pull N' Spray (II) Refill  
More economical  
Just pour  
Quick and (&) Easy  
Just pour and (&) add water  
Hassle free  
Simple  
Just pour, fill, and (&) spray**

**[Pint] Makes up to 10 gallons  
Makes between 6 – 10 gallons  
Mix with water to make 10 gallons of spray solution  
Covers up to 3,000 sq ft  
Mix with water to cover up to 3,000 sq ft**

**[Quart] Makes up to 21 gallons  
Makes between 12 – 21 gallons  
Mix with water to make 21 gallons of spray solution  
Covers up to 6,300 sq ft  
Mix with water to cover up to 6,300 sq ft**

**[0.42 Gallon] Makes up to 35 gallons  
Makes between 21 – 35 gallons  
Mix with water to make 35 gallons of spray solution  
Covers up to 10,500 sq ft  
Mix with water to cover up to 10,500 sq ft**

**[Gallon] Makes up to 85 gallons**

16/17

**Roundup Weed & Grass Killer Super Concentrate**

**EPA Reg No. 71995-25**

Makes between 51 – 85 gallons  
Mix with water to 85 gallons of spray solution  
Covers up to 25,500 sq ft  
Mix with water to cover up to 25,500 sq ft

New! Larger size, covers up to [ 'Z' ] sq ft



17/17

**Roundup Weed & Grass Killer Super Concentrate**

**EPA Reg No. 71995-25**

**Description of Changes for 071995-00025.20040621.pdf**

This master label amendment incorporates the following changes:

- Additional advisory language for cut stump treatments
- Revised Storage and Disposal statements which comply with agreed upon text for consumer lawn and garden products
- Reduced plant-back intervals in **When To Replant** section
- Other minor formatting changes