

71995-25

7/21/2008

1/16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

JUL 21 2008

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Ms. Dawn M. Fee-White  
Monsanto Company  
1300 I (Eye) Street, N.W., Suite 450 East  
Washington, DC 20005

Dear Ms. Fee-White:

Subject: Roundup Weed & Grass Killer Super Concentrate (Update Storage and Disposal and Other Changes)  
EPA Registration No. 71995-25  
Application Dated April 25, 2008

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable. Amended labeling supersedes all previously approved ones. A stamped copy of labeling is enclosed for your records.

Sincerely,

*Victoria K. Waller for*  
James A. Taylor  
Product Manager 25  
Herbicide Branch  
Registration Division (7505P)

[Editorial Notes: Bracketed text [ ] is for internal use or serves as a 'place holder' for graphics. Parenthetical text ( ) denotes optional wording.]

[Refer to APPENDIX 1 for consolidated list of label claims.]

[Refer to APPENDIX 2 for packaging related claims/instructions]

**Roundup® Weed & Grass Killer Super Concentrate**

Active Ingredient:  
Glyphosate, isopropylamine salt ..... 50.2 %  
Other Ingredients ..... 49.8 %


**Keep Out of Reach of Children**

**CAUTION**

See (back panel) booklet for additional precautionary statements.

**ACCEPTED**  
JUL 21 2008  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the pesticide registered under EPA Reg. No. 71995-25

NET [ ]



[OPTIONAL TEXT]

Guaranteed Satisfaction. Open (booklet for details).\*  
Resealable Label for Directions & Precautions  
(Press to Reseal)

<b>Product Facts</b>		
Makes up to [ ] gallons		
Treats up to [ ] sq ft (approx. size of [ ] tennis courts)		
<i>[see Appendix 2 for calculations]</i>		
<b>KILLS</b>	<i>[illustrate grassy, broadleaf and woody weeds]</i>	
<b>WEEDS</b>	<b>KILLS ALL TYPES OF WEEDS &amp; GRASSES</b>	
<i>[Phone icon]</i>	<b>Questions, Comments or Information</b>	<i>[computer icon]</i>
Call (insert contact #)	Visit Us on the Web at <a href="http://www.roundup.com">www.roundup.com</a>	

*[For products where an anti-theft device has been added]* This bottle contains an anti-theft device, either inside or on the back of the bottle. It does not affect Roundup's (product) performance.


**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**HOW IT WORKS** *[Optional illustration]* *[Optional section]*

[Insert Brand Name] is absorbed by the weed's leaves. It moves through the weed to the root, stopping the production of an essential enzyme found in plants (but not in humans or animals). Weeds die, roots and all - so weeds (they) don't grow back. Kills only what you spray. Any product not absorbed by the plant breaks down into natural materials without moving in or on the soil to untreated plants. (Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.)

*[ALTERNATE TEXT]* *[Insert brand name]* enters plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Any product (Roundup) *[or insert brand name]* not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds (usually) yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.



4/16

<b>WHERE TO USE</b>	<ul style="list-style-type: none"> <li>• On patios, walkways, driveways, gravel or mulch beds</li> <li>• Around fruits, vegetables, flowers, shrubs or trees</li> <li>• Along fences</li> <li>• In large areas             <ul style="list-style-type: none"> <li>- For lawn replacement</li> <li>- For garden plot preparation</li> </ul> </li> <li>• (Other areas in (of) your yard)</li> </ul>
<b>AMOUNT TO USE</b>	<p><b>For best results</b></p> <ul style="list-style-type: none"> <li>• 2½ fl oz (5 Tbs) per gallon of water (for established or tough (tough-to-control) weeds)</li> </ul>
	<p>[OPTIONAL TEXT] For easy to kill weeds such as seedlings, add 1½ fl oz (3 Tbs) per gallon of water</p>

**MIXING INSTRUCTIONS**

[Optional tank sprayer illustration]

**Use of a Roundup Brand (Tank (Pump-Up) Sprayer) is recommended.** A plastic, aluminum, fiberglass, plastic-lined steel or stainless steel sprayer may also be used.

- [OPTIONAL TEXT] For easy to kill weeds such as seedlings, add 1½ fl oz (3 Tbs) to 1 gallon of water
- (For tough established weeds / For best results,) add 2½ fl oz (5 Tbs) to 1 gallon of water
- Spot treat or spray evenly over 300 sq ft.

[Optional DNS illustration]

**Hose-End Sprayer**

For large areas, consider using the Ortho Dial 'n Spray®

- Set dial to 2½ oz.
- To sprayer jar add 2½ fl oz (5 Tbs) for each 300 sq ft. DO NOT add water.
- Spray evenly over measured area.
- After spraying, unused product can be poured back into its original container.

[Optional sprayer illustration]

**Roundup 1.33 Gallon Sprayer**

- Add 6.5 fl oz (13 Tbs)(the entire contents of this container) (the 6.5 fl oz Refill) [Insert Brand Name for refill super concentrate] to the empty Roundup sprayer and fill very slowly with water to prevent foaming.

OR

- Add 6.5 fl oz (13 Tbs) Roundup Super Concentrate to the empty Roundup sprayer and fill very slowly with water to prevent foaming.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

Do not (mix, store or) apply with (in) a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

**HOW TO CLEAN SPRAYER**

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

**HOW TO APPLY [optional illustration]**

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet (piece) of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

**IMPORTANT**

Do not spray plants or grasses you like - they will die. Not recommended for spot weed control in lawns since glyphosate (Roundup)(this product) kills lawn grasses.

**WHEN TO APPLY [OPTIONAL ILLUSTRATION]**

- Apply when weeds are actively growing. (Use anytime weeds and grasses are actively growing.)
- For best results, apply during warm, sunny weather (above 60° F) (to accelerate systemic movement from foliage to roots.)
- Apply when air is calm to prevent drift to desirable plants.
- (RAINPROOF Protection:) Rain or watering (30, 45, 60, or 90 minutes; 2 hours, 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after application will NOT wash away effectiveness.
- [OPTIONAL TEXT] If used to control weeds around fruit or nut trees, caneberries, or grapevines, allow 17 days before harvesting.
- [OPTIONAL TEXT] Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.

[Re-entry icon] To prevent tracking product to unintended areas such as your yard, keep people and pets out of treated area until spray has dried.

[ALTERNATE TEXT] People and pets may enter treated area after spray has dried.

**WHEN TO REPLANT [OPTIONAL ILLUSTRATION] [OPTIONAL SECTION]**

- All ornamental flowers, trees and shrubs may be planted **1 day after** application.
- Lawn grasses, herbs, vegetables (all), and fruits may be planted **3 days after** application.

**ADDITIONAL TIPS [OPTIONAL ILLUSTRATION] [OPTIONAL SECTION]**

• **To Kill Vines**

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet (piece) of cardboard or plastic.

• **To Kill Bamboo**

- Cut canes close to the ground.
- Make cut just below a stem joint to create a hollow stem reservoir.
- Pour 1 Tbs of undiluted product into the hollow stem reservoir.
- Browning of the canes will occur in 7-14 days.
- Spray foliage if regrowth occurs.

• **To Kill Stumps**

- Cut living stump close to ground.
- Drive (drill) 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

**IMPORTANT:** Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

• **For Lawn Replacement**

Use *[Insert brand name]* to kill a (an old) lawn and (its) weeds before planting a new lawn.

- Skip one mowing, before spraying.
- Use 2½ fl oz (5 Tbs) per gallon of water for each 300 sq ft.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait (at least) 3 days after last application to rake, till or replant with seed or sod.

• **Kudzu**

For best results, apply in mid to late summer when vines are mature and actively growing.

• **Wild Blackberry**

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

• **Poison Ivy & Poison Oak**

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

• **For Flowerbed & Garden (Plot) Preparation**

Use [Insert brand name] to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Use 2½ fl oz (5 Tbs) per gallon of water for each 300 sq ft. Apply evenly over treatment area.
- Wait 1-3 days before planting garden (flowers, trees and shrubs) See **When To Replant** section for details.

**WHEN TO HARVEST [OPTIONAL ILLUSTRATION]**

If used to control weeds around fruits or nuts, allow the following number of days before harvesting:

- Citrus (citron, grapefruit, lemon, lime, mandarin, orange, tangelo and tangerine) – **1 day.**
- Nuts (almond, bechnut, cashew, chestnut, hazelnut, pecan, pistachio and walnut) – **3 days.**
- Apple, avocado, banana (plantains), berries (except cranberries), dates, figs, grapes, kiwi fruit, loquat, passion fruit, pear, persimmon, pomegranate and quince – **14 days.**
- Apricot, cherries, nectarine, olives, peach, plum and prunes– **17 days.**

(OR)

- [The following statement may instead be placed in the **When To Apply** section] If used to control weeds around fruit or nut trees, caneberries or grapevines, allow 17 days before harvesting.

**[OPTIONAL SECTION]**  
**KILLS ALL TYPES OF WEEDS & GRASSES [OPTIONAL ILLUSTRATION]**

**Weeds (including):** Artichoke thistle, beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish, horseweed/ marestail, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurge, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpetcreeper, tumble mustard, Virginia creeper, white clover, whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow starthistle, and other broadleaf weeds

**Grasses (including):** Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass,

bentgrass, Bermudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds

**Brush (Tough Weeds) Unwanted Tress, Shrubs & Vines (including):**

Alder, ash, (quacking) aspen, bamboo, blackberry, bluegum eucalyptus, broom (French, Scotch), buckwheat, ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, wild rose (multiflora) willow and other tough weeds

**STORAGE AND DISPOSAL [TRASH CAN ILLUSTRATION]**

**PESTICIDE STORAGE:** Store product in original container in a safe place away from direct sunlight.

**PESTICIDE DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP (or other appropriate toll free number) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**HOW TO REFILL ROUNDUP READY-TO-USE CONTAINERS [OPTIONAL SECTION]**

- **24 fl oz Roundup Weed & Grass Killer Ready-To-Use Plus:**  
To empty container add 1 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **30 fl oz Roundup Weed & Grass Killer Ready-To-Use Plus:**  
To empty container add 1 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **64 fl oz Roundup Weed & Grass Killer Ready-To-Use Plus:**  
To empty container add 2½ fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **1 Gallon Roundup Weed & Grass Killer Ready-To-Use Plus:**  
To empty container add 5 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **1.1 Gallon Roundup Weed & Grass Killer Ready-To-Use Plus:**  
To empty container add 5.5 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **1.33 Gallon Roundup Weed & Grass Killer Ready-To-Use Plus:**



071995.00025.20080425.amend.pdf

- To empty container add 6.5 fl oz (the entire contents of this container) of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **6L Roundup Weed & Grass Killer Ready-To-Use Plus:**  
To empty container add 8 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.
- **2 Gallon Roundup Weed & Grass Killer Ready-To-Use Plus:**  
To empty container add 10 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

**PRECAUTIONARY STATEMENTS [OPTIONAL ILLUSTRATION]**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.</li> <li>• Call a poison control center (insert contact #) or doctor for treatment advice.</li> </ul>
<b>Emergency Medical Information</b>	
<ul style="list-style-type: none"> <li>• Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</li> <li>• You may contact (insert contact #) for emergency medical treatment information.</li> <li>• This product is identified as <b>[Insert brand name], EPA Reg. No. 71995-25</b></li> </ul>	

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

This product is protected by U.S. Patents No. [Insert relevant patent numbers]. (Other patents pending.) No license granted under any non-U.S. patent(s).

This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging.

<i>[phone icon]</i>	<b>Questions, Comments or Information</b>	<i>[computer icon]</i>
<b>Call (insert contact #)</b>	<b>(visit us on the web at ) <a href="http://www.roundup.com">www.roundup.com</a></b>	

[Insert relevant trademark statements].

[OPTIONAL TEXT]

<p><b>ROUNDUP FAMILY OF PRODUCTS</b></p> <p><i>Visit the Roundup website to learn more about the Roundup family of products for the best solution to your toughest weed problems.</i></p> <p><i>[Insert graphic – Roundup product family photo]</i></p>
---

©[ ] MONSANTO COMPANY

Manufactured (Produced) for  
Monsanto Company, Lawn & Garden Products  
P.O. Box 418  
Marysville, OH -43041  
PPN  
LB #  
EPA Reg. No. 71995-25  
EPA Est. 239-IA-3<sup>1</sup>, 58996-MO-1<sup>A</sup>  
Superscript is first letter of lot number  
Made in USA

## APPENDIX 1 – Consolidated List of Label Claims

[Ordered alphabetically]

- 20% more concentrated
- 20% stronger
- 20% stronger to speed absorption to the root
- Absorbed into both broadleaf and grassy weeds
- Absorbs on contact, starts working immediately
- Also use for large jobs such as lawn renovation and vegetable and flower garden preparation
- Approved for most (many) lawn and garden uses.
- Before [*weed graphics*] / After [*weed graphics*]
- Begins absorbing on contact
- Best Roundup Concentrate Value
- Can be used around (small) fruits and vegetables
- Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots.
- Can reseed or sod lawns 3 days after treatment
- Concentrated for extra value
- \* Consumer Guarantee: If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will replace the product or refund the purchase price.
- Covers up to 300 sq ft per gallon of spray
- Dead Weeds Guaranteed \* (or Your Money Back)
- Did You Know?
- Does not have soil activity
- Economical (concentrate formula)
- Easy to apply with an Ortho Dial 'n Spray®, hose-end, tank or (hand held) trigger sprayer
- Even if it rains – Roundup won't lose its effectiveness
- Exclusive Roundup formula
- FastAct™ (Technology)
- For control that doesn't (won't) wash away
- For general weed control - kills weeds and grasses in 2 to 4 weeks - roots and all
- Glyphosate (This Roundup formula) targets an enzyme found in plants but not in people or pets
- Great Value
- Guaranteed \* (Satisfaction)
- Guaranteed \* same effective results even if it rains within an hour (hours)
- Guaranteed Satisfaction. Open booklet for details.\*
- How To Use
- Improved extra strength formula
- Improved formula, completely kills even the toughest weeds and grasses
- Improved formulation -now RainFast - fast uptake
- Kills almost all (annual and perennial) weeds, grasses and other unwanted plants
- Kills existing weeds only, no residual activity in soil
- Kills more weeds in more places

071995.00025.20080425.amend.pdf

- Kills over 100 weeds
- Kills the root so (treated) weeds don't come back
- Kills the roots of (both) broadleaf and grassy weeds
- Kills the weed you see and the root you don't
- Kills (to) the root(s)! (Guaranteed! \*)
- Kills unwanted weeds and grasses, roots and all
- Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard.
- Kills weeds, roots and all
- Lawns and gardens can be reseeded or planted soon after treatment
- Make only what you need
- Multipurpose grass and broadleaf weed control
- NEW!
- No odor
- No root. No weed. No problem.
- NOW!
- Now a shorter wait for replanting!
- Once it enters the plant, it won't wash off
- Ornamental gardens can be reseeded or planted 1 day after treatment.
- Only Roundup's effectiveness (exclusive formula) won't be washed away by rain or watering (30, 45, 60, 90 minutes; 2 hours, 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after treatment
- RAINPROOF (RAINFAST) in (30, 45, 60, 90 minutes; two hours, 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes)) (for control that won't wash away)
- Results in 24 hours
- (Roundup) Kills the weed you see and the root others leave behind
- Roundup kills weeds and grasses in – Patios – Driveways – Sidewalks – Gardens and other non-lawn areas
- Satisfaction guaranteed \* or we will gladly refund purchase price
- Satisfaction guaranteed \* or your money back with proof of purchase
- Speeds absorption to the root for complete kill
- Spray weeds (Use) in flowerbeds, around trees, shrubs and around fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
- Starts working immediately
- Stronger
- The Strongest Roundup you can buy
- Tougher formula
- Transorb technology speeds Roundup to the root to kill even tough weeds
- Trusted Results for Guaranteed Satisfaction \* (Open booklet for Details)
- Use around fruits and vegetables.
- (Use) For Bamboo Control
- (Use) For Brush Control
- (Use) For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways. Use to trim and edge landscape areas
- (Use) For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs,

071995.00025.20080425.amend.pdf

- desert landscapes, rock gardens, flowerbeds or similar plantings
- Use for large jobs like garden plot preparation and lawn replacement (renovation)
- (Use) For Lawn Renovation
- (Use) For Spot Spraying: Use in and around flowerbeds, ornamental, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways
- (Use) For Stumps
- (Use) For Wildlife Areas: Use to prepare areas for planting wildlife food. Exotic or undesirable plants can be controlled to allow for planting or recovery of native plant species. Spot treatments can be made to selectively remove unwanted plants.
- (Use in) Apply with a Big Shot™ Multi-Purpose Sprayer or other tank sprayer, Ortho Dial 'n Spray® or other hose-end sprayer, or a (hand held) trigger sprayer
- Use to prepare sites: for large plantings, for planting flowerbeds, fruit trees, ornamentals, vegetables and gardens, and for renovating lawns
- Use to refill Roundup Ready-To-Use containers
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction
- Visible results in 2 to 4 days (hours)
- Water based formula
- (Weeds) start dying in 1 day (24 hours)
- What to Know
- Where it Works
- Won't wash away (off)
- Works first time, every time - guaranteed
- Works only when absorbed by the foliage of weeds

*[Promotional options]*

- Free [ ] with this purchase of Roundup concentrate quart
- [X] % Free (More)
- [#] REFILLS
- FREE REFILL
- FREE SAMPLE
- Free weed guide inside
- SAMPLE NOT FOR SALE
- Save up to \$[x] on (your) next purchase

**APPENDIX 2 – Packaging Related Claims**

- NET xx qt or gal (fl oz ) (xx mL or L)
- 5 fl oz (148 mL)
- 6 fl oz (177 mL)
- 6.5 fl oz (192 mL)
- 8 fl oz (237 mL)
- 13 fl oz (384 mL)
- 1 pt (16 fl oz) (473 mL)
- 1 qt (32 fl oz) 946 mL)
- 40 fl oz (1.18 L)
- 0.42 gal (53.7 fl oz) (1.59 L)
- 64 fl oz (1.89 L)
- 1 gal (128 fl oz) (3.79 L)

*[Net contents]* Makes up to 'X' gallons  
 Makes between 'X' and 'Y' gallons  
 Mix with water to make 'X' gallons of spray solution  
 Treats (covers) up to 'Z' sq ft (approximate size of XX tennis court)  
 Mix with water to cover up to 'Z' sq ft  
 $[ X = net\ contents \div 1.5 ]$   
 $[ Y = net\ contents \div 2.5 ]$   
 $[ Z = X * 300 ]$   
 $[ XX = Z \div 2808 ]$

*[Pint]* Makes up to 10 gallons  
 Makes between 6 – 10 gallons  
 Mix with water to make 10 gallons of spray solution  
 Covers up to 3,000 sq ft  
 Mix with water to cover up to 3,000 sq ft

*[Quart]* Makes up to 21 gallons  
 Makes between 12 – 21 gallons  
 Mix with water to make 21 gallons of spray solution  
 Covers up to 6,300 sq ft  
 Mix with water to cover up to 6,300 sq ft

*[0.42 Gallon]* Makes up to 35 gallons  
 Makes between 21 – 35 gallons  
 Mix with water to make 35 gallons of spray solution  
 Covers up to 10,500 sq ft  
 Mix with water to cover up to 10,500 sq ft

*[Gallon]* Makes up to 85 gallons  
 Makes between 51 – 85 gallons  
 Mix with water to 85 gallons of spray solution  
 Covers up to 25,500 sq ft  
 Mix with water to cover up to 25,500 sq ft

- New! Larger size, covers up to [ ] sq ft
- BONUS SIZE [ ] % MORE!

071995.00025.20080425.amend.pdf

- Value sized
- *With (the convenient) measuring cup, mixing [Insert brand name] (controlling weeds around your home) has never been easier*
- *With (the convenient) measuring cup, controlling weeds all around your home has never been this fast and easy*

**Description of Changes for 071995-00025.20080425.amend.pdf**

*This label amendment incorporates the following changes:*

- General updates for consistency across Lawn & Garden products
- Rearranged text boxes for Where to Use and Amount to Use for consistent flow, no text changes
- Updated Storage & Disposal section per PRN 2007-4 according to Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment" for homeowner product.
- Updated Appendix 1