1995-25

10/09/2008 (

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF REVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Dawn Fee-White Monsanto Company, Lawn & Garden Products 1300 I (Eye) Street, N.W., Suite 450 East Washington, DC 20005

Dear Ms. Fee-White:

Subject: Roundup Weed & Grass Killer Super Concentrate (Add Alternate B) EPA Registration No. 71995-25 Application Dated June 11, 2008

The scientific review and evaluation of the alternate confidential statement of formula (CSF) submitted above have been completed. Alternate CSF B dated June 11, 2008 is acceptable and our records have been modified accordingly.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable. Amended labeling supersedes all previously approved ones. A stamped copy of labeling is enclosed for your records.

Sincerely,

Uitzi Kulattai James A. Tompkins Product Manager 25 Herbicide Branch Registration Division (7505P)

[Editorial Notes: Bracketed text [] is for internal use or serves as a 'place holder' for graphics. Parenthetical text () denotes optional wording.]

[Refer to APPENDIX 1 for consolidated list of label claims.]

[Refer to APPENDIX 2 for packaging related claims/instructions]

Roundup® Weed & Grass Killer Super Concentrate

Active Ingredient: Glyphosate, isopropylamine salt 50.2 % Other Ingredients 49.8 % Keep Out of Reach of Children

CAUTION

See (back panel) booklet for additional precautionary statements.

NET [____

A	C	C	Ľ	j.		Ŀ	Ŀ	•
	0	CT	-9	20	800			Manual Street, or other
11.79	nein	100	Fede and l d for	1004	1000	uro r	1064	

Page i of 15

registered under KPA Reg. No.

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008)

[OPTIONAL TEXT]

Guaranteed Satisfaction. Open (booklet for details).* Resealable Label for Directions & Precautions (Press to Reseal)

Product Facts

Makes up to [] gallons

Treats up to [] sq ft (approx. size of [] tennis courts)

[see Appendix 2 for calculations]

KILLS [Illustrate grassy, broadleaf and woody weeds]

WEEDS KILLS ALL TYPES OF WEEDS & GRASSES

 [Phone icon]
 Questions, Comments or Information
 [computer icon]

 Call (insert contact #)
 Visit Us on the Web at www.roundup.com

[For products where an anti-theft device has been added] This bottle contains an anti-theft device, either inside or on the back of the bottle. It does not affect Roundup's (product) performance.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW IT WORKS [Optional illustration]

[Optional section]

[Insert Brand Name is absorbed by the weed's leaves. It moves through the weed to the root, stopping the production of an essential enzyme found in plants (but not in humans or animals). Weeds die, roots and all - so weeds (they) don't grow back. Kills only what you spray. Any product not absorbed by the plant breaks down into natural materials without moving in or on the soil to untreated plants. (Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.)

[ALTERNATE TEXT] [Insert brand name] enters plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Any product (Roundup) [or insert brand name] not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds (usually) yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 2 of 15

	 On patios, walkways, driveways, gravel or mulch beds 					
TO USE	 Around fruits, vegetables, flowers, shrubs or trees 					
	Along fences					
	• In large areas					
	- For lawn replacement					
	- For garden plot preparation					
	• (Other areas in (of) your yard)					
AMOUNT TO USE	 For best results 2½ fl oz (5 Tbs) per gallon of water (for established or tough (tough-to-control) weeds) 					
,	[OPTIONAL TEXT] For easy to kill weeds such as seedlings, add 1½ fl oz (3 Tbs) per gallon of water					
	MIXING INSTRUCTIONS					
Optional tan	k sprayer illustration]					
 [OPT] gallon (For to water 	erglass, plastic-lined steel or stainless steel sprayer may also be used. ONAL TEXTJ For easy to kill weeds such as seedlings, add 1½ fl oz (3 Tbs) to 1 of water ough established weeds / For best results,) add 2½ fl oz (5 Tbs) to 1 gallon of reat or spray evenly over 300 sq ft.					
Set diTo spSpray						
Roundup 1.3	ayer illustration] 3 Gallon Sprayer .5 fl oz (13 Tbs)(the entire contents of this container) (the 6.5 fl oz Refill) [Insert					

(

16

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008)

Page 3 of 15

sprayer, or through any irrigation system.

HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

HOW TO APPLY [optional illustration]

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet (piece) of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

IMPORTANT

Do not spray plants or grasses you like - they will die. Not recommended for spot weed control in lawns since glyphosate (Roundup)(this product) kills lawn grasses.

WHEN TO APPLY (OPTIONAL ILLUSTRATION)

- Apply when weeds are actively growing. (Use anytime weeds and grasses are actively growing.)
- For best results, apply during warm, sunny weather (above 60° F) (to accelerate systemic movement from foliage to roots.)
- Apply when air is calm to prevent drift to desirable plants.
- (RAINPROOF Protection:) Rain or watering (30, 45, 60, or 90 minutes; 2 hours, 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after application will NOT wash away effectiveness.
- [OPTIONAL TEXT] If used to control weeds around fruit or nut trees, caneberries, or grapevines, allow 17 days before harvesting.
- [OPTIONAL TEXT] Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.

[Re-entry icon] To prevent tracking product to unintended areas such as your yard, keep people and pets out of treated area until spray has dried.

[ALTERNATE TEXT] People and pets may enter treated area after spray has dried.

WHEN TO REPLANT (OPTIONAL ILLUSTRATION) [OPTIONAL SECTION]

All ornamental flowers, trees and shrubs may be planted 1 day after application.

Lawn grasses, herbs, vegetables (all), and fruits may be planted 3 days after application. 71995-25 EPA Master Label Approved 18 May 2006

Page 4 of 15

Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008

(No change - same label as submitted 25-Apr-2008)

ADDITIONAL TIPS [OPTIONAL ILLUSTRATION] [OPTIONAL SECTION]

• To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet (piece) of cardboard or plastic.

• To Kill Bamboo

- Cut canes close to the ground.
- Make cut just below a stem joint to create a hollow stem reservoir.
- Pour 1 Tbs of undiluted product into the hollow stem reservoir.
- Browning of the canes will occur in 7-14 days.
- Spray foliage if regrowth occurs.

To Kill Stumps

- Cut living stump close to ground.
- Drive (drill) 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

IMPORTANT: Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

For Lawn Replacement

Use [Insert brand name] to kill a (an old) lawn and (its) weeds before planting a new lawn.

- Skip one mowing before spraying.
- Use 2½ fl oz (5 Tbs) per gallon of water for each 300 sq ft.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait (at least) 3 days after last application to rake, till or replant with seed or sod.

Kudzu

For best results, apply in mid to late summer when vines are mature and actively growing.

• Wild Blackberry

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

• Poison Ivy & Poison Oak

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall.

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 5 of 15

Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

• For Flowerbed & Garden (Plot) Preparation

Use [*Insert brand name*] to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Use 2½ fl oz (5 Tbs) per gallon of water for each 300 sq ft. Apply evenly over treatment area.
- Wait 1-3 days before planting garden (flowers, trees and shrubs) See When To Replant section for details.

WHEN TO HARVEST [OPTIONAL ILLUSTRATION]

If used to control weeds around fruits or nuts, allow the following number of days before harvesting:

- Citrus (citron, grapefruit, lemon, lime, mandarin, orange, tangelo and tangerine) 1 day.
- Nuts (almond, beechnut, cashew, chestnut, hazelnut, pecan, pistachio and walnut) 3 days.
- Apple, avocado, banana (plantains), berries (except cranberries), dates, figs, grapes, kiwi fruit, loquat, passion fruit, pear, persimmon, pomegranate and quince – 14 days.
- Apricot, cherries, nectarine, olives, peach, plum and prunes- 17 days.

(OR)

 [The following statement may instead be placed in the When To Apply section] If used to control weeds around fruit or nut trees, caneberries or grapevines, allow 17 days before harvesting.

[OPTIONAL SECTION]

KILLS ALL TYPES OF WEEDS & GRASSES [OPTIONAL ILLUSTRATION]

Weeds (including): Artichoke thistle, beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish, horseweed/ marestail, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpetcreeper, tumble mustard, Virginia creeper, white clover.

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 6 of 15

whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow starthistle, and other broadleaf weeds

Grasses (including): Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds

Brush (Tough Weeds) Unwanted Tress, Shrubs & Vines (including):

Alder, ash, (quacking) aspen, bamboo, blackberry, bluegum eucalyptus, broom (French, Scotch), buckwheat, ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, wild rose (multiflora) willow and other tough weeds

STORAGE AND DISPOSAL [TRASH CAN ILLUSTRATION]

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight.

PESTICIDE DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP (or other appropriate toll free number) for disposal instructions. Never place unused product down any indoor or outdoor drain.

HOW TO REFILL ROUNDUP READY-TO-USE CONTAINERS [OPTIONAL SECTION]

• 24 fl oz Roundup Weed & Grass Killer Ready-To-Use Plus:

To empty container add 1 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

• 30 fl oz Roundup Weed & Grass Killer Ready-To-Use Plus:

To empty container add1 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

• 64 fl oz Roundup Weed & Grass Killer Ready-To-Use Plus:

To empty container add $2\frac{1}{2}$ fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

• 1 Gallon Roundup Weed & Grass Killer Ready-To-Use Plus:

To empty container add 5 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

• 1.1 Gallon Roundup Weed & Grass Killer Ready-To-Use Plus:

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 7 of 15

To empty container add 5.5 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

- 1.33 Gallon Roundup Weed & Grass Killer Ready-To-Use Plus:
- To empty container add 6.5 fl oz (the entire contents of this container) of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

• 6L Roundup Weed & Grass Killer Ready-To-Use Plus:

To empty container add 8 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

2 Gallon Roundup Weed & Grass Killer Ready-To-Use Plus:

To empty container add 10 fl oz of Roundup Super Concentrate then fill with water very slowly to avoid foaming.

PRECAUTIONARY STATEMENTS [OPTIONAL ILLUSTRATION]

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

	FIRST AID				
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minute				
	Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.				
	 Call a poison control center (insert contact #) or doctor for treatment advice. 				
	Emergency Medical Information				
	product container or label with you when calling a poison control center or r going for treatment.				
• You may	contact (insert contact #) for emergency medical treatment information.				
This proc	duct is identified as [Insert brand name], EPA Reg. No. 71995-25				

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

This product is protected by U.S. Patents No. [Insert relevant patent numbers]. (Other patents pending.) No license granted under any non-U.S. patent(s).

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 8 of 15

This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging.

[phone icon] Questions, Comments or Information [computer icon]

(visit us on the web at) www.roundup.com

[Insert relevant trademark statements].

[OPTIONAL TEXT]

Call (insert contact #)

ROUNDUP FAMILY OF PRODUCTS

Visit the Roundup website to learn more about the Roundup family of products for the best solution to your toughest weed problems.

[Insert graphic -- Roundup product family photo]

©[___] MONSANTO COMPANY

Manufactured (Produced) for Monsanto Company, Lawn & Garden Products P.O. Box 418 Marysville, OH -43041 PPN LB # EPA Reg. No. 71995-25 EPA Est. 239-IA-3¹, 58996-MO-1^A Superscript is first letter of lot number Made in USA

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008)

Page 9 of 15

APPENDIX 1 – Consolidated List of Label Claims

[Ordered alphabetically]

- 20% more concentrated
- 20% stronger
- 20% stronger to speed absorption to the root
- Absorbed into both broadleaf and grassy weeds
- Absorbs on contact, starts working immediately
- Also use for large jobs such as lawn renovation and vegetable and flower garden preparation
- · Approved for most (many) lawn and garden uses.
- Before [weed graphics] / After [weed graphics]
- · Begins absorbing on contact
- Best Roundup Concentrate Value
- Can be used around (small) fruits and vegetables
- Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots.
- · Can reseed or sod lawns 3 days after treatment
- Concentrated for extra value
- * Consumer Guarantee: If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will replace the product or refund the purchase price.
- Covers up to 300 sq ft per gallon of spray
- Dead Weeds Guaranteed * (or Your Money Back)
- Did You Know?
- · Does not have soil activity
- Economical (concentrate formula)
- Easy to apply with an Ortho Dial 'n Spray®, hose-end, tank or (hand held) trigger sprayer
- Even if it rains Roundup won't lose its effectiveness
- Exclusive Roundup formula
- FastAct[™] (Technology)
- For control that doesn't (won't) wash away
- For general weed control kills weeds and grasses in 2 to 4 weeks roots and all
- Glyphosate (This Roundup formula) targets an enzyme found in plants but not in people or pets
- Great Value
- Guaranteed * (Satisfaction)
- Guaranteed * same effective results even if it rains within an hour (hours)
- Guaranteed Satisfaction. Open booklet for details.*
- How To Use
- Improved extra strength formula
- Improved formula, completely kills even the toughest weeds and grasses
- · Improved formulation -now RainFast fast uptake
- Kills almost all (annual and perennial) weeds, grasses and other unwanted plants
- Kills existing weeds only, no residual activity in soil

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 10 of 15

- Kills more weeds in more places
- Kills over 100 weeds
- Kills the root so (treated) weeds don't come back
- Kills the roots of (both) broadleaf and grassy weeds
- Kills the weed you see and the root you don't
- Kills (to) the root(s)! (Guaranteed! *)
- Kills unwanted weeds and grasses, roots and all
- Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard.
- Kills weeds, roots and all
- · Lawns and gardens can be reseeded or planted soon after treatment
- Make only what you need
- Multipurpose grass and broadleaf weed control
- NEW!
- No odor^{*}
- No root. No weed. No problem.
- NOW!
- Now a shorter wait for replanting!
- · Once it enters the plant, it won't wash off
- Ornamental gardens can be reseeded or planted 1 day after treatment.
- Only Roundup's effectiveness (exclusive formula) won't be washed away by rain or watering (30, 45, 60, 90 minutes; 2 hours, 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after treatment
- RAINPROOF (RAINFAST) in (30, 45, 60, 90 minutes; two hours, 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes)) (for control that won't wash away)
- Results in 24 hours
- (Roundup) Kills the weed you see and the root others leave behind
- Roundup kills weeds and grasses in Patios Driveways Sidewalks Gardens and other non-lawn areas
- Satisfaction guaranteed * or we will gladly refund purchase price
- Satisfaction guaranteed * or your money back with proof of purchase
- Speeds absorption to the root for complete kill
- Spray weeds (Use) in flowerbeds, around trees, shrubs and around fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
- Starts working immediately
- Stronger
- The Strongest Roundup you can buy
- Tougher formula
- Transorb technology speeds Roundup to the root to kill even tough weeds
- Trusted Results for Guaranteed Satisfaction * (Open booklet for Details)
- Use around fruits and vegetables.
- (Use) For Bamboo Control
- (Use) For Brush Control
- (Use) For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 11 of 15

walkways. Use to trim and edge landscape areas

- (Use) For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flowerbeds or similar plantings
- Use for large jobs like garden plot preparation and lawn replacement (renovation)
- (Use) For Lawn Renovation
- (Use) For Spot Spraying: Use in and around flowerbeds, ornamental, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways
- (Use) For Stumps
- (Use) For Wildlife Areas: Use to prepare areas for planting wildlife food. Exotic or undesirable plants can be controlled to allow for planting or recovery of native plant species. Spot treatments can be made to selectively remove unwanted plants.
- (Use in) Apply with a Big Shot™ Multi-Purpose Sprayer or other tank sprayer, Ortho Dial 'n Spray® or other hose-end sprayer, or a (hand held) trigger sprayer
- Use to prepare sites: for large plantings, for planting flowerbeds, fruit trees, ornamentals, vegetables and gardens, and for renovating lawns
- Use to refill Roundup Ready-To-Use containers
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction
- Visible results in 2 to 4 days (hours)
- Water based formula
- (Weeds) start dying in 1 day (24 hours)
- What to Know
- Where it Works
- Won't wash away (off)
- Works first time, every time guaranteed
- · Works only when absorbed by the foliage of weeds

[Promotional options]

- Free [] with this purchase of Roundup concentrate quart
- [X] % Free (More)
- [#] REFILLS
- FREE REFILL
- FREE SAMPLE
- Free weed quide inside
- SAMPLE NOT FOR SALE
- Save up to \$[x] on (your) next purchase

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 12 of 15

NET xx qt or gal (fl oz) (xx mL or L) 5 fl oz (148 mL) 6 fl oz (177 mL) 6.5 fl oz (192 mL) 8 fl oz (237 mL) 1 3 fl oz (384 mL) 1 pt (16 fl oz) (473 mL) 1 qt (32 fl oz) 946 mL) 40 fl oz (1.18 L) 0.42 gal (53.7 fl oz) (1.59 L) 64 fl oz (1.89 L) 1 gal (128 fl oz) (3.79 L)

[Net contents] Makes up to 'X' gallons

[Net contents]	A makes up to X gallons
	Makes between 'X' and 'Y' gallons
	Mix with water to make 'X' gallons of spray solution
	Treats (covers) up to 'Z' sq ft (approximate size of XX tennis court)
	Mix with water to cover up to 'Z' sq ft
	[X = net contents ÷ 1.5]
	$[Y = net contents \div 2.5]$
	[Z = X * 300]
	$[XX = Z \div 2808]$
[Pint]	Makes up to 10 gallons
	Makes between 6 – 10 gallons
	Mix with water to make 10 gallons of spray solution
	Covers up to 3,000 sq ft
	Mix with water to cover up to 3,000 sq ft
[Quart]	Makes up to 21 gallons
	Makes between 12 – 21 gallons
	Mix with water to make 21 gallons of spray solution
	Covers up to 6,300 sq ft
	Mix with water to cover up to 6,300 sq ft
[0.42 Gallon]	Makes up to 35 gallons
	Makes between 21 – 35 gallons
	Mix with water to make 35 gallons of spray solution
	Covers up to 10,500 sq ft
	Mix with water to cover up to 10,500 sq ft
[Gallon]	Makes up to 85 gallons
	Makes between 51 – 85 gallons

Mix with water to 85 gallons of spray solution

Covers up to 25,500 sq ft

Mix with water to cover up to 25,500 sq ft

New! Larger size, covers up to [] sq ft

• BONUS SIZE [] % MORE!

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008)

Page 13 of 15

- Value sized
- With (the convenient) measuring cup, mixing [Insert brand name] (controlling weeds around your home) has never been easier
- With (the convenient) measuring cup, controlling weeds all around your home has never been this fast and easy

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 14 of 15

Description of Changes for 071995-00025.20080611.RD1700.pdf

This label amendment incorporates the following changes:

- General updates for consistency across Lawn & Garden products
- Rearranged text boxes for Where to Use and Amount to Use for consistent flow, no text changes
- Updated Storage & Disposal section per PRN 2007-4 according to Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment" for homeowner product.
- Updated Appendix 1

71995-25

EPA Master Label Approved 18 May 2006 Master Label Amendment 25 April 2008 Resubmit with data package 11-Jun-2008 (No change - same label as submitted 25-Apr-2008) Page 15 of 15