

ACCEPTED NOV 3 D 2000

Under the Pederal Insecticide. Fundoide, and Rodenticide Act. as emended, for the postioide registered under
RPA Reg. No 7/995-26



NO WEED. NO PROBLEM."

KEEP OUT OF REACH OF CHILDREN


See back panel booklet for artificial preceditional preceditionary statements. CAUTION NET 64 FL OZ (1/2 GAL)

PROPERTY AND A CHECKBOOK



Manufactured for Monsanto Company, Lawn & Garden Products P.O. Box 1750 Columbus, OH 43216 PPN 21176Y2-4 (023200) EPA Reg. No. 71995-26 EPA Est. 239-IA-3¹, 58996-MO-1^A Superscript is first letter of lot number Made in USA





For easy to kill weeds such as seedlings add 3 fl oz (6 Tbs) to 1 gallon of water.

BACK



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MIXING INSTRUCTIONS

Tank Sprayer (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- Add 6 fl oz (12 Tbs) to 1 gallon of water.
- · Spot treat or spray evenly over 300 sq ft.

Hose-end Sprayer

For large areas consider using the ORTHO® Dial 'n Spray®

- Set dial to 5-1/3 or 6 oz.
- To sprayer jar add 6 fl oz (12 Tbs) for each 300 sq ft. DO NOT add water.
- Spray evenly over measured area.
- After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

For easy to kill weeds such as seedlings add 3 fl oz (6 Tbs) to 1 gallon of water. Do not apply with a galvanized or unlined steel (except stainless steel) sprayer or through any irrigation system.

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

How To Apply

- · Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a piece of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

Important: Do not spray plants or grasses you like - they may die too. Not recommended for spot weed control in lawns since Roundup kills lawn grasses.

When To Apply

- Apply when weeds are actively growing. Use anytime weeds and grasses are actively growing.
- For best results, apply during warm, sunny weather (above 60°F) to accelerate systemic movement from foliage to roots.
- · Apply when air is calm to prevent drift to desirable plants.
- RAIN-PROOF: Rain or watering 2 hours after application will not wash away effectiveness.

Additional Tips

To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bank, cut vines to a height of 3 to 4 ft and spray vines thoroughly.
- If vines are climbing shrubs, or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a piece of cardboard or plastic.

To Kill Stumps

- Cut living stump close to ground.
- Drive 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

For Lawn Replacement

Use Roundup to kill a lawn and weeds before planting new lawn.

- · Skip one mowing before spraying.
- Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait 7 days after last application to rake, till or replant with seed or sod.

2

When To Replant

- · All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be planted 1 day after application: Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, brussels sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, current, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry. kale, kohirabi, leek, lentiis, lettuce, loganberry, mustard greens, okra. olallieberry, onion, parsley, parsnips, potato radish, rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and vams.
- The following fruits, vegetables and herbs may be planted 3 days after application:
 - Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumkin, squash (summer and winter), tomatillo, tomato (by seed) and watercress.
- · Lawn orasses may be planted 7 days after application.
- · Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted 30 days after application.

How It Works

Roundup enters plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found only in plants. Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

Satisfaction Guaranteed or your money back with proof of purchase.



Weed & Grass Killer Concentrate

STORAGE AND DISPOSAL

STORAGE: Store in original container in a safe place. DISPOSAL: Empty Container: Put in trash. (Recycle where available.) Partially Full Container: Call your local waste disposal service. If local laws permit, put partially full container in trash. Never pour product down any drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eve irritation. Avoid contact with eves or clothing. Wash thoroughly with soap and water after handling.

People and pets may re-enter treated areas after spray has dried.

FIRST AID

eyes

Hold eve open and rinse slowly and cently for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Call a poison control center 1-888-768-6387 or doctor for treatment advice.

Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor. or going for treatment. You may contact 1-888-768-6387 for emergency medical treatment

ENVIRONMENTAL HAZARDS: Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters. NOTICE: Buver assumes all responsibility for safety and use not in accordance with directions.



Questions, Comments or Medical Information: Call 1-888-ROUNDUP www.roundup.com

This product is protected by U.S. Patents No. 4.405.531 and No. 5.703.015. Other patents pending. No license granted under any non-U.S. patent(s). This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging.

Roundup is a trademark of Monsanto Company. © 2000 MONSANTO COMPANY Manufactured for Monsanto Company, Lawn & Garden Products P.O. Box 1750 Columbus, OH 43216 PPN 21176Y2-4 (023200) EPA Reg. No. 71995-26 EPA Est. 239-IA-31, 58996-MO-1A Superscript is first letter of lot number Made in USA