

71995-27

6-17-2002

1/9

Glyphosate READY-TO-USE Herbicide2

EPA Reg. No. 71995-27

[Editorial Notes: Bracketed text [ ] is for internal use or serves as a 'place holder' for graphics. Text in parenthesis ( ) is optional wording.]

[Refer to APPENDIX 1 for consolidated list of label claims.]

**Glyphosate Ready-To-Use Herbicide2**

Active Ingredient

Glyphosate, isopropylamine salt ..... 1.92%

Other Ingredients ..... 98.08%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Read precautions and directions on back label.

NET \_\_\_\_\_

**ACCEPTED**  
**JUN 17 2002**

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 71995-27

Glyphosate Ready-To-Use Herbicide2 is a fast-acting and ready-to-use weed killer. Kills tough weeds in 1 to 2 weeks, roots and all. Use in flower beds, around trees and shrubs, along fences, walks, driveways, patios, sidewalks, and mulch. Will not build up in the soil to hurt desirable plants growing nearby.

### Product Usage

Kills: Weeds and grasses  
Use on: Use as a spot treatment along sidewalks, fences, driveways, and patios  
In flower(beds) and(&) vegetable gardens  
Around flowers, shrubs and(&) trees  
Along fences and(&) foundations  
Other areas in your yard

Amount to Use: Ready-To-Use. Requires no mixing.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. **READ ENTIRE LABEL. USE ONLY IN ACCORDANCE WITH LABEL INSTRUCTIONS.**

### HOW TO USE

[Optional: Insert container and sprayer-specific operating instructions.]

Adjust the nozzle to a course spray. Position sprayer tip approximately 1 - 2 feet away from the weed. Spray weeds until foliage is wet. Flowers and ornamentals may be reseeded or replanted into treated areas the next day.

**IMPORTANT:** Spray carefully. Avoid spray or drift onto desirable lawn grasses, shrubs, or trees. This product can kill or damage all vegetation contacted. If accidental spray contacts desirable foliage, immediately rinse the foliage with water.

### ADDITIONAL TIPS

- **To Kill Vines**
  - If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
  - If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth,

shield shrubs and green bark from spray drift with a sheet (piece) of cardboard or plastic.

- **For Lawn Replacement**

Use Glyphosate Ready-To-Use Herbicide2 to kill a (an old) (an unwanted) lawn and (its) weeds before planting (a) new lawn.

[Alternate text] For lawn replacement use Glyphosate Ready-To-Use Herbicide2 to kill lawn and weeds before planting new lawn.

- Skip one mowing before spraying.
- If soil is dry, water before application and 2 to 3 days after application.
- Wait 7 days after last application to rake, till or replant with seed or sod.

[Alternate text]

- Wait 7 days for weeds and lawn to die. Repeat if necessary.
- Rake or till to prepare area for planting seed or sod.
- (If green patches remain after 7 days, reapply.)

- **Kudzu**

For best results, apply in mid to late summer when vines are mature and actively growing.

- **Wild Blackberry**

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

- **Poison Ivy & Poison Oak**

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

- **For Flowerbed and Garden (Plot) Preparation**

Use Glyphosate Ready-To-Use Herbicide2 to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait (at least) 1 day before planting.

## WHEN TO USE

Use anytime weeds are actively growing. For best results, apply on a warm sunny day when daytime temperature is above 60° F. Warm, sunny weather will speed up weed control. Apply only when air is calm. Reapply if it rains within 6 hours (2 hours) after application. Hard-to-control weeds (such as bermudagrass) may require a repeat

application if they regrow. NOT recommended for spot weed control in lawns since Glyphosate Ready-To-Use Herbicide2 kills all green plants, including lawn grass.

**Note:** All ornamental flowers, trees, and shrubs may be planted 1 day after application.

[OR alternate text]

### WHEN TO REPLANT

- All ornamental flowers, trees and(&) shrubs may be planted **1 day after** application.
- The following berries may be planted **1 day after** application:  
Blackberry, Blueberry, Boysenberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry and(&) Raspberry (Black and(&) Red).
- The following fruits, vegetables &(and) herbs may be planted **1 day after** application:  
Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussels Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip &(and) Yams.
- The following fruits, vegetables &(and) herbs may be planted **3 days after** application:  
Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer &(and) winter), Tomatillo, Tomato (by seed) &(and) Watercress.
- Lawn grasses may be planted **7 days after** application.
- Tomatoes from transplant & (and) unlisted fruits, vegetables &(and) herbs may be planted **30 days after** application.

### WHEN TO HARVEST -[optional SECTION]

If used to control weeds around fruits or nuts, wait the following number of days before harvesting:

- **Citrus (Citron, Grapefruit, Kumquat, Lemon, Lime, Mandarin, Orange, Pummelo, Tangelo, Tangerine), Guava, Papaya – 1 day.**
- Nuts (Almond, Beechnut, Brazil Nut, Butternut, Cashew, Chestnut, Filbert, Hazelnut, Hickory Nut, Macadamia, Pecan, Pistachio, Walnut) – **3 days.**
- Apple, Avocado, Banana (Plantains), Berries (except Cranberries), Dates, Figs, Grapes, Loquat, Passion Fruit, Pear, Persimmon, Pomegranate &(and) Quince – **14 days.**
- Apricot, Cherries, Nectarine, Olives, Peach, Plum and(&) Prunes– **17 days.**  
Cranberries – **30 days**

5/9

**WEEDS CONTROLLED INCLUDE:** Bahiagrass, Barnyardgrass, Bermudagrass, CanadaThistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Kudzu, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepardspurse, Smooth Bromegrass, Sowthistle, White Clover, and Yellow Nutsedge

[OR alternate text]

**CONTROLS WEEDS AND GRASSES INCLUDING:**

General Weed Control (Annuals)

Annual Bluegrass	Fiddleneck	Pennsylvania
Annual Ryegrass	Fall Panicum	Smartweed
Barnyardgrass	Field Pennycress	Prickly Lettuce
Beggarweed	Field Sandbur	Prostrate Spurge
Black Medic	Filaree	Puncture Vine
Blue Toadflax	Florida Pusley	Redroot Pigweed
Brassbuttons	Foxtail	Sandspur
Blue Mustard	Goosegrass Garden	Shepherdspurse Smooth
Buttercup	Spurge	Catsear
Bromegrass	Horseweed/marestail	Smooth Pigweed
Bur Clover	Henbit	Sowthistle
Chickweed	Knotweed	Spotted Spurge
Common Groundsel	Lambsquarters	Tansy Ragwort
Common Plantain	Little Bittercress	Tansy MustardTeaweed
Crabgrass	London Rocket	Texas Panicum
Creeping Beggarweed	Maiden Cane	Tumble Mustard
Diffuse Lovegrass	Mallow	Sprangletop
Dog Fennel	Mayweed	Witchgrass
Evening Primrose	Mouseear Chickweed	Wild Mustard
False Dandelion	Oxalis	

Tough Weed Control (Perennials, Brush)

Alder	Guineagrass	Purple Nutsedge
Artichoke Thistle	Honeysuckle	Quackgrass
Bahiagrass	Horsenettle	Quaking Aspen
Bentgrass	Horseradish	Ragweed
Bermudagrass	Iceplant	Raspberry
Blackberries	Johnsongrass	Red Clover
Broadleaf Plantain	Kentucky Bluegrass	Smooth Bromegrass
Canada Thistle	Kikuyugrass	St. Augustinegrass
Cattail	Knapweed	Sumac
Ceanothus	Kudzu	Tall Fescue
Cherry species	Lantana	Timothy

6/9

Cocklebur	Milkweed	Torpedograss
Cogongrass	Multiflora Rose	Trumpetcreeper
Common Mullein	Nightshade, silverleaf	Vaseygrass
Common Ragweed	Nimblewill	Virginia Creeper
Coyote Brush	Nutsedge	Virginia Creeper
Creeping Bentgrass	Oak species	White Clover
Creeping Charlie	Oldenlandia	Whitetop
Curly dock	Orchardgrass	Wild Barley
Dallisgrass	Oxalis	Wild Oats
Dandelion	Pampasgrass	Wild Sweet Potato
Dewberry	Pennywort	Willow
Elderberry	Perennial Ryegrass	Yellow Nutgrass
False Dandelion	Poison Hemlock	Yellow Starthistle
Fescue species	Poison Ivy	Zoysia
Field Bindweed	Poison Oak	
(Wild Morningglory)	Primrose	

**HOW TO REFILL** *[optional section]*

This container can be reused. Use [brand name] to refill the container. To this empty container, add [x] oz of [brand name], then fill with water very slowly to avoid foaming.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

*[OPTIONAL REENTRY ICON]* People and pets may enter treated areas after spray has dried.

FIRST AID	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.</li> <li>• Call a poison control center (telephone #) or doctor for additional treatment advice.</li> </ul>
Emergency Medical Information	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. (You may contact [telephone #] for emergency medical treatment information.)	

7/9

**STORAGE AND DISPOSAL**

**STORAGE:** Store this product in its original container, in a secure area. Protect container from freezing. [*Optional: insert container or sprayer-specific storage instructions*]

**DISPOSAL:** Do not reuse container. **Empty Container:** Put in trash. (Recycle where available.) **Partially Full Container:** Call your local waste disposal service (or 1-800-CLEANUP). Never pour product down any drain.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**WARRANTY AND DISCLAIMER:** Buyer assumes all responsibility for safety and use not in accordance with directions. Product guaranteed to the extent of purchase price, only when used according to label directions.

[optional telephone icon]

(Questions, Comments or Medical Information: Call [*telephone # and/or website address*])

Manufactured (Distributed) for:

[*name and address*]

Form No. \_\_\_\_\_

EPA Reg. No. 71995-27

EPA Est. \_\_\_\_\_

Made in USA

## APPENDIX 1 – Consolidated List of Label Claims

After *[graphic of dead weed]*  
 Before *[graphic of live weed]*  
 Contains glyphosate Does not have soil activity  
 Easy to store  
 Ideal for spot treatment on driveways, sidewalks, and patios  
 Kills to the root  
 Kills tough weeds in 1 to 2 weeks (roots and all)  
 Kills undesirable weeds and grasses  
 Kills weeds and grasses (down to the root)  
 New  
 Now  
 Ornamental gardens can be reseeded or replanted 1 day after treatment  
 Outdoor use only *[optional graphic]*  
 Quick and easy to use  
 Ready-To-Use (grass & weed killer)  
 Requires no mixing  
 Suitable for use around flower beds, trees, shrubs, fences, walks and spot treatment in lawns  
 Systemic grass and weed killer for spot treatment of undesirable vegetation  
 Use around flower beds, trees and shrubs  
 Will not build up in soil to hurt desirable plants growing nearby  
 Starts working overnight  
 Starts working in hours  
 Starts working in 24 hours  
 Starts to kill overnight  
 Starts to kill in/within the same day  
 Starts to kill in hours  
 See results in 24 hours  
 See results in hours  
 Water based  
 Can be used over the root zone of trees, shrubs, or desirable plants  
 Dead weeds guaranteed  
 (See) effects within one week with complete kill in 2 to 4 weeks  
 Eliminates roots and weeds (guaranteed)  
 Guaranteed results in one application  
 Ideal for tough weeds in flower beds and vegetable gardens  
 Kills the root so weeds won't grow back  
 Kills over 175 types of weeds [as listed]  
 No root, no weed guaranteed  
 Satisfaction guaranteed or your money back (with proof of purchase)  
 Single application controls most weeds  
 Use in and around vegetable gardens  
 Yellowing and wilting in about 24 hours



9/9

(Formula) enters the plant within 2 hours (6 hours) (won't wash off)

Rainproof in 2 hours (6 hours)

Rainfall or watering within 2 hours (6 hours) after application will not wash away effectiveness