71995-21

9/16/2001

EPA Reg No. 71995-29

[Editorial Notes: Bracketed text [] is for internal use or serves as a 'place holder' for graphics. Parenthetical text () denotes optional wording.]

[Refer to APPENDIX 1 for consolidated list of label claims.]

[Refer to APPENDIX 2 for packaging related claims/instructions]

Roundup Weed & Grass Killer Concentrate Plus

Alternate Brand Name : MON 78307 Herbicide

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel booklet for additional precautionary statements. (Read precautions and directions on back label.)

ACCEPTED SEP 6 2004 Under the Federal Insecticide, Fundicide, and Rodenticide Aot, as amended for the pesticide registered under BPA Reg. No. 71945-29

NET [xxx]

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004

Product F	arte
	to X gallons [see Appendix 2 for calculation]
	o xx sq ft (approx. size of XX tennis courts)
	culating coverage, one gallon treats 300 sq ft and a tennis court is 2,808
•	culating coverage, one gallon treats 500 sq it and a terms court is 2,000
sq ft.]	[]]waterta grappy, broadlaaf and woody, wooda]
KILLS	[Illustrate grassy, broadleaf and woody weeds]
WEEDS	ALL TYPES OF WEEDS & GRASSES
WHERE	 On patios, walkways, driveways, gravel or mulch beds
TO USE	 Around flowers, shrubs or trees
	Along fences
	In large areas - For lawn replacement
	 For garden plot preparation*
	 Other areas in (of) your yard
* IMPORT	ANT: While Roundup Concentrate Plus may be used to prepare a
	arden for planting, DO NOT USE for spot weed treatment after planting
	or vegetables.
AMOUNT	For best results
TO USE	
	Apply on warm days in bright sunlight
[phone icon	Questions, Comments or Medical Information
	call (insert contact #) <u>www.roundup.com</u>

[For products where an anti-theft device has been added] This bottle contains an antitheft device, either inside or on the back of the bottle. It does not affect [Insert Brand Name] performance.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MIXING INSTRUCTIONS
[Optional tank sprayer illustration]
 Tank Sprayer (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel. (Do not (mix, store or) apply with (in) a galvanized or unlined steel sprayer.) (For tough established weeds / For best results,) add 6 fl oz (12 Tbs) to 1 gallon of water.
 [Optional text] (For easy to kill weeds such as (small) seedlings, add 3 fl oz (6 Tbs) to 1 gallon of water.
 Spot treat or spray evenly over 300 sq ft
[Optional DNS illustration]
Hose-End Sprayer
For large areas consider using the Ortho Dial 'n Spray®
Set dial to 6 oz.
 To sprayer jar add 6 fl oz (12 Tbs) for each 300 sq ft. DO NOT add water.
Spray evenly over measured area.
• After spraying, unused product can be poured back into its original container.
1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

Do not (mix, store or) apply with (in) a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

USER SAFETY RECOMMENDATIONS [optional illustration]

- Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separate from other laundry.
- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if product gets inside; then wash thoroughly and put on clean clothing.

71995-29

HOW TO APPLY [optional illustration]

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet (piece) of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water (or cut off treated area).

IMPORTANT: Do not spray plants or grasses you like - they will die. Not recommended for spot weed control in lawns since Roundup [*or insert brand name*] kills lawn grasses.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only the person applying this product may be in the area during application.

WHEN TO APPLY [optional illustration]

- Use anytime weeds and grasses are actively growing. (Apply when weeds are actively growing.)
- For best (fastest visual) results, apply during warm, sunny weather (above 60° F) to accelerate systemic movement from foliage to roots.
- Apply when air is calm to prevent drift to desirable plants.
- [*Insert brand name*] is Rainproof in 2 hours (30, 45, 60, or 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes)
- [Alternate text] (RAIN-PROOF:) Rain or watering 2 hours (30, 45, 60, or 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after (of) application will not wash away effectiveness.
- [optional text]Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.

ADDITIONAL	TIPS	[Optional section]	[optional illustration]

For Lawn Replacement Use [Insert brand name] to kill a (an old) (an unwanted) lawn and (its) weeds before planting (a) new lawn (OR prior to laying a patio, sidewalk, or driveway).

[Alternate text] For lawn replacement use [insert brand name] to kill lawn and(&) weeds before planting new lawn.

Skip one mowing before spraying.

If soil is dry, water before application and 2 to 3 days after application.

71995-29

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004

- Wait 7 days after last application to rake, till or replant with seed or sod. [Alternate text]
 - Wait 7 days for weeds and lawn to die. Repeat if necessary.
 - Rake or till to prepare area for planting seed or sod.
- (If green patches remain after 7 days, reapply.)

[Alternate section]

(Great) [Insert brand name] Project: Lawn Renovation

Use [Insert brand name] to kill sections of a weed-infested lawn before reseeding.

- Apply [Insert brand name] to lawn weeds and grasses Wait 7 days after application to rake, till or replant with seed or sod.
- Work (1" of) Scotts Lawn Soil with Starter Fertilizer into existing soil, mixing well.
- For thick, green grass guaranteed -- spread Scotts Pure Premium (or other Scotts grass seed) and water regularly (daily) to keep area moist (follow package instructions).
- For best results, add a thin layer of Scotts Miracle-Gro Sphagnum Peat Moss (or Scotts Lawn Soil) over the area to help seeded area stay moist throughout germination period.

• For Flowerbed and Garden (Plot) Preparation

Use [*Insert brand name*] to kill weeds, grasses and brush before planting flowers, fruits, vegetables, trees or shrubs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- (Wait 4 to 6 days for product to kill plants then cleanup plant refuse and till soil.)
- Wait (at least) 1 day before planting flowers, trees and shrubs. (Refer to the When To Replant section for planting intervals for fruits and vegetables)

[Alternate section]

- (Great) [Insert brand name] Project: Garden(Plot) Preparation
 Use [insert brand name] to kill unwanted weeds and grasses before planting flowers,
 fruits, vegetables, trees or shrubs.
 - Apply [insert brand name] to vegetation in planting bed
 - (Wait 4 to 6 days for product to kill plants then cleanup plant refuse and till soil.)
 - <u>Wait (at least) 1 day</u> after application before planting flowers, trees, and shrubs. (Refer to the When To Replant section for planting intervals for fruits and vegetables)
 - For best results, add 3" of Miracle-Gro Garden Soil to your garden. Rototill or spade to a depth of 6", mixing well.
 - Feed (new) plants every 2 weeks with Miracle-Gro Plant Food (follow package instructions).

71995-29

• To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a sheet (piece) of cardboard or plastic.
- To Kill Stumps
 - Cut living stump close to ground.
 - Drive (drill) 4 to 5 holes into freshly cut stump.
 - Immediately pour undiluted product into holes.

IMPORTANT: Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

Kudzu

For best results, apply in mid to late summer when vines are mature and actively growing.

Wild Blackberry

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

Poison Ivy & Poison Oak

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

WHEN TO REPLANT [optional illustration]

- All ornamental flowers, trees and shrubs may be planted 1 day after application.
- Lawn grasses, herbs, vegetables (all), and fruits may be planted 3 days after application.

71995-29

HOW IT WORKS [optional illustration]

Roundup [or insert brand name] enters plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Any product (Roundup) [Insert brand name] not absorbed by plants will be deactivated after it hits the soil. Weeds usually vellow and wilt within hours with complete kill in 1 to 2 weeks.

[Optional section] KILLS ALL TYPES OF WEEDS & GRASSES [optional illustration]

Weeds (including): Artichoke thistle, beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish, horseweed/marestail, iceplant, knapweed, knotweed, lambsguarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpetcreeper, tumble mustard, Virginia creeper, white clover. whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow starthistle, and other broadleaf weeds

Grasses (including): Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds

Brush (Tough Weeds), Unwanted Trees, Shrubs & Vines (including); Alder, ash, (quacking) aspen, blackberry, bluegum eucalyptus, broom (French, Scotch). buckwheat, ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree 71995-29

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004

tobacco, wild rose (multiflora) willow and other tough weeds

STORAGE AND DISPOSAL [trash can illustration]

PESTICIDE STORAGE: Store in original container in a safe place away from direct sunlight.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency (or 1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

HOW TO REFILL ROUNDUP WEED & GRASS KILLER READY-TO-USE CONTAINERS [Optional section]

- 24 fl oz Roundup Weed & Grass Killer₁ Ready-To-Use: To empty container add 2 fl oz of Roundup Concentrate Plus [*Insert brand name for EPA Reg. No. 71995-29*] then fill with water very slowly to avoid foaming.
- ½ Gallon Roundup Weed & Grass Killer₁ Ready-To-Use: To empty container add 5 fl oz of Roundup Concentrate Plus [Insert brand name for EPA Reg. No. 71995-29] then fill with water very slowly to avoid foaming.
- Gallon Roundup Weed & Grass Killer₁ Ready-To-Use: To empty container add 10 oz of Roundup Concentrate Plus [*Insert brand name for EPA Reg. No. 71995-29*] then fill with water very slowly to avoid foaming.
- **1.33 Gallon Roundup PNS (II):** To empty container add 13 fl oz of Roundup Concentrate Plus [*Insert brand name for EPA Reg. No. 71995-29*] then fill with water very slowly to avoid foaming.
- 6L Roundup Weed & Grass Killer₁ Ready-To-Use: To empty container add 16 fl oz of Roundup Concentrate Plus [*Insert brand name for EPA Reg. No. 71995-29*] then fill with water very slowly to avoid foaming.
- 2 Gallon Roundup Weed & Grass Killer₁ Ready-To-Use: To empty container add 20 fl oz of Roundup Concentrate Plus [*Insert brand name for EPA Reg. No. 71995-29*] then fill with water very slowly to avoid foaming.

71995-29

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004

9/17

EPA Reg No. 71995-29

		[optional illustration]	
DDCCALITIONADV	CIATEMENIC.	Inntinnal IIIIIetratinni	
FREGAUTIONANT	JIAICHILIU.		

[re-entry icon] People and pets may enter treated area after spray has dried.

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION:

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

	FIRST AID
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. Call a poison control center (insert contact telephone #) or doctor for treatment advice.
	Emergency Medical Information
controlYou ma	e product container or label with you when calling a poison center or doctor, or going for treatment. y contact (insert contact telephone #) for emergency medical nt information.
This pro	duct is identified as [Insert brand name], Reg. No. 71995-29

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Do not apply directly to any body of water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

This product is protected by U.S. Patents No. 5,683,958 and No. 5,703,015 and No. 6,063,733 and No. 6,121,199 and No. 6,121,200. Other patents pending. No license granted under any non-U.S. patent(s).

This is an end-use product. Monsanto does not intend and has not registered if for reformulation or repackaging.

71995-29

10/17

EPA Reg No. 71995-29

[phone icon] Questions, Comments or Medical Information call insert contact # www.roundup.com

Roundup is a trademark of Monsanto Technology LLC

©[] MONSANTO COMPANY

Manufactured for Monsanto Company, Lawn & Garden Products P.O. Box 418 Marysville, OH 43041 Form [____] EPA Reg. No. 71995-29 EPA Est. 239-IA-3¹, 58996-MO-1^A Superscript is first letter of lot number Made in USA

71995-29

APPENDIX 1 – Consolidated List of Label Claims [Ordered alphabetically]

- ASPCA approved [ASPCA seal of approval to be submitted]
- · Absorbed into both broadleaf and grassy weeds
- Absorbs on contact, starts working immediately
- Also use for large jobs such as lawn renovation and vegetable and flower garden preparation
- Approved for most (many) lawn and garden uses
- Before [weed graphics] / After [weed graphics]
- · Begins absorbing on contact
- Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots.
- · Can reseed or sod lawns 7 days after treatment
- · Concentrated for extra value
- Concentrated formula
- (Contains) FastAct™ (technology)
- Dead Weeds Guaranteed (or Your Money Back)
- Dead (weeds) in a day
- Deactivates in soil
- Does not have soil activity
- Economical
- Economical concentrate formula
- Easy to apply with an Ortho Dial 'n Spray®, hose-end, tank or (hand held) trigger sprayer
- Even if it rains Roundup [or insert brand name] won't lose its effectiveness
- Exclusive Roundup [or insert brand name] formula
- Experience the Roundup Advantage (peel back this panel for detail) (see details inside / underneath this booklet) (see details on back panel)
- FastAct[™] (Technology)
- Fast-acting formula
- Fast-acting formula works twice as fast (50% faster)
- · Fast-acting formula absorbs to root more quickly
- Fastest Roundup Concentrate Available
- For control that doesn't (won't) wash away
- · For general weed control kills weeds and grasses in 1 to 2 weeks roots and all
- For weeds that are dead in a (one) day
- · Guaranteed same effective results even if it rains within hours
- Guaranteed effective: Kills over 200 types of weeds and grasses, roots and all, with just one application
- Guaranteed (we guarantee it)
- · Ideal for killing unwanted weeds and grasses throughout your yard. Use along fences;

71995-29

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004

in cracks of walks, drives and patios; and around flower beds, trees and shrubs

- Improved extra strength formula
- · Improved formula, completely kills even the toughest weeds and grasses
- Keeps driveways, walkways, landscaping beds, and flower gardens weed-free all season long
- Kills almost all (annual and perennial) weeds, grasses and other unwanted plants
- · Kills existing weeds only, no residual activity in soil
- Kills more weeds in more places.
- Kills over 100 weeds
- Kills (to) the root
- Kills (the toughest weeds and grasses) the root so weeds (they) don't come back
- Kills the root so weeds don't come back
- Kills the roots of (both) broadleaf and grassy weeds
- . Kills the weed you see and the root you don't
- Kills unwanted weeds and grasses, roots and all
- Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
- · Kills weeds, roots and all
- · Lawns and gardens can be reseeded or planted soon after treatment
- Make only what you need
- Multipurpose grass and broadleaf weed control.
- NEW!
- Next day (this weekend) results: Begins killing on contact, visible results in 24 hours
- No odor
- · No root. No weed. No problem.
- NOW!
- Now a shorter wait for replanting!
- Once it enters the plant, it won't wash off
- One application kills over 200 types of weeds and grasses, roots and all (maximum effectiveness)
- Only Roundup's effectiveness (exclusive formula) won't be washed away by rain or watering 2 hours (30, 45, 60, 90 minutes) after treatment
- Only Roundup's effectiveness (formula) won't be washed away by rain or watering 2 hours (1 hour)(30, 45, 60, or 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after treatment
- Proven (trusted) performance: Only Roundup [or insert brand name] works the first time, every time – and has for 25 years
- Provides maximum control: Kills weeds to the root so they don't ever come back
- Quick kill formula (the toughest)
- Quick-action formula lets you see results 50% faster (two times)
- Ornamental gardens can be reseeded or planted 1 day after treatment
- RainFast in hours (30, 45, 60, or 90 minutes; 1 hour; less than 1 hour; less than 60

71995-29

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004

minutes; less than 30 minutes)- enters the plant on contact

- RAIN-PROOF™ (Mistake Proof)
- RAIN-PROOF™ in two hours (30, 45, 60, or 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) (for control that won't wash away)
- Roundup [or insert brand name] can be used (almost) anywhere weeds and grasses grow, including patios, walkways, and driveways; along fences; in landscaping beds; or around flowers, shrubs and trees
- (Roundup) [or insert brand name] Kills the weed you see and the root others leave behind
- Roundup's exclusive (patented) formula (technology) kills to the root so weeds don't come back
- Roundup [or insert brand name] kills weeds and grasses in Patios Driveways Sidewalks Ornamental Gardens and other non-lawn areas
- Satisfaction guaranteed or we will gladly refund purchase price
- · Satisfaction guaranteed or your money back with proof of purchase
- (See) results in hours
- (See) results in 24 hours
- Speeds absorption to the root for complete kill
- Spray weeds (Use) in flowerbeds, around trees, shrubs and around fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
- Starts to kill in hours
- Starts working immediately (in hours)
- Stronger
- Transorb technology speeds Roundup to the root to kill even tough weeds
- Twice as fast
- (Use) For Brush Control
- (Use) For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways.
- Use for large jobs like garden plot preparation and lawn replacement (renovation)
- (Use) For Lawn Renovation
- Use to trim and edge landscape areas.
- (Use) For Spot Spraying: Use in and around flowerbeds, ornamental trees, shrubs, fences, driveways and walkways
- (Use) For Stumps
- (Use in) Apply with a Big Shot[™] Multi-Purpose Sprayer or other tank sprayer, or a (hand held) trigger sprayer
- Use to refill Roundup Ready-To-Use containers
- Use to prepare sites: for large plantings, for planting flowerbeds, fruit trees, ornamentals, vegetables and gardens, and for renovating lawns
- · Visible effects are gradual wilting and yellowing advancing to complete browning and

71995-29

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004

root destruction.

- Water based formula
- Won't wash off (away)
- Works first time, every time
- Works in hours
- Works overnight
- · Works only when absorbed by the foliage of weeds

[Promotional options]

- Save up to \$[x] on (your) next purchase
- [X]% Free (More)
- Free weed guide inside
- Free [] with this purchase of Roundup concentrate quart
- FREE REFILL
- FREE SAMPLE
- SAMPLE NOT FOR SALE
- Value size

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004

APPENDIX 2 – Packaging Related Claims

NET xx fl oz (qt or gal) (xx mL or L) 6 fl oz (177 mL) 6.5 fl oz (192 mL) 8 fl oz (237 mL) 13 oz (384 mL) 16 fl oz (1 pt) (473 mL) 32 fl oz (1 qt) 946 mL) 36.8 oz (15% more than 1 quart size) 40 fl oz (1.18 L) 53.7 fl oz (0.42 gal) (1.5 L) 64 fl oz (1/2 gal) (1.89 L) 128 fl oz (1 gal) (3.79 L)

[corner flap] OPEN Resealable Label for Directions & Precautions PULL HERE TO OPEN LABEL PEEL HERE PEEL OPEN FOR USE DIRECTIONS AND FURTHER INFORMATION PRESS TO RESEAL

[Net contents] Makes up to 'X' gallons

Makes between 'X' – 'Y' gallons Mix with water to make 'X' gallons of spray solution Covers up to 'Z' sq ft Mix with water to cover up to 'Z' sq ft

[X = net contents ÷ 3] [Y = net contents ÷ 6] [Z = X * 300]

- [Pint] Makes up to 5 gallons Makes between 2½ - 5 gallons Mix with water to make 5 gallons of spray solution Covers up to 1,500 sq ft Mix with water to cover up to 1,500 sq ft
- [Quart] Makes up to 10 gallons Makes between 5 – 10 gallons

71995-29

Mix with water to make 10 gallons of spray solution Covers up to 3,000 sq ft Mix with water to cover up to 3,000 sq ft

- [0.42 Gallon] Makes up to 18 gallons Makes between 9 – 18 gallons Mix with water to make 18 gallons of spray solution Covers up to 5,400 sq ft Mix with water to cover up to 5,400 sq ft
- [Half Gallon] Makes up to 21 gallons Makes between 10 – 21 gallons Mix with water to make 21 gallons of spray solution Covers up to 6,300 sq ft Mix with water to cover up to 6,300 sq ft
- [Gallon] Makes up to 42 gallons Makes between 21 – 42 gallons Mix with water to make 42 gallons of spray solution Covers up to 12,600 sq ft Mix with water to cover up to 12,600 sq ft

New! Larger size, covers up to ['Z'] sq ft

With (the convenient) measuring cup, mixing [Insert brand name] (controlling weeds around your home) has never been easier

With (the convenient) measuring cup, controlling weeds all around your home has never been this fast and easy

71995-29

Description of changes for 071995-00029.20040818.pdf

This label amendment incorporates the following changes:

- Revised Refill section
- Added optional text, When to Apply Section
- Added "with water" and "eyes" to First Aid
- Added container size to Appendix 2

71995-29

EPA Approved 12 July 2004 Notification dated 14 July 2004 Amendment Submitted 18 August 2004