Please read instructions on re	71995 - 37 overse before completing	5.28.2	00 3	Form App	roved. (	OMB N	lo. 2070-0	060. Appr	oval Ext	/ pires 2-28-95	
United State Environmental Prote Washington, DO			ates tection Agency			Registration Amendment Other				ifier Number	
	Ap	plication for l	Pestici	de – Sec	tion i						
Company/Product Number     EPA Reg. No. 71995-37			2. EPA Product Manager Jim Tompkins				3. Proposed Classification				
<ol> <li>Company/Product (Name)</li> <li>MON 78736 Herbicide / Roundup Concentrate Poison Ivy &amp; Tough Brush Killer Plus</li> </ol>			PM #	PM # 25				None Restricted			
5. Name and Address of Applicant (Include ZIP Code) Monsanto Company, Lawn & Garden Products 600 13 <sup>th</sup> St., N.W., Suite 660 Washington, DC 20005  Check if this is a new address			6.Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name								
		Sec	tion –								
Amendment – Explain below.  Resubmission in response to Agency letter dated			Final printed labels in response to Agency letter dated 5 May 2003 "Me Too" Application.					NOTIFICATION			
Notification - Explain below.				Other – Explain below.					MAY 2 8 2003		
Explanation: Use additional Notification of alternate brands  This notification is consistent labeling or the confidential state to EPA. I further understand to FIFRA and I may be subject to	name and submission of with the provisions of PF tement of formula of this that if this notification is	of final printed labeling.  R Notice 98-10 and EP is product. I understandort consistent with the	A regulation that it is terms of I	a violation of ' PR Notice 98-	18 U.S.C 10 and 4	Sec.	1001 to w	illfully mak	e any fal	lse statement	
1 Blotowick This Dynama Mill	2a Backacad In	Sect	tion — i	H							
Material This Product Will  Child-Resistant Packaging  Yes*  No  * Certification must be submitted	Unit Packaging Yes No If "Yes"	No. per If "Yea	Water Soluble Packaging  Yes  No  If "Yes"  No. per Package wgt.  Container			2. Type of Container  Metal Plastic Glass Paper Other (Specify) Plant Cells					
3. Location of Net Contents Information 4. Size(s) Reta			tail Container  Various  5. Location of Label On Label								
6. Manner in Which Label is Affixed to Product  Lithogra  Paper g  Stencile				Other				,p.a.,y.,,g.p.			
			ion — I								
Contact Point (Complete items directly below for identification of incomplete items directly below for identification of incomplete.  Name Dr. Marsha C. Gray R			f 115								
I certify that the statemen I acknowledge that any ki both under applicable law	nowingly false or mislead							Red	te Applicate App	****	
2. Signature			3. Title Registration Manager					****			
4. Typed Name Rhonda M. Mannion 314/ 694-8785									* * *		
EDA Form 8570-1 (Pey 3-94)	Drevious aditions and	chaolata		White	COA CIL	^~-	/orlains	/\ Valle	30 AC	Hoost Com	

MODERANTO COMPANY
600 13TH STREET, N.W.
SUITE 600
WASHINGTON, D.C. 20005
http://www.monsanto.com

19 May 2003

## **Hand Delivered**

Document Processing Center (NOTIF)
Office of Pesticide Programs
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2,
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Attention:

Mr. Jim Tompkins (7505C)

Product Manager (Team 25)

Subject:

MON 78736 (EPA Reg. No. 71995-37). Submission of Final Printed Label and

Notification of Alternate Brand Name.

Dear Mr. Tompkins:

Monsanto is herein submitting final printed labeling for MON 78736 herbicide, which was approved by the Agency on 5 May 2003 under EPA Registration Number 71995-37. MON 78736 will be commercialized under the brand name Roundup® Concentrate Poison Ivy & Tough Brush Killer Plus.

Enclosed are three (3) copies of the final printed label for Roundup Concentrate Poison Ivy & Tough Brush Killer Plus (print plate no. 3005, 3001, and 21218A1-3). The text of the final printed label is consistent with the EPA stamped master label dated 5 May 2003 with the following exception:

• The statement "Kudzu: For best results, apply in mid- to late-summer when vines are mature and actively growing." was included in the Additional Tips section. It is a standard recommendation for all glyphosate Lawn & Garden products registered for use on kudzu, which was inadvertently excluded from the approved master label.

Should you have any questions, please contact Dr. Marsha Gray at our Washington office (202) 783-2460, or me directly at (314) 694-8785 or rhonda.m.mannion@monsanto.com.

Sincerely,

Rhonda M. Mannion

Runda W. Wanne

Registration Manager

cc: Marsha Gray / DC Office T. Schafer / A2ND M. Brown / A2ND D. Hinton / A2ND File copy

Enclosure



NOTIFICATION MAY 2 8 2003



055200

KEEP OUT OF REACH OF CHILDREN See back pure's booker for CAUTION additional precautionary statements. CAUTION NET 32 FL OZ (1 QT)

Active Ingredients
Glyphosate, isopropylamine salt
18.0%
Triclopyr, triethylamine salt
2.0%
Other Ingredients
30.0%

file: 30172/label/art folder: 30172/monsanto/Poison Ivy created by customer alt: 7-24-02 bm; 4/3/03; 5/6/03 lmk

colors: black, pantone yellow, red 485, green 362, grey 430, orange 1375 bar code: itf var. -58 mics, 25%

File: 8544/book/(01/02)/art Folder: 8544/monsanto/poison ivy Created: 6-25-02 es Alt: 7-2-02 bm/ 4-1-03; 5/19/03 lmk colors: black

Page 1

## Page 2

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent

KILLS ALL TYPES OF TOUGH WEEDS & GRASSES including: Alder, ash, aspen, blackberry, broom (French, Scotch), buckwheat, ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, hawthorn, hazel, honeysuckie, kudzu, locust, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, sassafras, sumac, sweetgum, thimbleberry, tree tobacco, trumpetcreeper, wild rose (multiflora) and willow.

## **AMOUNT TO USE**

6 fl oz (12 Tbs) per gallon of water for each 300 sq ft.

## MIXING INSTRUCTIONS

Tank Sprayer (plastic, aluminum, or stainless steel)

Add 6 fl oz (12 Tbs) to 1 gallon of water.

#### ORTHO® Dial 'n Spray ®

- Set dial to 6 oz.
- To sprayer jar add 6 oz. (12 Tbs) for each 300 sq ft. DO NOT add water.
- Spray evenly over measured area.
- After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

Do not apply with a galvanized or unlined steel sprayer, or through any irrigation system.

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

## **HOW TO APPLY**

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

## To Kill Vines

- . If vines are growing up poles, fences or tree trunks with mature bank, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs, or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a piece of cardboard or plastic.

- · Cut living stump close to ground.
- Drive 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

IMPORTANT: Do not spray plants or grasses you like as they may die too. Not recommended for spot weed control in lawns since Roundup kills lawn grasses.

## When To Apply

- Apply when weeds are actively growing.
   For best results, apply during warm, sunny weather (above 60° F).
- Apply when air is calm to prevent drift to desirable plants.

  RAINPROOF: Rain or watering 1 hour after application will not wash away effectiveness.
- Some well established weeds may require a repeat application.
- Note: Brush sprayed in the Fall may not be controlled until the following season. In the spring spray regrowth if it occurs.

**IMPORTANT:** Do not use on or around edible food or feed crops. Do not use for lawn renovation or flower bed and vegetable garden preparation (plot preparation); instead use Roundup Concentrate or Roundup Super Concentrate.

## **ADDITIONAL TIPS**

## Kudzu

For best results, apply in mid- to late-summer when vines are mature and actively growing.

#### Wild Blackberry

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication may be necessary to kill deep

File: 8544/book/(04/FC)/art Folder: 8544/monsanto/poison ivy Created: 6-25-02 es Alt: 7-2-02 bm; 4-3-03; 5/19/03 LMK colors: black, green 341 bar code: upc-a, -39 mics, 80%, itf var. -39 mics, 25%

# Page 3


## **Front**

Poison Ivy & Poison Oak

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the Fall. Reapply if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly-sealed garbage bags.

### **HOW IT WORKS**

Roundup Poison Ivy & Tough Brush Killer Plus enters plants through foliage and moves systemically to the roots, killing weeds by altering the production of certain substances found in plants. Weeds usually yellow and wilt within hours, with complete kill in 1 to 2 weeks.



This product is protected by U.S. Patents No. 5,683,958, No. 5,703,015 and No. 6,063,733 and No. 6,121,199 and No. 6,121,200. Other patents pending, No license granted under any non-U.S. patent(s).

This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging.

Manufactured for

Monsanto Company, Lawn & Garden Products P.O. Box 418, Marysville, OH 43041 PPN 3001 EPA Reg. No. 71995-37 EPA Est. 239-IA-3', 58996-MO-1' Superscript is first letter of lot number Made in USA







#### STORAGE AND DISPOSAL

STORAGE: Store in original container in a safe place away from direct sunlight.

DISPOSAL: Empty Container: Do not reuse container. Put in trash (recycle where available). Partially Full Container: Call your local waste disposal service or 1-800-CLEANUP. Never pour product down any drain.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.



People and pets may enter treated areas after spray has dried.

#### FIRST AID

If in eyes

- Hold eye open and rinse slowly and gently for 15-20 minutes.
   Remove contact lenses, if present, after first 5 minutes, then
- continue rinsing.
- Call a poison control center 1-800-246-7219 or doctor for treatment advice.
  Emergency Medical Information

- Have the product container or label with you when calling a poison
- control center or doctor, or going for treatment.
  You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as Roundup Concentrate Poison Ivy & Tough Brush Killer Plus, EPA Reg. No. 71995-37.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.



Questions, Comments or Medical Information Call 1-800-246-7219 www.roundup.com

Roundup is a trademark of Monsanto Technology LLC. © 2003 MONSANTO COMPANY Manufactured for Monsanto Company, Lawn & Garden Products P.O. Box 418, Marysville, OH 43041 EPA Est. 239-IA-3, 58996-MO-1<sup>A</sup> Superscript is first letter of lot number

EPA Reg. No. 71995-37

PRESS TO RESEAL

, File: 30173/base/art Folder: 30173/monsanto/poison ivy Created: 6-25-02 es alt: 4/4/03; 5/19/03 lmk Prints Black Code ITF 25%, -58 M



file: 30190/label/art folder: 30190/Monsanto/21218A1-3 colors: black, pms 1815, pms yellow, pms 382, pms 485