



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAY 16 2008

Ms. Dawn Fee-White
Registration Manager
Monsanto Company
1300 I Street, NW; Suite 450 East
Washington, DC 20005

RE: Notification of Labeling Claims
EPA Registration Number: 71995-37
Date of Submission: April 3, 2008

Dear Ms. Fee-White:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 3, 2008, for the product Roundup Concentrate Poison Ivy Plus Tough Brush Killer. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval Expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

 Registration
 Amendment
 Other

OPP Identifier Number
289701

Application for Pesticide – Section I

1. Company/Product Number 71995-37	2. EPA Product Manager James A. Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Roundup Concentrate Poison Ivy Plus Tough Brush Killer	PM # 25	
5. Name and Address of Applicant (Include ZIP Code) Monsanto Company 1300 I Street, NW; Suite 450 East Washington, DC 20005 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section – II

<input type="checkbox"/> Amendment – Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated	NOTIFICATION MAY 16 2008
<input type="checkbox"/> Resubmission in response to Agency letter dated	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification – Explain below.	<input type="checkbox"/> Other – Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.) **No PRIA fee required for Final Printed Label Notification. PRIA address: RegulatoryAffairs@Monsanto.com**
Notification of final Printed Label

This notification with minor revisions is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section – III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container	If "Yes" Package wgt. No. per Container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____			

Section – IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Russell P. Schneider Ph.D.	Title Sr. Director of US Regulatory Affairs Policy	Telephone No. (Include Area Code) (202) 933-2866
Certification <i>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</i>		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Manager	
4. Typed Name Dawn M. Fee-White	5. Date 28 February 2008	

**KILLS
THE ROOTS!
GUARANTEED!**

NOTIFICATION

MAY 16 2008

Roundup
CONCENTRATE

POISON IVY

PLUS ► TOUGH BRUSH KILLER

Mata la Hiedra Venenosa y los Matorrales Resistentes



**KEEP OUT
OF REACH OF CHILDREN**

CAUTION See back panel for additional
precautionary statements.

**MANTENER FUERA DEL ALCANCE
DE LOS NIÑOS**

PRECAUCION Vea declaraciones adicionales de
precaución en el reverso del panel.



LF055205040

PPN 95004F1-2

Active Ingredients:
Glyphosate, isopropylamine salt 18.0%
Triclopyr, triethylamine salt 2.0%
Other Ingredients 80.0%

NET 32 FL OZ (1 QT)

CONSEJOS ADICIONALES (Continuación)

KUDZU

Para mejores resultados, aplique a mediados o finales del verano cuando las enredaderas se encuentren maduras y crecen activamente.

ALMACENAMIENTO Y ELIMINACION

ALMACENAMIENTO DEL PLAGUICIDA: Guarde el producto en el envase original en un lugar seguro lejos de la luz directa del sol.

ELIMINACION: Si está vacío: No vuelva a utilizar este envase. Coloque en la basura u ofrezca para el reciclado si existe. **Si se encuentra parcialmente lleno:** Llame a su agencia local de desechos sólidos o al 1-800-CLEANUP para obtener instrucciones de eliminación. Nunca coloque el producto sin usar debajo de ningún drenaje interior o exterior.

DECLARACIONES DE PRECAUCION

RIESGOS PARA LOS SERES HUMANOS Y ANIMALES DOMESTICOS

PRECAUCION: Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Lávese minuciosamente con jabón y agua después de manipular.



Las personas y las mascotas pueden ingresar a la zona tratada luego de que se seque el rociado.

PRIMEROS AUXILIOS

SI OCURRE CONTACTO CON LOS OJOS

- Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 ó 20 minutos.
- Retire los lentes de contacto, si hubiera, después de los primeros 5 minutos, luego continúe enjuagando los ojos.
- Llame a un centro de control de envenenamiento, 1-800-246-7219, o médico para obtener más consejos sobre tratamiento.

Información De Emergencia Médica

- Tenga consigo el envase o etiqueta del producto cuando llame al centro de control de envenenamiento o al médico, o acuda al tratamiento.
- Puede llamar al 1-800-246-7219 para obtener información sobre el tratamiento médico.
- Este producto se ha identificado como **Roundup Concentrado Mata la Hiedra Venenosa y los Matorrales Resistentes Plus**, EPA Reg. No. 71995-37.

RIESGOS AMBIENTALES: No aplique directamente al agua. No contamine el agua limpiando el equipo o eliminando las aguas con las que lavó el equipo.

NOTIFICACION: El comprador asume toda responsabilidad de la seguridad y uso que no sea conforme con las instrucciones.



POISON IVY

PLUS TOUGH BRUSH KILLER

OPEN
ABRA

Exclusive Roundup Formula:

- Kills the roots so treated weeds don't come back!
- Fast-Acting for visible results in 24 hours!
- Kills the TOUGHEST weeds!
- Rainproof in 30 minutes!

PRODUCT FACTS

Concentrated - Makes 5 Gallons. Treats up to 1,500 sq ft.

KILLS

ALL TYPES OF TOUGH WEEDS, GRASSES, VINES, BRUSH & STUMPS including Poison Ivy, Poison Oak, Poison Sumac, Wild Blackberry, & Kudzu, alder, ash, aspen, blackberry, broom (French, Scotch), buckwheat, ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, hawthorn, hazel, honeysuckle, locust, maple, oak, persimmon, poplar, raspberry, sage, sagebrush, salmonberry, sassafras, sumac, sweetgum, thimbleberry, tree tobacco, trumpet creeper, wild rose (multiflora) and willow.

WHERE TO USE

- ✓ Areas where tough weeds are invading your yard
- ✓ Vines growing up poles or trees with mature bark
- ✓ In recreational areas, fields & trails
- ✓ Around buildings, cabins, lodges, & camp sites
- ✓ On wooded & vacant lots

AMOUNT TO USE

6 fl oz (12 Tbs) per gallon of water



Questions, Comments
or Information
Call 1-800-246-7219



www.roundup.com

Visit www.stoppoisonivy.com to learn more.

Guaranteed Satisfaction. Open booklet for details.*

This bottle contains an anti-theft device, either inside or on the back of the bottle. It does not affect Roundup's performance.

3"

3"

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW IT WORKS

Roundup® Poison Ivy Plus Tough Brush Killer enters plants through foliage and moves systemically to the roots, killing weeds by altering the production of certain substances found in plants. Weeds usually yellow and wilt within 24 hours with complete kill in 1 to 2 weeks.

MIXING INSTRUCTIONS**TANK SPRAYER**

Use of a Roundup® Brand tank sprayer is recommended. A plastic, aluminum, fiberglass, plastic lined steel or stainless steel sprayer may also be used.

- Add 6 fl oz (12 Tbs) to 1 gallon of water.
- Spot treat or spray evenly over 300 sq ft.

HOSE-END SPRAYER

For large areas:

- Set dial to 6 oz.
- To sprayer jar add 6 fl oz (12 Tbs) for each 300 sq ft. **DO NOT** add water.
- Spray evenly over measured area.
- After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

For easy to kill weeds such as seedlings add 3 fl oz (6 Tbs) to 1 gallon of water.
Do not apply with a galvanized or unlined steel sprayer (except stainless steel); or through any irrigation system.

HOW TO APPLY

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

IMPORTANT

- **Do not spray plants or grasses you like - they will die.**
- Not recommended for spot weed control in lawns since Roundup kills lawn grasses.
- Do not use on or around edible food or feed crops.
- Do not use for lawn renovation or flower bed and vegetable garden preparation (plot preparation); instead use Roundup Concentrate or Roundup Super Concentrate.

WHEN TO APPLY

- Apply when weeds are actively growing.
- For best results, apply during warm, sunny weather (above 60° F).
- Apply when air is calm to prevent drift to desirable plants.
- **RAINPROOF Protection:** Rain or watering 30 minutes after application will NOT wash away effectiveness.
- Some well established weeds may require a repeat application.
- **Note:** Brush sprayed in the fall may not be controlled until the following season. In the spring spray regrowth if it occurs.
- Plants such as ornamental flowers, trees and shrubs may be planted 30 days after application.

DIRECTIONS FOR USE (Continued)**HOW TO CLEAN SPRAYER**

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

ADDITIONAL TIPS**POISON IVY & POISON OAK**

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly-sealed garbage bags.

TO KILL VINES

- If vines are growing up poles, fences or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet of cardboard or plastic.

TO KILL STUMPS

- Cut living stump close to ground.
- Drill 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

IMPORTANT

Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

WILD BLACKBERRY

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

KUDZU

For best results, apply in mid- to late-summer when vines are mature and actively growing.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight.
DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available.
If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.
Never place unused product down any indoor or outdoor drain.

RECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

 People and pets may enter treated areas after spray has dried.

FIRST AID

IF IN YES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
- Call a poison control center, 1-800-246-7219, or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may contact 1-800-246-7219 for emergency medical treatment information.

This product is identified as **Roundup Concentrate Poison Ivy Plus Tough Brush Killer**, EPA Reg. No. 71995-37.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

ROOT. NO WEED. NO PROBLEM.®

ROUNDUP FAMILY OF PRODUCTS

Visit the Roundup website to learn more about the Roundup family of products for the best solution to your toughest weed problems.



www.roundup.com

Visit

www.stoppoisonivy.com
to learn more.



CONSUMER GUARANTEE

For any reason you are not satisfied after using this product, simply send us original proof of purchase and we will replace the product or refund the purchase price.



POISON IVY

PLUS TOUGH BRUSH KILLER

FORMULA EXCLUSIVA DE ROUNDUP:

- ¡Mata las raíces de las malezas tratadas así que no retoñan!
- ¡De acción rápida con resultados visibles en 24 horas!
- ¡Mata las malezas MAS RESISTENTES!
- ¡A prueba de lluvia en 30 minutos!

DATOS DEL PRODUCTO

Concentrado - Produce 5 galones. Trata hasta 1,500 pies cuadrados.

ELIMINA: TODO TIPO DE MALEZAS, GRAMAS, ENREDADERAS, MATORRALES RESISTENTES, Y TOCONES, incluyendo: hiedra venenosa, roble venenosa, zumaque venenoso, zarzamora silvestre, & kudzu, aliso, fresno, chopo, zarzamoras, retama (francesa, escocesa), alforfón, ceanoto, chamizo, cereza, arbusto coyote, Rubus arcticus, baya de sauco, olmo, eucalipto, espino, avellano, madre selva, acridido, arce, roble, caquí, álamo, frambuesa, salvia, artemisia, salmonberry, sazafrán, sumante, liquidámbar, zarza dedal, tabaco leñoso, trompeta trepadora, rosa silvestre (multiflor) y sauce.

DONDE USAR

- En áreas donde las malezas resistentes invadan su jardín.
- Enredaderas crecen en postes o troncos con corteza madura.
- En zonas recreativas, campos y senderos.
- Alrededor de edificios, chozas, alojamientos y zonas de campamento.
- En lotes forestados y vacantes.

CANTIDAD QUE SE DEBE USAR

6 onzas líquidas (12 cucharadas) por galón de agua.



¿Preguntas, Comentarios o Información?

Llame al 1-800-246-7219



www.roundup.com

Visite www.stoppoisonivy.com para aprender más

Satisfacción Garantizada.*

*Garantía para el consumidor: Si por algún motivo usted no queda satisfecho(a) luego de utilizar este producto, simplemente envíenos el comprobante de compra original y reemplazaremos el producto o reembolsaremos el precio de compra.

Este frasco contiene un dispositivo antiadulteración, dentro o en el reverso del frasco. No afecta el rendimiento del Roundup.

INSTRUCCIONES

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales.

COMO FUNCIONA	El Roundup® Mata la Hiedra Venenosa y los Matorrales Resistentes ingresa a las plantas a través del follaje y se traslada sistemáticamente a las raíces, eliminando a las malezas al alterar la producción de ciertas sustancias encontradas en las plantas. Las malezas se marchitan y secan al cabo de 24 horas y se produce la eliminación completa en 1 ó 2 semanas.
----------------------	--

INSTRUCCIONES PARA LA MEZCLA

TANQUE ROCIADOR	El uso de un Roundup® rociador de tanque se recomienda. Un rociador de plástico, aluminio, fibra de vidrio, acero revestido con plástico o acero inoxidable puede usar también. <ul style="list-style-type: none">• Agregue 6 onzas líquidas (12 cucharadas) a 1 galón de agua.• Realice el tratamiento localizado o rocíe uniformemente en 300 pies cuadrados.
------------------------	--

ROCIADOR CON MANGUERA	Para las zonas grandes: <ul style="list-style-type: none">• Ajuste el disco selector a 6 onzas.• Agregue al tanque del rociador 6 onzas líquidas (12 cucharadas) por cada 300 pies cuadrados. NO agregue agua.• Rocíe uniformemente en la zona medida.• Luego de rociar, se puede colocar nuevamente el producto no utilizado en su envase original.
------------------------------	--

1 cucharada (Tbs) = 3 cucharaditas (tsp)

1 onza líquida = 2 cucharadas

Para eliminar fácilmente las malezas cuando son plántulas, agregue 3 onzas líquidas (6 cucharadas) a galón de agua.

Lo aplique con un rociador de acero galvanizado o no revestido (salvo acero inoxidable) o a través de un sistema de riego.

COMO APLICAR	<ul style="list-style-type: none">• Use un patrón de rociado grueso para reducir la diseminación hacia las plantas que desee conservar.• Rocíe las malezas o gramas que desee eliminar hasta mojar completamente.• Cuando trate zonas específicas alrededor de plantas que desee conservar, proteja dichas plantas de la diseminación con una lámina de cartón o plástico. Si se rocía accidentalmente las plantas deseables, enjuague inmediatamente con agua.
---------------------	---

IMPORTANTE	<ul style="list-style-type: none">• No rocíe en plantas o gramas que desee conservar, pues morirán.• No recomendado para el control localizado de malezas de césped pues el Roundup elimina el césped.• No utilice en o cerca de alimentos o cultivos comestibles.• No utilice para la renovación de césped o la preparación de lechos de flores y huertos (preparación de zonas); en vez de ello utilice el Concentrado Roundup o Super Concentrado Roundup.
-------------------	---

INSTRUCCIONES (Continuación)

CUANDO APLICAR	<ul style="list-style-type: none">• Aplique cuando las malezas crezcan activamente.• Para mejores resultados, aplique durante clima cálido y soleado (por encima de 60° F).• Aplique cuando el aire se encuentre calmo para evitar la diseminación a plantas que se desee conservar.• Protección A PRUEBA DE LLUVIA: La lluvia o el riego 30 minutos después de la aplicación NO eliminará su eficacia.• Algunas malezas bien establecidas necesitan una aplicación repetida.• Nota: Los arbustos rociados en el otoño quizás no se controlen hasta la siguiente estación. En la primavera, rocíe las malezas que vuelvan a crecer.• Todas las flores ornamentales, árboles o arbustos pueden plantarse 30 días después de la aplicación.
COMO LIMPIAR ATOMIZADOR	Para limpiar el rociador después de usar, enjuague con agua el rociador y todas sus piezas unas 3 veces. Rocíe el agua del enjuague en la tierra o grava descubiertos. Después de limpiar, se puede utilizar el rociador para otros productos.

CONSEJOS ADICIONALES

HIEDRA VENENOSA Y ROBLE VENENOSO	El contacto con estas plantas en cualquier momento del año puede causar una reacción alérgica. Rocíe cada vez que las plantas crezcan activamente, pero por lo menos 4 semanas antes de la primera helada de otoño. Vuelva a aplicar si aparecen nuevas plantas. Manipule las plantas muertas con guantes de caucho. Elimine las plantas y guantes de caucho en bolsas de basura cerradas herméticamente.
PARA ELIMINAR ENREDADERAS	<ul style="list-style-type: none">• Si crecen enredaderas en postes, cercos o troncos con corteza madura, corte las enredaderas a una altura de 3 ó 4 pies y rocíelas completamente.• Si las enredaderas trepan arbustos o troncos con corteza inmadura, corte las enredaderas en su base y trátelas como se indica para el tratado de tocónes o rocíe el rebrote. Cuando rocíe las plantas que vuelven a crecer, proteja los arbustos y la corteza inmadura de la diseminación con una lámina de cartón o plástico.
PARA ELIMINAR TOCONES	<ul style="list-style-type: none">• Corte el tocón vivo casi a ras del piso.• Haga 4 ó 5 agujeros en el tocón recién cortado.• Inmediatamente vierta el producto sin diluir en los agujeros.
IMPORTANTE	Algunos árboles pueden compartir el mismo sistema de raíces. Los árboles adyacentes que tengan una edad, altura y distancia similares pueden indicar la presencia de sistemas de raíces compartidas. Pueden ocurrir daños en los árboles no tratados cuando se tratan uno o más árboles que comparten raíces comunes.
ZARZAMORAS SILVESTRES	Rocíe cada vez que las plantas crezcan activamente. Las cañas deben cortarse y retirarse. Con frecuencia se requiere otra aplicación para eliminar las raíces profundas.

BOOK

8/9




POISON IVY

PLUS > TOUGH BRUSH KILLER

Mata la Hiedra Venenosa y los Matorrales Resistentes

ROUNDUP FAMILY OF PRODUCTS

Visit the Roundup website to learn more about the Roundup family of products for the best solution to your toughest weed problems.



FAMILIA DE PRODUCTOS ROUNDUP

Visite el sitio Web de Roundup para conocer más acerca de la familia de productos Roundup para encontrar la mejor solución para sus problemas de malezas más resistentes.



Questions, Comments or Information
1-800-246-7219

¿Preguntas, Comentarios o Información?



www.roundup.com

Visit www.stoppoisonivy.com
to learn more.

Visite www.stoppoisonivy.com
para aprender más

This product is protected by U.S. Patents No. 5,683,958; 5,703,015; 6,063,733; 6,121,199; 6,121,200. Other patents pending. No license granted under any non-U.S. patent(s).

This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging. Roundup, Roundup and Design, No Root. No Weed. No Problem. and Roundup Extended Control and X design are trademarks of Monsanto Technology LLC.

Resealable Label for Directions & Precautions. La etiqueta resellable para instrucciones y declaraciones de precaución.

© 2007 MONSANTO COMPANY

Produced for Monsanto Company

Lawn & Garden Products

P. O. Box 418, Marysville, OH 43041

PPN 95004F1-1 (LB05512G050)

EPA Reg. No. 71995-37

EPA Est. 239-1A-31, 58996-MO-1A

Superscript is first letter of lot number.

Made in USA

2D code

LB05512G050



70183 50023 9

1050

