71995-40

9/16/2004

[Editorial Notes: Bracketed text [] is for internal use or serves as a 'place holder' for graphics. Parenthetical text () denotes optional wording.]

[Refer to APPENDIX 1 for consolidated list of label claims.]

[Refer to APPENDIX 2 for packaging related claims.]

Glyphosate Residual Concentrate

Alternate Brand Names:

Roundup Concentrate Extended Control Weed & Grass Killer Plus Weed Preventer

Roundup Concentrate Weed & Grass Killer Plus Extended Weed Control

Active Ingredients

Glyphosate, isopropylamine salt	18.00%
Imazapic, ammonium salt	0.30%
Diquat dibromide	
Other Ingredients	

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel (booklet) for additional precautionary statements. (Read precautions and directions on back label.)

ACCEPTED SEP 16 2004	
Under the Federal Insecticidat, Fungicide, and Rodentioide Act,	
as amended for the program of the pr]

NET [___]

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

Due dough Caleta		
Product Facts		
(Container) makes	up to [] gallons and treats up to [] sq ft (approx. size of [] tennis court(s))	
See Appendix 2 fo	or values and calculations.]	
WHAT IT DOES	[Optional Illustration of grassy, broadleaf and woody weeds]	
WHAT IT DOES		
· · · ·	KILLS & PREVENTS ALL TYPES OF (TOUGH) WEEDS & GRASSES	
HOW IT WORKS	[Insert brand name] (Dual Action (Formula))Works 2 ways:	
	1. One ingredient enters plants through foliage and moves	
	systemically to the roots, killing weeds by stopping the production	
	of a substance found in plants. Weeds being to yellow and wilt	
	within hours (24 hours) with complete kill in 1 to 2 weeks. (Kills	
	existing weeds & grasses, roots & all)	
	2. The other ingredient (Contains a second active ingredient that)	
	creates (provides) an invisible barrier in the soil that prevents	
	growth of (new, sprouting) weed(s) (seeds) (and grasses) (from	
	sprouting, appearing, growing) for up to 4 (2, 3) months.	
1	[Alternate text] Prevents new weeds from growing for up to 4 (2,3)	
	months by creating an invisible barrier (in the soil).	
	[Optional illustrations]	
	1. Person applying product to patio	
	Cutaway weed seed/tap root underground	
	3. Cutaway of weed germination/growth inhibition	
WHERE	(Apply only where you want to kill existing weeds AND prevent future weed	
(HOW) TO	growth for up to 4 (2, 3) months, such as):	
USE		
032	[Optional illustrations of where / how to use]: Treated (insert color) areas	
	stay weed free for up to 4 (2,3) months. [Alternate text] Spray (apply [Insert	
	brand name) to) both existing weeds and (weed-prone) areas where weeds	
	have not yet appeared) (Treated (insert color) areas stay weed free for up	
	to 4 (2, 3) months.)	
	[Optional text] Note: Product goes on clear and will not stain. (Insert color)	
	color shown for illustration purposes only.	
	- · · · ·	
	 On walkways, driveways, gravel pathways (gravel areas), 	
	(RV and boat) parking areas, and brick patios	
	 Along fences, foundations, retaining walls, curbs, and edge of 	
	lawns	
	 On cracks and crevices in sidewalks, driveways, walkways, 	
	patios, and tennis courts	
	 Around the base or in mulched beds of well established (at 	
	least one year old) (ornamental) plants, shrubs or trees	
	Decorative rock (mulch) or bark landscapes	
	IMPORTANT: To prevent new weeds and grasses from	
	growing YOU MUST SPRAY THE ENTIRE AREA you want to	
71995-40	EPA Master Label Approved 29 March 2004 Page 2	
	Amendment Dated 3 August 2004	

Amendment Dated 3 August 2004

	control (keep free of weeds), NOT JUST the emerged (existing) weeds.	
WHERE NOT TO USE	 DO NOT USE on your lawn (in lawns or for lawn renovation) as [Insert brand name] prevents desirable grasses from growing too. DO NOT USE to prepare vegetable garden plots (for vegetable garden preparation) or in your (annual) vegetable garden (in and around fruits and vegetables). DO NOT SPRAY landscaped areas with young plants (around young plants) or (in) an area that will be planted (seeded) within 4 (1, 2, 3) months. Do not spray plants or grasses you like - they may die too. 	
	Note: For weed control in these areas use Roundup Weed & Grass Killer Ready-To-Use (Roundup Weed & Grass Killer Super Concentrate).	
WHEN TO APPLY		
[Re-entry lcon]	People and pets may enter treated area after spray has dried.	
8	Questions, Comments or Medical Information call [insert contact telephone number] www.roundup.com	

	DIRECTIONS FOR USE
It is a violation of Fee	deral law to use this product in a manner inconsistent with its labeling.
MIXING INSTRUCT	ONS
Tank Sprayer (plastic, aluminum,	 Add 6 fl oz (12 Tbs) to 1 gallon of water One gallon treats 300 sq ft
plastic-lined, steel or stainless steel)	1 Tbs = 3 tsp 1 fl oz = 2 Tbs Do not (mix, store or) apply in a galvanized or unlined steel (except stainless steel) sprayer or through any irrigation system.
HOW TO APPLY	 Spray the existing weeds AND the entire surrounding weed-prone area you want to keep weed free (free of weeds) (for up to 4 (2, 3) months). Spray until THOROUGHLY WET.
	[Alternate text] To keep areas weed free for up to 4 (2, 3) months, spray the entire desired (weed-prone) area until thoroughly wet.
·····	[Alternate text] Spray existing (emerged) weeds and the entire

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

	 surrounding (weed-prone) area where weeds or grasses you want to kill normally appear until thoroughly wet. Spray only the areas you want keep free of weeds (for up to 4 (2, 3) months). When spraying around the base of well-established (at least one year old) ornamental plants, shrubs or trees, shield desirable plants from drift with a sheet of cardboard or plastic. If desirable plant is accidentally sprayed, rinse off immediately with water (or cut off the treated area). [Optional text] When making applications around desirable trees or ornamental plants, wait until desirable plants have become well established and deeply rooted.
WHEN TO REPLANT	• All ornamental bedding plants (annuals and perennials), trees, shrubs, sod and seed may be planted 4 (1, 2, 3, 3-4) months after application.
HOW TO CLEAN SPRAYER	To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning sprayer may be used for other products.
(HOW TO) REFILL [Optional section]	Use [Insert brand name for Reg. No. 71995-40] to refill [Insert brand name for Reg. No. 241-425] containers. Follow the instructions below:
	 [24 fl oz container] To empty container add 1 oz (3 Tbs) of [Insert brand name for Reg. No. 71995-40] then fill with water very slowly to avoid foaming. [½ Gallon] To empty container add 3 fl oz of [Insert brand name for Reg. No. 71995-40] then fill with water very slowly to avoid foaming.
	[Gallon] To empty container add 6 oz of [Insert brand name Reg. No. 71995-40] then fill with water very slowly to avoid foaming.
	[1.33 Gallon PNS] To empty container add 8 fl oz of <i>[Insert brand name for Reg. No.</i> 71995-40] then fill with water very slowly to avoid foaming.
	[6L] To empty container add 10 fl oz of <i>[Insert brand name for Reg. No.</i> 71995-40] then fill with water very slowly to avoid foaming.
	[2 Gallon] To empty container add 12 fl oz of <i>[Insert brand name for Reg. No.</i> 71995-40] then fill with water very slowly to avoid foaming.

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

Page 4

4/12

ŧ

KILLS ALL TYPES OF WEEL	DS & GRASSES [Optional Section	7]
Bahiagrass	Bentgrass	Bermudagrass
Bindweed	Black Medic	Blue Toadflax
Bluegrass	Brassbuttons	Broadleaf Plantain
Bromegrass	Bur Clover	Canada Thistle
Chickweed	Common Plantain	Common Groundsel
Crabgrass	Creeping Bentgrass	Creeping Charlie
Creeping Beggarweed	Curly Dock	Dandelion
Diffuse Lovegrass	Dog Fennel	Evening Primrose
False Dandelion	Fennel	Fescue
Fiddleneck	Filaree	Florida Pusley
Garden Spurge	Henbit	Johnsongrass
Knotweed	Lambsquarters	Little Bitter Cress
London Rocket	Maiden Cane	Mallow
Mayweed	Mouseear Chickweed	Nimblewill
Oldenlandia	Orchardgrass	Oxalis
Pennsylvania Smartweed	Pennywort	Perennial Ryegrass
Primrose	Prostrate Spurge	Puncture Vine
Quackgrass	Ragweed	Sandspur
Shepherdspurse	Smooth Cat's Ear	Sowthistle
Spotted Spurge	St. Augustinegrass	Tall Fescue
Tansy Ragwort	Torpedograss	White Clover
Whitetop	Wild Morning Glory	Wild Barley
Yellow Nutgrass	Zoysia	

NOTE: Heavy lawn grass or well established difficult to control weeds, such as Bermudagrass, Nimblewill, Dandelion, or Canada Thistle may require a repeat application.

STORAGE AND DISPOSAL [Optional trash can illustration]

PESTICIDE STORAGE: Store in original container in a safe place away from direct sunlight. **DISPOSAL:** Do not reuse this container. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS [optional illustration]

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

[Optional, re- entry statement appears earlier in label]	People and pets may enter treated area after spray has dried.
[Re-entry icon]	

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

Page 5

5/12

FIRST AID [0	otional First Aid icon]
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	 Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
	 Call a poison control center (insert contact telephone #) or doctor for treatment advice.
EMERGENCY	MEDICAL INFORMATION
Have the pr going for tre	oduct container or label with you when calling a poison control center or doctor, or eatment.
You may co	ntact (insert contact telephone #) for emergency medical treatment information.
This produce	t is identified as [Insert brand name], EPA Reg. No. 71995-40
ENVIRONMEN	TAL HAZARDS
· · · · ·	rectly to any body of water. Do not contaminate water when cleaning equipment equipment washwaters.
	nent] This chemical demonstrates the properties and characteristics associated detected in ground water. The use of this chemical in areas where soil is

with chemicals detected in ground water. The use of this chemical in areas where soil is permeable, particularly where the water table is shallow, may result in ground-water contamination.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Optional text] Roundup Family of Products: Visit the Roundup website to learn more about the Roundup family of products for the best solution to your toughest weed problems

This product is protected by U.S. patent No. [Insert relevant patent number(s).]. Other patents pending. No license granted under any non-U.S. patent(s).

This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging.

Roundup is a trademark of Monsanto Technology LLC © [____] MONSANTO COMPANY Manufactured for Monsanto Company PO Box 418 Marysville, OH 43041-0418 PPN (Form No.) EPA Reg. No. 71995-40 EPA Reg. No. 71995-40 EPA Est. 239-IA-3¹; 58996-MO-1^A Superscript is first letter of lot number Made in USA

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

APPENDIX 1 – Consolidated List of Label Claims

- Before [weed graphics] / After [weed graphics]
- Contains FastAct™ (Technology) (with Foam)
- Controls tough weeds longer
- Dead Weeds Guaranteed (or Your Money Back)
- Delivers maximum performance: Kills tough weeds and grasses to the root, prevents new weeds and grasses for up to 4 (2,3) months, visible results in hours (24 hours), rain-proof protection in 30 mintues, great value – covers up to 400 sq ft.
- Dual (2-way) Action (kills and prevents)
- Dual (2-way) Action: Kills existing weeds (roots and all) and prevents new weeds from appearing for up to (30, 60, 90, 120 days) (1, 2, 3, 4 months)
- Easy (-ier) to use (convenient, handy, useful)
- Eliminate(s) weeds
- Even if it rains Roundup won't lose its effectiveness
- Exclusive (Roundup) formula
- Experience the Roundup Advantage (peel back this panel for detail) (see details inside / underneath this booklet) (see details on back panel)
- Extended performance
- Extended weed control
- FastAct[™] (Technology)
- Fast acting (formula)
- Fast-acting formula moves to the root faster (is absorbed fast)(more quickly)
- Fast results
- Great value makes up to [] gallons and covers up to [] sq ft
- Ideal for killing and preventing unwanted weeds and grasses throughout your yard. Use along fences, retaining walls; in cracks of walks, drives and patios; and around flower (landscape) beds, rings around trees and shrubs
- Keep yards (areas of your yard) weed free longer
- Keeps driveways, walkways, landscape borders, tree rings, and other areas weed-free for 1 (2, 3, 4, 1-2, 2-3, 2-4, 3-4 months) (seasonally) (all season long)
- Provides seasonal (extended) (1, 2, 3, 4, 1-2, 2-3, 2-4, 3-4 months) control of weeds in driveways, walkways, landscape borders, tree rings, and other areas.
- (One application) Kills (existing) weeds (& grasses) (roots & all) and prevents (new) weed(s) (seeds) (from sprouting, appearing, growing) for up to 3 (2, 4) months (60, 90, 120 days)
- Kills (the toughest weeds and grasses) to the root so weeds (they) don't come back
- Kills the weeds (& grasses) you see (roots & all) and prevents (new) weed(s) (seeds) (from sprouting, appearing) for up to 3 (2, 4) months
- Kills (to) the roots
- Kills existing tough weeds & grasses to the root
- Kills more weeds in more places.
- Kills over 100 weeds
- Kills weeds, roots and all
- Kills weeds dead
- Kills and prevents (for up to (2, 3, 4) months)
- NEW

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

- Next day results: Begins killing on contact, visible results in hours (less than 9, 12, 24 hours)
- No Root, No Weed, No Problem
- NOW
- One step protection
- Only Roundup's effectiveness (exclusive formula) won't be washed away by rain or watering 2 hours (30, 45, 60, 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after treatment
- Quality that lasts
- Rainproof in 2 hours (30, 45, 60, 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) (for control that won't wash away)
- Ready-To-Use
- Roundup's exclusive (patented) (FastAct) formula (technology) kills to the root so weeds don't come back
- (See) (Visual) Results in hours (less than 9, 12, 24 hours) Prevents for up to (30, 60, 90, 120 days)(1, 2, 3, 4 months)
- Season long weed control
- Seasonal weed control
- (See) (visual) results in 24 hours (1 day)
- (See) (visual) results in hours (less than 9, 12, 24 hours)
- Satisfaction guaranteed
- Starts working overnight
- Starts working in (24) hours
- Starts to kill overnight
- Starts to kill in hours (same day)
- Tougher than the toughest weeds
- Trusted protection
- 2 in 1 (kills and prevents)
- Use to trim and edge landscape areas
- Dead in a day
- Spray today, dead tomorrow
- 30-50% faster (even when its cold) (even in the Spring) (even when it's dry) (even when it's cool)
- All-Season Formula (Delivers 12 hour results all year (even in cool and cloudy weather))
- All-temperature Roundup Always 12 hour results!
- All-weather Formula (Results in (less than) 12 hours)
- Begins working in hours
- (Contains) (Now with) FastAct (II) Technology
- Patented FastAct (II) Technology
- Results in (less than) 12 (4,6,8,10) hours (even when it's cool) (even in the Spring)
- Results that show
- Same day results
- Speedy results
- The fast weed killer (starts working immediately)
- Weeds start dying in 1 day (less than 9, 12, 24 hours)
- Longer lasting formula

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

 One application kills weeds (to the root) and prevents (new) weeds for up to (1, 2, 3, 4 months) (30, 60, 90, 120 days)

[Promotional options]

- Save up to \$[x] on (your) next purchase
- Free weed guide inside
- Free [] with this purchase of Roundup Ready-To-Use (container size)
- FREE SAMPLE
- SAMPLE NOT FOR SALE
- Value sized
- X% free (more)

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

Page 9

9/12

NET xx fl oz (qt or gal) (xx mL or L) 6 fl oz (177 mL) 13 oz (384 mL) 16 fl oz (1 pt) (473 mL) 32 fl oz (1 qt) 946 mL) 53.7 fl oz (0.42 gal) (1.5 L) 64 fl oz (1/2 gal) (1.89 L) 128 fl oz (1 gal) (3.79 L)

[corner flap] OPEN Resealable Label for Directions & Precautions PULL HERE TO OPEN LABEL PEEL HERE PEEL OPEN FOR USE DIRECTIONS AND FURTHER INFORMATION PRESS TO RESEAL

[Net contents] Makes up to 'X' gallons

Mix with water to make 'X' gallons of spray solution Treats (covers) up to 'Y' sq ft (approximate size of 'Z' tennis court(s)) Mix with water to treat (cover) up to 'Y' sq ft

[X = net contents ÷ 6] [Y = X * 300] [Z = Y ÷ 2808]

- [Pint] Makes up to 2½ gallons Mix with water to make 2½ gallons of spray solution Covers up to 750 sq ft (approximate size of 1/4th tennis court) Mix with water to cover up to 750 sq ft
- [Quart] Makes up to 5 gallons Mix with water to make 5 gallons of spray solution Covers up to 1,500 sq.ft (approximate size of half a tennis court) Mix with water to cover up to 1,500 sq.ft

[0.42 Gallon] Makes up to 9 gallons Mix with water to make 9 gallons of spray solution Covers up to 2,700 sq ft (approximate size of one (a) tennis court)

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

Mix with water to cover up to 2,700 sq ft

[Half Gallon] Makes up to 10 gallons Mix with water to make 10 gallons of spray solution Covers up to 3,000 sq ft (approximate size of one (a) tennis court) Mix with water to cover up to 3,000 sq ft

[Gallon] Makes up to 21 gallons Mix with water to make 21 gallons of spray solution Covers up to 6,300 sq ft (approximate size of two tennis courts) Mix with water to cover up to 6,300 sq ft

New! Larger size, covers up to ['Y'] sq ft

With (the convenient) measuring cup, mixing [Insert Brand Name] (controlling weeds. around your home) has never been easier

With (the convenient) measuring cup, controlling weeds all around your home has never been this fast and easy

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

Description of Changes for 071995-00040.20040803.pdf

This Master Label Amendment incorporates the following changes:

- Reformatted label into easier to read box format.
- Reworked label to eliminate repetitive and redundant text
- Grammatical changes to make label easier to read and understand by consumers.
- Added prohibitive statement for lawn renovation, an expansion of the currently approved prohibition for use in/on lawns.
- Revised refill rates to be consistent with use rates found in Mixing Instructions section
- Updated Appendix 1 to include new non-efficacy claims and new combination claims
- Made optional the statement regarding subsequent applications.
- Revised Disposal instructions per PR Notice 2001-6.
- Made optional the groundwater advisory statement. This statement is being made optional in order to provide consistency with the corresponding RTU Registration No. 241-425 which does not include this advisory statement.
- Revised Weeds Controlled list

71995-40

EPA Master Label Approved 29 March 2004 Amendment Dated 3 August 2004

Page 12

12/12