

PM 23

72106-1

1/06/00

YELLOW 1 of 6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
72106-1

Date of Issuance:
JAN 6 2000

Term of Issuance:
Conditional

Name of Pesticide Product:
Ever Green Lawn Food
with Moss Control 12-2-2

NOTICE OF PESTICIDE:
 Registration
 X Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (Include ZIP Code):

Waupaca Materials
E3439 Hwy. 22 & 54
Waupaca, WI 54981

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence to this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally reregistered in accordance with FIFRA Section 4(g)(2)(C). Reregistration under this section of the Act does not eliminate the need for continual assessment of the registration of this product. Reregistration base on your response to the EPA Reregistration Eligibility Decision (RED) is conditional until you:

1. Make the following label changes:

a. Under the "Precautionary Statements" revise it to read as follows: "Harmful if swallowed, absorbed through skin, or inhaled. Avoid breathing of dust or contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Signature of Approving Official:

Date:

2000

7505C
Morgan
1/4/00

2. Revise the "Statement of Practical Treatment" as follows:

In the "Dermal Statement" revise to read as: "Wash with plenty of soap and water. Get medical attention."

Add this "Inhalation" statement: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention."

In the "Ocular" statement, revise the last sentence to read, "Call a physician if irritation persists."

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of the condition. Stamped copies of the labels are enclosed for your records.

Joanne I. Miller
Product Manger (23)
Herbicide Branch
Registration Division (7505C)

Enclosure


EVERGREEN

LAWN FOOD

with Moss Control 12-2-2

ACCEPTED
with COMMENTS
in EPA Letter Dated
JAN 6 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
72106-1



A Quick Greening Lawn Food Combined with a Moss Control Agent
Covers 3,000 Sq. Ft.

Active Ingredient		
Ferrous Sulfate Monohydrate (FeSO ₄ ·H ₂ O)	17.0%	
Inert Ingredients	83.0%	
Total:	100.0%	

CAUTION: Wet lawn cement. Keep off sidewalks, driveways, etc.

CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON
BACK OF BAG.

EPA REG NO 72106-1 EPA EST NO 72106-WA-001

NET WEIGHT: 25 LBS. (11.34 Kg)

EVERGREEN Lawn Food with Moss Control

Best Copy Available
 faxed original



4166

LAWN FOOD WITH MOSS CONTROL

12-2-2

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Apply Evergreen Lawn Food with Moss Control in spring or fall, using fertilizer spreader per instructions below.
2. Avoid overlap when applying.
3. Water thoroughly immediately following application.
4. Dead moss may be raked out.

CAUTION: This product contains Iron. Iron will stain. Do not allow this product to contact patios, driveways, or clothing. Sweep concrete surfaces immediately to prevent staining. If concrete is wet when contact occurs staining may be impossible to avoid.

Do not use on warm season grasses or on dichondra lawns.

SPREADER SETTINGS

Scotts Drop Spreader	6	Scotts Easy Green Rotary	25.5
Republic EZ Drop	5	Republic EZ Broadcast	2
Red Devil Drop	7	Red Devil Rotary	6

The above spreader settings are approximate. Check your spreader on 120 sq. ft. and adjust to apply at the rate of 1 lb. per 120 sq. ft. Clean spreader thoroughly after use.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation of dust or contact with skin, eyes, or clothing. Wash hands thoroughly after handling.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or by giving Syrup of Ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. Call physician immediately.
IF IN EYES: Flush eyes thoroughly with water for 15 minutes. Get medical attention.
IF ON SKIN: Wash with soap and water.

STORAGE & DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area away from children and pets. Do not store near food or feeds. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.
PESTICIDE DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.
CONTAINER DISPOSAL: Do not reuse empty bag. Discard in trash.

GUARANTEED ANALYSIS

Total Nitrogen (N)	12%
8% Ammoniacal Nitrogen	
4% Urea Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	2%
Soluble Potash (K ₂ O)	2%
Sulfur (S)	8%
Iron (Fe)	5%

DERIVED FROM: Ammonium Sulfate, Ammonium Phosphate, Urea, Muriate of Potash, Ferrous Sulfate Monohydrate.


For an attractive, healthy lawn year-round, apply the proper fertilizer every 8 weeks during spring, summer and fall. (Approximately 3-4 times per year.)

SPRING	SUMMER	SUMMER	FALL
Evergreen Lawn Food With Moss Control	Evergreen Lawn Food	Evergreen Lawn Food With Weed Control	Evergreen Lawn Food With Moss Control

NOTICE TO BUYER

Our recommendations for use of this product are based upon tests and/or information believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied beyond refund of purchase price is offered. Buyer assumes all risk of improper storage and application of this product or its improper use in combination with other materials.

Manufactured by
 Waupaca Northwoods LLC doing business as Waupaca Materials
 E3439 Hwy. 22 & 54 Waupaca, WI 54981
 120596



Evergreen Lawn Food with Moss Control 12-2-2 Label Text

Directions for Use:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Apply Evergreen Lawn Food with Moss Control in summer, spring or fall, using fertilizer spreader per instructions below.
2. Avoid overlap when applying.
3. Water thoroughly immediately following application.
4. Dead moss may be raked out or will decompose on its own.

Spring Summer Autumn	1	<u>Evergreen Multi-Purpose Top Soil:</u> Create a growing medium for lawns, gardens, or wherever the ground is of a hard, clay consistency.
Spring Autumn	2	<u>Evergreen Lawn Food with Moss control 12-2-2:</u> A quick greening lawn food combined with a moss control agent. 25 pounds covers 3 000 square feet.
Spring Summer Autumn	3	<u>Evergreen Garden Fertilizer 5-10-10:</u> Mix into soil at regular intervals for lush, green plants.
Spring Summer Autumn Winter	4	<u>Evergreen Garden Bark:</u> Create a decorative landscaping around lawns and gardens and suppress weed growth by blocking out light.

ATTENTION: This product contains Iron. Iron will stain. Do not allow this product to contact patios, driveways, or clothing. Sweep concrete surfaces immediately to prevent staining. If concrete is wet when contact occurs staining may be impossible to avoid.

Do not use on warm season grasses or on dichondra lawns.

For sod lawn construction follow 2,500 square feet spreading rate. For seed construction follow 5,000 square feet spreading rate.

SPREADER SETTINGS

Scott's Drop Spreader	6	Scott's Ezzy Green Rotary	25.5
Republic EZ Drop	5	Republic EZ Broadcast	2
Red Devil Drop	7	Red Devil Rotary	6

The above spreader settings are approximate. Check your spreader on 120 sq. ft. and adjust to apply at the rate of 1 lb. per 120 sq. ft. Clean spreader thoroughly after use.

As calibration and general condition of spreader can materially affect the rate of flow, neither the manufacturer or the seller can guarantee exact coverage as indicated by above recommended dial settings.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust or contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or by giving Syrup of Ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. Call physician immediately.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water after handling. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment, washwater or rinsate

Evergreen Lawn Food with Moss Control 12-2-2 Label Text

STORAGE & DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area away from children and pets. Do not store near food or feeds. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PESTICIDE DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Discard in trash.

GUARANTEED ANALYSIS

Total Nitrogen (N).....	12%
8% Ammoniacal Nitrogen	
4% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	2%
Soluble Potash (K ₂ O).....	2%
Sulfur (S).....	8%
Iron (Fe).....	5%

DERIVED FROM: Ammonium Sulfate, Ammonium Phosphate, Urea, Muriate of Potash, Ferrous Sulfate.

For an attractive, healthy lawn year-round, apply the proper fertilizer every 8 weeks during spring, summer and fall. (Approximately 3-4 times per year.)

SPRING	SUMMER	SUMMER	FALL
Evergreen Lawn Food with Moss Control	Evergreen Lawn Food	Evergreen Lawn Food with Weed Control	Evergreen Lawn Food with Moss control

This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium, and zinc. You have the right to receive specific information about Washington standards from the distributor of this product. Effective 7-1-99: Information received by the Washington State Department of Agriculture regarding the components in this product is available on the internet at <http://www.wa.gov/agr/>.

NOTICE TO BUYER

Our recommendations for use of this product are based upon tests and/or information believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied beyond refund of purchase price is offered. Buyer assumes all risk of improper storage and application of this product or its improper use in combination with other materials.

Our Promise of Quality

This product is manufactured according to Pace International specifications and standards for quality and consistency. Pace International will refund your purchase price if you are unsatisfied with this product. The use of this product is beyond the control of the manufacturer and no guarantee is expressed or implied beyond refund of the purchase price. Buyer assumes all risk of improper storage and application of this product or its improper use in combination with other materials. Our recommendations for use of this product are based on tests and/or information believed to be reliable.

MANUFACTURED BY PACE INTERNATIONAL LP
500 SEVENTH AVE. S., KIRKLAND, WA 98033
101698