

72112-11

4/11/2007

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

NOTIFICATION

APR 11 2007

APR 11 2007

Michael Kellogg
Agent for PROKōZ, Inc.
C/o Pyxis Regulatory Consulting, Inc.
4110 136th St. NW
Gig Harbor, WA 98332

SUBJECT: Application for Pesticide Notification – Change of Primary Brand Name
Pentium™
EPA Reg. No. 72112-11
Application Dated February 20, 2007

Dear Mr. Kellogg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the product above. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

SLC

2/11



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 72112-11	2. EPA Product Manager J. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PROKOZ, Inc. / PROKOZ 012	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) PROKOZ, Inc. c/o Pyxis Regulatory Consulting, Inc. 4110 136th St. NW Gig Harbor, WA 98332 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION APR 11 2007
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of a change in primary brand name and minor label revisions per PRN 98-10. The new primary brand name is "PENTIUM™". This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Michael Kellogg	Title Agent	Telephone No. (Include Area Code) 253-853-7369	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Agent		
4. Typed Name Michael Kellogg	5. Date 2/20/07		

PYXIS REGULATORY CONSULTING, INC.

4110 136th St. NW
Gig Harbor, WA 98332

Phone: 253-853-7369
Fax: 253-853-5516
Email: www.PyxisRC.com

February 20, 2007

COURIER DELIVERY

NOTIFICATION
APR 11 2007

Joanne Miller (PM 23)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

RE: PROKōZ, Inc. – PROKōZ 012 (EPA Reg. No. 72112-11)
Notification of a Change in the Primary Brand Name and Minor Label Revisions per PR Notice 98-10

Dear Ms. Miller,

On behalf of PROKōZ, Inc. please find the enclosed notification of a change in primary brand name for PROKōZ 012 (EPA Reg. No. 72112-11). The new primary brand name is "PENTIUM™".

Other minor label revisions permitted by PR Notice 98-10 and included in this notification include:


- P. 1 - Added the phrase "Plant Growth Regulator"
- P. 8 – Added consumer access numbers and applicable trademark reference

In support of this notification, we submit the following documents:

1. Completed Application for Registration (EPA Form 8570-1)
2. One (1) copy of the PENTIUM™ labeling with changes tracked
3. One (1) copy of the PENTIUM™ labeling with changes incorporated
4. Letter of Authorization

Please feel free to call me if you have any questions or need any additional information.

Sincerely,



Michael Kellogg

Enclosures

cc: Mohamed Rachadi; PROKōZ, Inc.

cc: Mohamed Rachadi; PROKōZ, Inc.

11

PENTIUM™

Plant Growth Regulator

For Turf Growth Management

For managing growth, improving quality and stress tolerance, and edging of warm- and cool-season turfgrasses

Deleted: PROK6Z 012

Formatted: Font: 14 pt

ACTIVE INGREDIENT:

Trinexapac-ethyl (CAS No. 95266-40-3)..... 11.3%

OTHER INGREDIENTS:..... 88.7%

TOTAL:..... 100.0%

PENTIUM™ is a microemulsion concentrate.

Deleted: PROK6Z 012

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
If a large amount has been ingested, lavage stomach. An aqueous suspension of activated charcoal can be given to absorb remaining toxicant. Treat symptomatically.	

NOTIFICATION
APR 1 1 2007

See inside label booklet for additional PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.


EPA Reg. No. 72112-11

EPA Est. No. 62171-MS-001

Manufactured for:

PROK6Z, Inc.
100 North Point Center East, Suite 330
Alpharetta, GA 30022

Net Contents: 1 Gallon



PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as nitrile, butyl, neoprene, or barrier laminate)
- Shoes plus socks

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Do not apply when weather conditions favor drift from treated areas.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

The restricted-entry-interval (REI) for this product is 0 days.


Do not enter treated areas without footwear until sprays have dried.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter treated areas without footwear until sprays have dried.

Observe all precautions and limitations on this label and on the labels of each product used in tank mixture with this product.



FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN UNEVEN GROWTH REDUCTION OR SEVERELY STUNTED TURF.

GENERAL INFORMATION

PENTIUM™ for turf growth management reduces the frequency of mowing and the amount of grass clippings by reducing the growth of warm- and cool-season turfgrasses. Other benefits, such as increased turf density, increased color, and increased turf quality, are frequently observed after PENTIUM™ applications.

Deleted: PROK6Z 012

PENTIUM™ can be applied to well-maintained, quality turfgrass areas, such as residential and commercial lawns, golf courses, sod farms, sports fields, cemeteries, and similar areas. PENTIUM™ is useful in the management of difficult-to-mow areas and can be used to minimize the need for edging turfgrass along sidewalks, curbs, parking lots, driveways, flower beds, fences and around posts, storage sheds, and trees.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

PENTIUM™ reaches the growing point by foliar uptake and is rainfast from rainfall or irrigation after one hour. Watering-in is not necessary for activation.

Deleted: PROK6Z 012

NOTICE TO USER: Plant tolerances to PENTIUM™ have been found to be acceptable for the grasses listed on this label. Due to the large number of species and cultivars of grasses, it is impossible to test every one for tolerance to PENTIUM™. Neither the manufacturer nor the seller has determined whether or not PENTIUM™ can be used safely on grasses not specified on this label. The professional user should determine if PENTIUM™ can be used safely prior to commercial use. Before using PENTIUM™ for grasses not listed in the application table, test PENTIUM™ on a small scale first. Apply the lower recommended rate for the turf setting (lawn, fairway, etc.) and evaluate for phytotoxicity and growth inhibition to widespread use.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

APPLICATION METHODS

Environmental conditions, management, and cultural practices that affect turf growth and vigor will influence the response of the turf to PENTIUM™ applications. Fertility level, moisture availability, plant vigor, height, and frequency of mowing, etc. have been shown to influence the activity of PENTIUM™.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

The rates presented in the **Application Rate Table** provide approximately 50% growth inhibition over a 4-week period with little or no discoloration of turf growing under favorable conditions.

Excessive turf growth, which may occur with high fertilization or during spring flushes, may require higher rates of PENTIUM™. Under these conditions, PENTIUM™ rates may need to be increased up to 50% to provide an adequate length of control.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

For extended growth suppression up to 8 weeks, when temporary discoloration can be tolerated, a maximum of twice the recommended PENTIUM™ rate from the **Application Rate Table** may be applied.

Deleted: PROK6Z 012

PENTIUM™ use rates may need to be reduced up to 50% for turfgrass grown under conditions of low fertility, compaction, or other factors which stress the turf.

Deleted: PROK6Z 012

Multiple applications of PENTIUM™ can be made each growing season, but do not exceed a total of 7.0 fl. oz./1,000 sq. ft. (305 fl. oz./A; 19.0 pts./A) per year.

Deleted: PROK6Z 012

Mowing


Generally, PENTIUM™ provides more suppression when turfgrasses are maintained at lower mowing heights than higher mowing heights. Application rates have been selected for typical mowing heights. The application rate may need to be adjusted depending on actual mowing conditions. To minimize possible turf injury, apply PENTIUM™ then wait at least 4 hours before mowing or mow first, wait at least 1 hour, then apply PENTIUM™.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Application Timing



Apply PENTIUM™ to actively-growing turf. If turf is going into dormancy because of high or low temperatures or lack of moisture, apply a lower rate of PENTIUM™.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Repeat applications of PENTIUM™ may be made as soon as the turf resumes growth or more suppression is desired, but do not apply more than 7.0 fl. oz./1,000 sq. ft. per year.

Deleted: PROK6Z 012

Equipment

PENTIUM™ may be applied with backpack sprayers, hand sprayers, boom sprayers, and with spraygun application devices. Clean spray equipment thoroughly before use. Make sure the sprayer is capable of accurate and uniform application. Calibrate the sprayer before applying PENTIUM™. Rinse sprayer with clean water after use and dispose of rinsate in an approved manner.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

MIXING INSTRUCTIONS

Apply PENTIUM™ in sufficient carrier (for example 0.5-4.0 gals. of water per 1,000 sq. ft.) to provide uniform and thorough coverage.

Deleted: PROK6Z 012

PENTIUM™ is a microemulsion concentrate (MEC) with minimal odor because the product does not contain petroleum solvents. PENTIUM™ mixes completely with water and may be tank mixed with many commonly used pesticides and liquid fertilizers. Prepare no more mixture than is necessary for the immediate operation. Once PENTIUM™ is uniformly mixed, no further agitation is required when the product is used alone, but agitation may be required for tank mixes. If using PENTIUM™ in a tank mixture, observe all directions for use, sites, use rate dilution ratios, precautions, and limitations which appear on the tank-mix product's label. Do not exceed any label use rate and follow the most restrictive label precautions and limitations. This product should not be mixed with any product which prohibits such mixing.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Backpack and Hand Sprayers (0.5-4.0 gals. capacity)

PENTIUM™ Alone: Add all of the required water to the mix tank. Add the appropriate amount of PENTIUM™, close sprayer, and vigorously shake it. Begin application.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Boom and Hand Gun Sprayers

PENTIUM™ Alone: Add all of the required amount of water to the spray tank. Then, while agitating, add PENTIUM™.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

PENTIUM™ + Tank Mixtures: When mixing PENTIUM™ with other components (carrier and tank mix pesticide products) add the products to the spray tank using the following procedure:


Deleted: PROK6Z 012

Deleted: PROK6Z 012

1. Always check the compatibility of the tank mix using a jar test with proportionate amounts of PENTIUM™, other products to be used, and the water before mixing in the spray tank. Use a clear glass quart jar with lid and mix the tank mix ingredients in their relative proportions. Invert the jar containing the mixture several times and observe the mixture for approximately 1/2 hour. If mixture balls-up, forms flakes, sludges, oily films or layers; or precipitates, it is not compatible and do not use the combination in a tank mix.
2. Fill tank at least 1/2 full of water.
3. Maintain sufficient agitation during filling to keep the tank mix uniformly suspended.
4. Add all products packaged in water-soluble bags first. Allow the packages to dissolve and the contents to completely disperse into the mix water. Then add water-dispersible granules (WG formulations) while maintaining agitation in the mix tank. Next, add wettable powders (WP formulations). Allow the products to disperse completely before other products are added.
5. Add emulsifiable concentrates (EC).
6. Add flowable liquids (FL) or suspension concentrates (SC).
7. Add PENTIUM™.
8. Add spray adjuvants and spray markers. Use surfactants approved for application to turf. Check surfactant label before use.
9. Add the remainder of the water.

Deleted: PROK6Z 012

Deleted: PROK6Z 012



10. Do not leave tank mix combinations in the spray tank for prolonged periods without agitation. Mix and apply all of the spray solution on the same day.

Note: Do not mix PENTIUM™ with any product which prohibits such mixing. Do not exceed any label application rate and follow the most restrictive label precautions and limitations. Refer to the tank mix partner label(s) for further information.

Deleted: PROK6Z 012

Application Near and Around Monuments and Hardscape Materials

PENTIUM™, at normal dilution rates, will not stain brass, bronze, concrete, marble, granite, or other types of stone. Before using PENTIUM™ around other materials, test on a small scale basis first.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Turf Pre-Stress Conditioning

Multiple PENTIUM™ applications along with cultural practices such as fertilization, irrigation, drainage, mowing height, etc., will delay the onset of stress, improve stress survival, and enhance turf's recovery from stress. Apply PENTIUM™ to healthy, actively growing turf before the onset of stress and continue to apply PENTIUM™ throughout the growing season as long as the turf remains healthy, but do not apply more than 7.0 fl. oz./1,000 sq. ft. per year. Turfgrass root-mass is often greater in PENTIUM™-treated turf than in similar, untreated turf. As turf top growth slows, energy is redirected to below-ground plant parts, and root and rhizome production increases. Research has demonstrated that PENTIUM™ may also enhance the performance of fungicides. Monthly applications of PENTIUM™ at the label rate or biweekly applications at 1/2 the label rate strengthen the turfgrass to help it resist disease. In addition, if mowing is less frequent, and leaf material removal is reduced, contact and systemic products stay at effective concentrations on or in the turf longer. Multiple applications of PENTIUM™ will reduce water use and improve drought tolerance. PENTIUM™ applications result in smaller, more compact turfgrass and leaf area is reduced for transpiration. Increased turf density reduces moisture loss from soil evaporation, and additional soil moisture is available due to increased root depth and mass. PENTIUM™ also may increase carbohydrate levels which have been shown to enhance heat and cold tolerance.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

POA ANNUA CONVERSION/RENOVATION

PENTIUM™ can be applied to existing turf infested with stands of *Poa annua* as part of an overseeding/renovation program. Such an application allows better germination and seedling growth of more desirable turf. The use of PENTIUM™, with appropriate cultural practices, that help to ensure the vigor and growth of new seedlings, will also result in fewer clippings and thus reduce maintenance traffic on new seedlings. Because PENTIUM™ is foliarly-absorbed, seed germination is not affected. Apply PENTIUM™ 1-5 days before seeding; and before verticutting, scalping, spiking, or other similar operations.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Temporary initial discoloration is possible with aggressive application rates of PENTIUM™ to turf with *Poa annua*. The following spring, apply the upper end rate of PENTIUM™ for the turf type and setting listed in the Application Rate Table. Actual conversion success will also depend on growing conditions, fertilization, rainfall, and other agronomic and environmental conditions.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

BERMUDAGRASS OVERSEEDING

An application of PENTIUM™ to bermudagrass will enhance the establishment of cool-season turfgrasses. Application of PENTIUM™, along with cultural practices that help ensure new seedling vigor and growth, will also result in fewer clippings and less maintenance traffic on new seedlings. PENTIUM™ is foliarly absorbed, so germination and seedling growth is not affected.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Deleted: PROK6Z 012


Apply PENTIUM™ before verticutting, scalping, spiking, or other similar operations to the bermudagrass. Apply PENTIUM™ 1-5 days before seeding.

Deleted: PROK6Z 012

Deleted: PROK6Z 012

Temporary initial discoloration of turfgrass is possible with aggressive application rates of PENTIUM™. Use normal seeding rates for your area and turf setting (lawn, fairway, etc.). Actual overseeding success will also depend on growing conditions, fertilization, rainfall, and other agronomic and environmental conditions. For maintenance applications, see the Application Rate Table.

Deleted: PROK6Z 012



119

APPLICATION WITH TURF MARKING PAINT

PENTIUM™ can extend the duration of marking visibility when applied before or with marking agents. Mix PENTIUM™ with water first when combining with latex-based marking agents. Refer to the marking agent's product label for further instructions.

Deleted: PROK&Z 012
Deleted: PROK&Z 012

Apply PENTIUM™ at 1 oz./gal. of marking paint mix to treat approximately 1,000 sq. ft. of line surface area. Refer to the PENTIUM™ + Tank Mixtures section of this label for additional instructions.

Deleted: PROK&Z 012
Deleted: PROK&Z 012

Notes: (1) Areas treated with PENTIUM™ should continue to receive regular maintenance practices, including irrigation; fertilization; and weed, disease, and insect control when necessary, and as recommended for quality turf. Because some herbicides can injure turf, tank mixes with PENTIUM™ should be tested on a small scale before widespread use. (2) PENTIUM™ may cause temporary yellowing. This usually disappears about one week after application. To minimize yellowing and to enhance the green color of turf, apply readily available nitrogen at 0.2-0.5 lb. of actual nitrogen per 1,000 sq. ft. If desirable, recommended rates of iron per 1,000 sq. ft. can also be used. (3) Full growth regulation by PENTIUM™ begins at about 3-5 days after application.

Deleted: PROK&Z 012
Deleted: PROK&Z 012
Deleted: PROK&Z 012
Deleted: PROK&Z 012




Table 1. Recommended PENTIUM™ Application Rates^{1,2}

Deleted: PROK&Z 012

Turf Type	Residential and Commercial Turf ³		Golf Course Fairways (Cut at 0.5" or less)		Golf Course Greens		Edging/Banding ⁴	
	Fl. oz./1,000 sq. ft.	Fl. oz./A	Fl. oz./1,000 sq. ft.	Fl. oz./A	Fl. oz./1,000 sq. ft.	Fl. oz./A	Fl. oz./1,000 sq. ft.	Fl. oz./A
Cool-Season								
Bentgrass	0.75	33	0.25	11	0.125	6	1.0	44
Fescue, Red	0.75	33					1.0	44
Fescue, Tall (Ky-31)	1.0	44					1.0	44
Fescue, Tall (Turf Types)	0.75	33					1.0	44
Kentucky Bluegrass	0.60	26	0.25	11			0.75	33
Mixture (Bentgrass/ <i>Poa annua</i>)			0.25 ⁵	22				
Mixture (K. Bluegrass/Fescue/Rye grass)	0.75	33						
Mixture (K. Bluegrass/Ryegrass/ <i>Poa annua</i>)			0.50 ⁵	22				
Ryegrass, Annual	1.0	44					1.0	44
Ryegrass, Perennial	1.0	44	0.50	22			1.0	44
Warm-Season								
Bahiagrass	1.0	44					1-2	44-88
Bermudagrass⁵								
Bermudagrass, Common	0.75	33	0.25	11			1-2	44-88
Bermudagrass, Other Hybrids	0.25	11	0.20	9			0.50-0.75	22-33
Bermudagrass, Tifdwarf	0.20	9	0.20	9	0.062	3	0.50-0.75	22-33
Bermudagrass, Tifgreen (328)	0.25	11	0.20	9	0.125	6	0.75	33
Bermudagrass, Tifway (419)	0.38	16	0.25	11			0.75	33
Buffalograss	1.0	44					1.0	44
Carpetgrass	0.25-0.40	11-18					0.50	22
Centipedegrass	0.50	22					1.0	44
Kikuyugrass	0.30-0.50	13-22	0.3	13			1.0	44
St. Augustinegrass	0.10-0.15	4.50-6.50					0.40-0.80	18-36
St. Augustinegrass, Texas Common	0.10	4.5					0.20	9
Zoysiagrass	0.25	11	0.125	6			0.75	33

¹These rates should provide 50% suppression of turf growth under good growing conditions for 4 weeks with minimal yellowing.

²Seedheads: At rates equal to or higher than the rates in Table 1, PENTIUM™ provides seedhead suppression of hybrid bermudagrass, and partial seedhead suppression of annual bluegrass, bahiagrass, buffalograss, carpetgrass, common bermudagrass, Kentucky bluegrass, and tall fescue. PENTIUM™ must be applied prior to seedhead formation. Do not apply more than 7.0 fl. oz./1,000 sq. ft. per year.

³Including, but not limited to home lawns, parks, recreation areas, golf course roughs, cemeteries, business sites, sports fields, and sod farms.

⁴PENTIUM™ can be applied along the perimeter of lawns, sidewalks, curbs, parking lots, driveways, posts, storage buildings, pet pens, fences, or other areas. PENTIUM™ can be used around trees, shrubs, flower beds, and other border plants or similar areas with no injury. Apply PENTIUM™ in an 8 to 12-inch band with a single nozzle sprayer. Use the higher concentration to reduce the growth of the turfgrass into adjacent areas.

⁵Where yellowing of *Poa annua* is a concern, use half this rate and apply more frequently. For *Poa*


Deleted: PROK&Z 012

Deleted: PROK&Z 012

Deleted: PROK&Z 012

Deleted: PROK&Z 012

Deleted: PROK&Z 012



annua conversion/renovation, where temporary discoloration can be tolerated, twice this rate may be applied.

⁶Bermudagrass overseeding preparation: 0.5 oz./1,000 sq. ft. for golf fairways and tees; 0.25 oz./1,000 sq. ft. for golf greens.

Precautions: (1) Do not apply PENTIUM™ through any type of irrigation system. (2) Do not graze areas or feed clippings to livestock.

Deleted: PROK6Z 012

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below 0°F. If crystals form, store above 70°F, shaking periodically until crystals are dissolved.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this Product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of PROK6Z, INC. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold PROK6Z, INC. and Seller harmless for any claims relating to such factors.

PROK6Z, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or PROK6Z, INC., and Buyer and User assume the risk of any such use. PROK6Z, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by law, neither PROK6Z, INC. nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF PROK6Z, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF PROK6Z, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

PROK6Z, INC. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of PROK6Z, INC.

For PRODUCT USE Information Call 1-770-619-9832.

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-424-9300.

PENTIUM™ is a trademark of PROK6Z, INC.

Formatted: Font: (Default) Arial, 9 pt

Formatted: Font: Arial, 9 pt

