

72155 - 2

07/21/2000

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

72155-2

JUL 21 2000

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Term of Issuance:

Conditional

(under FIFRA, as amended)

Name of Pesticide Product:

Lawn Herbicide
JD RTU

Name and Address of Registrant (include ZIP Code):

Bayer-Pursell, LLC
1500 Urban Center Pkwy., Suite 520
Birmingham, AL 35242

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.

2. Make the following label changes before you release the product for shipment:

- a. Revise the EPA Registration Number to read "EPA Reg. No. 72155-2."

Signature of Approving Official:

Date:

JUL 21 2000

Sm. Coake
7-21-00

3. On the Back Panel, under "Quick Facts" replace the dollar signs with bullets and under the heading "Directions For Use", subheading "For Best Results" again change dollar signs to bullets.
4. On the Back Panel, within "Other ingredients include: water,", add "preservative."
5. On last page (4), in the Note Section of the First Aid Box, add the acid equivalent statement, for each ingredient.
6. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec.6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manager 23
Herbicide Branch
Registration Division (7505C)

Enclosure

(FRONT PANEL)

Lawn Herbicide JD RTU

- Kills listed weeds
- Kills hard-to-control weeds
- Won't harm lawns
- Gets the root
- Kills over 200 types of weeds
- Systemic
- Kills the weeds, not the lawn

ACCEPTED
with COMMENTS
In EPA Letter Dated

JUL 21 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
72155-2

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt0311 %
Mecoprop, dimethylamine salt0075 %
Dicamba, dimethylamine salt0034 %
OTHER INGREDIENTS:99.580 %


Net Contents: 16 fl. oz. (473 mL) or 24 fl. oz. (709 mL) or
1 Gal. (3.78 L)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel [Booklet] for Additional Ingredients and
Precautionary Statements

[] Information is optional



(BACK PANEL)
 READ THE LABEL FIRST!

QUICK FACTS <ul style="list-style-type: none"> • Kills Broadleaf Weeds \$ Non-Staining Marker Indicates Where You've Sprayed [Treated] \$ Kills the Weed, Root and All \$ Won't Harm Lawns 	
KILLS	Over 200 broadleaf weeds such as dandelion, clover, chickweed and other listed weeds
WHERE TO USE	Lawns (NOT for use on Carpetgrass, Dichondra or desirable clovers.)
WHEN TO USE	When weeds are actively growing
	For questions or comments, call toll-free 1-877 BayerAL or visit us on-line at www.AdvancedLawn.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt0.311 %
Mecoprop, dimethylamine salt0.075 %
Dicamba, dimethylamine salt0.034 %
OTHER INGREDIENTS*:99.580 %
	100.000 %

*Other ingredients include: Water, surfactants (to keep the active ingredients dispersed in water), and pigment (non-staining marker)

EPA Reg. No. 72155-XXX EPA Est. No. XXXX-AA-XX

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.	
BEFORE YOU USE Read and follow directions when using.	<ul style="list-style-type: none"> • Do not apply near lakes, streams, rivers or ponds. • Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. • Apply when wind is calm.
HOW TO APPLY	<ul style="list-style-type: none"> • Shake well before use. • Adjust spray nozzle to give a coarse spray. • Hold sprayer about 12 inches from weed. • Aim at center of weed. NOTE: Over-applying could damage Bentgrass, Centipede and St. Augustine (including Floratam) grasses. • Non-Staining marker indicates where product was applied.
FOR BEST RESULTS	<ul style="list-style-type: none"> \$ Apply when weeds are actively growing. \$ Rainfall or watering soon after application may reduce effectiveness.
HOW LAWN HERBICIDE JD RTU WORKS	LAWN HERBICIDE JD RTU is a <i>selective</i> [lawn] herbicide – it <i>selectively</i> kills weeds in the lawn but won't harm the lawn itself. It is a blend of proven weed killers designed to get broadleaf weeds such as dandelion, clover and chickweed. [This product works on broadleaf weeds by speeding up their growth, the new tissues block the food transport system (phloem), certain parts of the plants starve e.g., the roots, and the plants die.]

KILLS [CONTROLS]	Annual yellow sweetclover	Daisy, oxeye
	Aster	Dandelion
	Austrian fieldcress	Dichondra
	Bedstraw	Dogbane
	Beggarticks	Dogfennel
	Betony, Florida	Dollarweed
	Bindweed, field	Elderberry
	Bird vetch	False dandelion
	Bitter wintercress	False flax
	Bittercress, hairy	False sunflower
	Bitterweed	Fiddleneck
	Black-eyed Susan	Florida pusley
	Black medic	Frenchweed
	Black mustard	Galinsoga
	Blackseed plantain	Goathead
	Blessed thistle	Goldenrod
	Bloodflower	Ground ivy
	milkweed	Gumweed
	Blue lettuce	Hairy fleabane
	Blue vervain	Hawkweed
	Bracted plantain	Healall
	Brassbuttons	Heartleaf drymary
	Bristly oxtongue	Heath aster
	Broadleaf dock	Hedge bindweed
	Broadleaf plantain	Hedge mustard
	Broomweed	Hemp
	Buckhorn	Henbit
	Buckhorn plantain	Hoary cress
	Bulbous buttercup	Hoary plantain
	Bull thistle	Hoary vervain
	Bullnettle	Horsenettle
	Burclover	Jimsonweed
	Burdock	Knawel
	Burning nettle	Knotweed
	Burweed	Kochia
	Buttercup	Lambsquarters
	Buttonweed	Lespedeza
	Canada thistle	Mallow
	Carolina geranium	Matchweed
	Carpetweed	Mexicanweed
	Catchweed	Milk vetch
	bedstraw	Morningglory
	Catnip	Mouseear
	Catsear	hawkweed
	Chickweed, common	Mugwort
Chickweed, mouseear	Musk thistle	
Chicory	Mustard	
Cinquefoil	Narrowleaf plantain	
Clover, crimson	Narrowleaf vetch	
Clover, hop	Nettle	
Clover, red	Orange hawkweed	
Clover, strawberry	Oriental cocklebur	
Clover, sweet	Oxalis	
Clover, white	Parsley-piert	
Cockle	Parsnip	
Cocklebur	Pearwort	
Common mullein	Pennycress	
Creeping charlie	Pennywort	
Creeping jenny	Pepperweed	
Cudweed	Pigweed	
Curly dock	Pineywoods	
Daisy, English	bedstraw	
Daisy, fleabane	Plains coreopsis	
	(tickseed)	
	Plantain	
	Poison ivy	

Continued in next column

KILLS LIST continued		
KILLS [CONTROLS]	Poison oak	Tansy mustard
	Pokeweed	Tanweed
	Poorjoe	Thistle
	Prairie sunflower	Trailing crownvetch
	Prickly lettuce	Tumble mustard
	Prickly sida	Tumble pigweed
	Prostrate knotweed	Velvetleaf
	Prostrate pigweed	Venice mallow
	Prostrate spurge	Virginia buttonweed
	Prostrate vervain	Virginia creeper
	Puncturevine	Virginia
	Purslane, common	pepperweed
	Ragweed	Water pennywort
	Red sorrel	Wavyleaf bullthistle
	Redroot pigweed	Western clematis
	Redstem filaree	Western salsify
	Rough cinquefoil	White mustard
	Rough fleabane	Wild aster
	Russian pigweed	Wild buckwheat
	Russian thistle	Wild carrot
	Scarlet pimpernel	Wild four-o'clock
	Scotch thistle	Wild garlic
	Sheep sorrel	Wild geranium
	Shepherdspurse	Wild lettuce
	Slender plantain	Wild marigold
	Smallflower	Wild mustard
	galinsoga	Wild onion
	Smooth dock	Wild parsnip
	Smooth pigweed	Wild radish
	Sorrel	Wild rape
	Sowthistle	Wild strawberry
	Spanishneedles	Wild sweet potato
	Speedwell	Wild vetch
	Spiny amaranth	Woodsorrel
	Spiny cocklebur	Wooly croton
	Spiny sowthistle	Woolly
	Spotted catsear	morningglory
	Spotted spurge	Woolly plantain
	Spurweed	Wormseed
	Stinging nettle	Yarrow
	Strawberry, India	Yellow rocket
	mock	Yellowflower
	Tall nettle	pepperweed
	Tall vervain	and other broadleaf weeds

- Do not allow people (other than applicator) or pets on treated area during application.
- People and pets may re-enter the treated area after it has dried.

IMPORTANT: Directions for Storage and Disposal

Storage Conditions: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

- Disposal:**
- Do not reuse empty container.
 - Place in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state and local guidelines.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

- Harmful if swallowed.
- Avoid contact with eyes, skin, or clothing.
- When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.

After using this product:

- Rinse gloves before removing and wash hands.
- If product gets on clothing, remove clothing as soon as possible and shower. Launder clothing separately before reuse.

ENVIRONMENTAL HAZARDS

- This product is toxic to aquatic invertebrates.
- Do not apply directly to water.
- Drift or runoff may harm aquatic invertebrates and plants.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of LAWN HERBICIDE JD RTU under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D - 9440 051800

Distributed by:
Bayer-Pursell, LLC
1500 Urban Center Drive
Birmingham, AL 35242

FIRST AID	
IN CASE OF ACCIDENTAL...	IMMEDIATELY...
Swallowing	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor.
Contact with eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredients: 0.311% 2,4-D, dimethylamine salt [CAS # 2008-39-1], 0.075% Mecoprop, dimethylamine salt [CAS # 66423-09-4], and 0.034% Dicamba, dimethylamine salt [CAS # 2300-66-5].</p>	