

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

AUG 1 7 2009

Mr. Gregory C. Mattern Regulatory Product Manager Bayer Advanced P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, NC 27709

RE: Notification of Minor Label Modification per PR Notice 98-10

EPA Reg. No.: 72155-2

Date of Submission: June 4, 2009

Dear Mr. Mattern:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated June 4, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions	on reverse before completing form.
.	United Stat
SEPA	Environmental Protect
45 mm 5 4	Washington, DC

Form App	rovec	I. OMB No. 2070-0060	. Approval expires
		Registration .	OPP Identifier Nu
		Amendment	
	✓	Other	

SEPA	United States Environmental Protection Agency Washington, DC 20460 Washington, DC 20460 Kegistr				Amendm Other		·
		Application for	Pesticide -	- Section	<u> </u>		
		1	2. EPA Product Manager Joanne Miller			posed Classification None Restricted	
4. Company/Product (Name) Lawn Herbicide JD Ready-to-Use			PM# 23	PM#			Nestlicted
5. Name and Address of Applicant (Include ZIP Code) Bayer Advanced P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, NC 27709			(b)(i), my pr to:	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. NOTIFICATION			
Check if this	is a new address		Product N	lame	AUG	17 200	9
		Se	ction - II				
Notification - Explain I	onse to Agency letter d pelow. al page(s) if necessary.	. (For section I and S	Age "Me	el printed labels ency letter date e Too" Applica er - Explain bel	ed ition. low.		
Notification of minor label cha Concentrate formulation of thi CFR 152.46, and no other cha 18 U.S.C. Sec. 1001 to willfull and 40 CFR 152.46, this prod	s product (Reg. No. 721 anges have been made ly make any false statem	55-4). This notificatio to the labeling or the clent to EPA. I further of FIFRA and I may be	n is consistent wi onfidential staten understand that it subject to enford	th the provision nent of formula f this notification	of PR Notice of this product is not consist	98-10 and t. I unders tent with th	EPA regulations at 40 tand that it is a violation of the terms of PR Notice 98-10
		Sec	tion - III				
1. Material This Product Will Child-Resistant Packaging Yes V No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per If "Y	-	ging lo. per ontainer	2. Type of C	Container Metal Plastic Glass Paper Other (Sp	pecify)
3. Location of Net Contents I	nformation 4	4. Size(s) Retail Cont 16 fl. oz. or 2	einer 4 fl. oz. or 1 gal	l r	eation of Labe	I Direction	าร
6. Manner in Which Label is A	Affixed to Product	Lithograph Paper glued Stenciled		Other			
		Sec	tion - IV				
1. Contact Point (Complete i	terns directly below for	r identification of ind	ividual to be con	tacted, if nece	assary, to pro	cess this e	application.)
		Title Regula	atory Product M	ory Product Manager Telephone No. (Include (919) 549-2630		No. (Include Area Code) 2630	
I certify that the staten I acknowledge that any both under applicable Is	knowlinglly false or m				mprisonmen@	စုဂ်ဗုံ(မ်.ငု	6. Dot∋∟Application Received (Stamped)
2. Signature Gregor	y C. Matt	3. Title Regula	tory Product Mar	nager	(((((((((((((((((((((
4. Typed Name 5. (5. Date	CCC			(((
Gregory C. Mattern			June 4, 2009				ο ε ε · · · · · · · · · · · · · · · · ·

(FRONT PANEL)

Lawn Herbicide JD Ready-To-Use

AUG 17 2009 300

- Kills listed weeds
- Kills hard-to-control weeds
- Won't harm lawnst
- Gets the root
- Kills over 200 types of weeds
- Systemic
- · Kills the weeds, not the lawn+
- Kills Broadleaf weeds in St. Augustine & other Southern Lawns
- SmartTrack™ Marker Shows Treated Weeds
- · Kills Broadleaf weeds
- 100% Satisfaction Guaranteed* (or your money back)
- Kills 200+ Weeds
- For St. Augustine & Other Southern Lawns
- Kills Broadleaf Weeds in Southern Lawns
- · Ideal for Spot Treatment
- Rainproof in one hour

ACTIVE INGREDIENTS:	
2,4-D, dimethylamine salt	0.311 %
Mecoprop-p, dimethylamine salt	
Dicamba, dimethylamine salt	
OTHER INGREDIENTS:	

Net Contents: 16 fl. oz. (473 mL) or 24 fl. oz. (709 mL) or 1 Gal. (3.78 L)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel [Booklet] for Additional Ingredients and Precautionary Statements

[] Information is optional



(BACK PANEL)

This product kills broadleaf weeds in St. Augustine and other Southern lawns. This special formula kills Dollarweed, Spurge, Oxalis and Dandelion without harming your lawn. Controlling weeds in your lawn has never been easier.

READ THE LABEL FIRST!

QUICK FACTS

- · Kills Broadleaf weeds in Southern Grasses
- Contains SmartTrack™, a non-staining marker that indicates where you've sprayed
- · Kills the Weed, Root and All
- · Won't Harm Your Lawn

KILLS	Broadleaf weeds such as Dollarweed, Spurge, Oxalis, Chickweeds, Clovers, Dandelion and other listed weeds
WHERE TO USE	On Lawns
	† (NOT for use on Carpetgrass, Dichondra or desirable clovers.)
WHEN TO USE	When weeds are actively growing
	For questions or comments, call toll-free 1-877 BayerAG or visit us on-line at www.Bayeradvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENTS:

OTHER INGREDIENTS*: 99.580 %

100.000 %

EPA Reg. No. 72155-2

IMPORTANT! READ BEFORE USE

EPA Est. No. XXXX-AA-XX

[For 1 gallon]





ATTACH SPRAYER

- · Remove sprayer from bottle and extend hose.
- Open flip-cap on bottle.
- Insert hose and plug into flip-cap opening until it snaps into place.

SPRAY

- · Adjust nozzle to stream or spray position.
- Point sprayer downward and squeeze trigger repeatedly until liquid is released.

AFTER USE

- Turn sprayer nozzle to X (off) position.
- Do not unplug hose.
- Return sprayer to bottle. Sprayer will snap into place.

	DIRECTIONS FOR USE	
It is a vic	plation of Federal Law to use this product in a manner inconsistent with its labeling.	
	For best results, read and follow all label directions.	
BEFORE YOU USE	Do not apply near lakes, streams, rivers or ponds.	
Read and follow directions	Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other de	sirable plants.
when using.	Apply when wind is calm.	
HOW TO APPLY	Adjust spray nozzle to give a coarse spray.	12 m
	Hold sprayer about 12 inches from weed.	est 🛡
SHAKE WELL BEFORE USE	Aim at center of weed. NOTE: Over-applying could damage Bentgrass, Centipede and St. Augustine (including Floratam) grasses. Do not squirt the same weed more than twice (two pulls on the trigger sprayer) in a four-week period. This is enough to control weeds without harming sensitive lawn grasses.	and the same of th
	Non-Staining marker indicates where product was applied.	0000
FOR BEST RESULTS	Apply when weeds are actively growing.	00 0
	Rainfall or watering soon after application may reduce effectiveness.	O
HOW THIS PRODUCTS WORKS	This product is a selective [lawn] herbicide – it selectively kills weeds in the lawn but won pharm the blend of proven weed killers designed to get broadleaf weeds such as dollarweed, spurge and exalis works on broadleaf weeds by speeding up their growth, the new tissues block the food transport system parts of the plants starve e.g., the roots, and the plants die.]	s. [This product
	(0 ((()	· ·



KILLS	Annual yellow sweetclover	Cockle	Mugwort	Spiny amaranth
[CONTROLS]	Aster	Cocklebur	Musk thistle	Spiny cocklebur
	Austrian fieldcress	Common mullein	Mustard	Spiny sowthistle
	Bedstraw	Creeping charlie	Narrowleaf plantain	Spotted catsear
	Beggarticks	Creeping jenny	Narrowleaf vetch	Spotted spurge
	Betony, Florida	Cudweed	Nettle	Spurweed
	Bindweed, field	Curly dock	Orange hawkweed	Stinging nettle
	Bird vetch	Daisy, English	Oriental cocklebur	Strawberry, India mock
	Bitter wintercress	Daisy, fleabane	Oxalis	Tall nettle
	Bittercress, hairy	Daisy, oxeye	Parsley-piert	Tall vervain
Ę.	Bitterweed	Dandelion	Parsnip	Tansy mustard
	Black-eyed Susan	Dichondra	Pearlwort	Tanweed
	Black medic	Dogbane	Pennycress	Thistle
	Black mustard	Dogfennel	Pennywort	Trailing crownvetch
	Blackseed plantain	Dollarweed	Pepperweed	Tumble mustard
	Blessed thistle	Elderberry	Pigweed	Tumble pigweed
	Bloodflower milkweed	False dandelion	Pineywoods bedstraw	Velvetleaf
	Blue lettuce	False flax	Plains coreopsis (tickseed)	Venice mallow
	Blue vervain	False sunflower	Plantain	Virginia buttonweed
	Bracted plantain	Fiddleneck	Poison ivy	Virginia creeper
	Brassbuttons	Florida pusley	Poison oak	Virginia pepperweed
	Bristly oxtongue	Frenchweed	Pokeweed	Water pennywort
	Broadleaf dock	Galinsoga	Poorjoe	Wavyleaf bullthistle
	Broadleaf plantain	Goathead	Prairie sunflower	Western clematis
	Broomweed	Goldenrod	Prickly lettuce	Western salsify
İ	Buckhorn	Ground ivy	Prickly sida	White mustard
	Buckhorn plantain	Gumweed	Prostrate knotweed	Wild aster
	Bulbous buttercup	Hairy fleabane	Prostrate pigweed	Wild buckwheat
	Bull thistle	Hawkweed	Prostrate spurge	Wild carrot
	Builnettle	Healali	Prostrate vervain	Wild four-o'clock
	Burclover	Heartleaf drymary	Puncturevine	Wild garlic
	Burdock	Heath aster	Purslane, common	Wild geranium
•	Burning nettle	Hedge bindweed	Ragweed	Wild lettuce
	Burweed	Hedge mustard	Red sorrel	Wild marigold
	Buttercup	Hemp	Redroot pigweed	Wild mustard
	Buttonweed	Henbit	Redstem filaree	Wild onion
	Canada thistle	Hoary cress	Rough cinquefoil	Wild parsnip
	Carolina geranium	Hoary plantain	Rough fleabane	Wild radish
	Carpetweed	Hoary vervain	Russian pigweed	Wild rape
	Catchweed bedstraw	Horsenettle	Russian thistle	Wild strawberry
	Catnip	Jimsonweed	Scarlet pimpernel	Wild sweet potato
	Catsear	Knawel	Scotch thistle	Wild vetch
	Chickweed, common	Knotweed	Sheep sorrel	Woodsorrel
	Chickweed, mouseear	Kochia	Shepherdspurse	Wooly croton
i	Chicory	Lambsquarters	Slender plantain	Woolly morningglory
	Cinquefoil	Lespedeza	Smallflower galinsoga	Woolly plantain
	Clover, crimson	Mallow	Smooth dock	Wormseed
	Clover, hop	Matchweed	Smooth pigweed	Yarrow
	Clover, red	Mexicanweed	Sorrel	Yellow rocket
	Clover, strawberry	Milk vetch	Sowthistle	Yellowflower péppal weed
	Clover, sweet	Morningglory	Spanishneedles	cánd other broadleaf
	Clover, white	Mouseear hawkweed	Speedwell	weeds







- Do not allow people (other than applicator) or pets on treated area during application.
- People and pets may re-enter the treated area after it has dried.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- · Harmful if swallowed.
- · Avoid contact with eyes, skin, or clothing.
- · When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.

After using this product:

- · Rinse gloves before removing and wash hands.
- IF product gets on clothing, remove clothing as soon as possible and shower. Launder clothing separately before reuse.

FIRST AID		
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredients: 0.311% 2,4-D, dimethylamine salt [CAS # 2008-39-1], 0.258% acid equivalent; 0.075% Mecoprop-p, dimethylamine salt [CAS # 66423-09-4], 0.062% acid equivalent; and 0.034% Dicamba, dimethylamine salt [CAS # 2300-66-5], 0.028% acid equivalent.

ENVIRONMENTAL HAZARDS

- This product is toxic to aquatic invertebrates.
- · Drift or runoff may adversely affect aquatic invertebrates and non-target plants.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.
 Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal			
PRODUCT STORAGE	Store in original container in a cool dry place, out of the reach of children, preferably a locked storage cabinet.		
PRODUCT AND CONTAINER DISPOSAL:	If empty: Non-refillable container. Do not refill or reuse this container. Place empty container in trash or offer for recycling if available. If partly filled: Call your local solid waste agency toll free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.		

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeradvanced.com
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

Lawn Herbicide JD RTU (MASTER) Approved 03/21/01, Notification 08/11/05, Notification 11/18/05, Notification 09/26/07, Notification 02/16/09, Notification 06/04/09