

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460	EPA Reg. Number: 72155-5	Date of Issuance: OCT 11 2000
	NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under FIFRA, as amended)	Term of Issuance: Conditional	
		Name of Pesticide Product: Lawn Herbicide 3D Concentrate	
Name and Address of Registrant (include ZIP Code): Bayer-Pursell, LLC 1500 Urban Center Parkway, Suite 520 Birmingham, AL 35242			
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit data. 2. Add the phrase "EPA Registration No. 72155-5" to your label before you release the product for shipment. 3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling. <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.</p>			
Signature of Approving Official: 		Date: 10-11-00	

page 2

EPA Reg. No. 72155-5

A stamped copy of the label is enclosed for your records.



James A. Tompkins
Product Manager (25)
Herbicide Branch
Registration Division (7505C)

(FRONT PANEL)

Lawn Herbicide 3D Concentrate

- Kills listed weeds
- Kills hard-to-control [tough] weeds
- Won't harm lawns
- Kills the weeds, not the lawn
- All-in-one lawn weed killer
- Kills to the root
- Kills over 200 types of weeds
- Systemic
- 1 Quart treats up to 10,667 square feet
- Convenient MEASURE-UP Cup™

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
OCT 11 2000**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

*72155-5
72155-5*

ACTIVE INGREDIENTS:

Monosodium acid methanearsonate	9.81 %
2,4-D, dimethylamine salt	3.18 %
Mecoprop-p, dimethylamine salt	1.60 %
Dicamba, dimethylamine salt	0.79 %
OTHER INGREDIENTS:	84.62 %

This product contains:

- Total Arsenic (as elemental) all in water soluble form 4.84 %
- 2.64% 2,4-D acid equivalent
- 1.32% Mecoprop-p acid equivalent
- 0.66% Dicamba acid equivalent
- Isomer Specific by AOAC Method


Net Contents: 16 fl. oz. (473 mL) or 24 fl. oz. (709 mL) or 32 fl. oz. (946 mL) or 1 Gal. (3.78 L)

KEEP OUT OF REACH OF CHILDREN

CAUTION



See Back Panel [Booklet] for Additional Ingredients and Precautionary Statements

[] Information is optional



FOR OUTDOOR RESIDENTIAL USE ONLY

(BACK PANEL)
 READ THE LABEL FIRST!

QUICK FACTS (Marketing Claims positioned here)	
KILLS	Over 200 broadleaf weeds such as dandelion, clover, chickweed and grassy weeds such as crabgrass and nutgrass/nutsedge and other listed weeds
WHERE TO USE	Lawns (NOT for use on Carpetgrass, Centipede, Creeping Fescue, Dichondra, St. Augustinegrass (including Floratam), or desirable clovers.)
WHEN TO USE	<ul style="list-style-type: none"> • When weeds are actively growing • Temperature Restrictions: Temperatures above 80 °F – Do not apply on Kentucky Bluegrass, Perennial Ryegrass, or Tall Fescue Temperatures above 90 °F – Do not apply on Bermuda or Zoysia
HOW MUCH TO USE	Northern Lawns: <ul style="list-style-type: none"> • Tall Fescue 3 fl. oz. per 1,000 sq. ft. [1 Quart treats up to 10,667 sq. ft.] • Kentucky Bluegrass, Perennial Ryegrass 5 fl. oz. per 1,000 sq. ft. [1 Quart treats up to 6,400 sq. ft.] Southern Lawns: <ul style="list-style-type: none"> • Bermuda, Zoysia 7 fl. oz. per 1,000 sq. ft. [1 Quart treats up to 4,571 sq. ft.]
 	For questions or comments, call toll-free 1-877 BayerAL or visit us on-line at www.AdvancedLawn.com

ACTIVE INGREDIENTS:

Monosodium acid methaearsonate 9.81 %
 2,4-D, dimethylamine salt 3.18 %
 Mecoprop-p, dimethylamine salt 1.60 %
 Dicamba, dimethylamine salt 0.79 %
OTHER INGREDIENTS*: 84.62 %

TOTAL 100.00 %

*Other ingredients include: Water, suspending aids (to keep the active ingredients dispersed in water), surfactants (to keep the active ingredients dispersed in water), preservative and antifoam.


THIS PRODUCT CONTAINS:

Total Arsenic (as elemental) all in water soluble form 4.84 %
 2.64% 2,4-D acid equivalent
 1.32% Mecoprop-p acid equivalent
 0.66% Dicamba acid equivalent
 Isomer Specific by AOAC Method

EPA Reg. No. 72155-__ EPA Est. No. ____-AA-__

DIRECTIONS FOR USE	
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.	
BEFORE YOU USE Read and follow directions when using.	<ul style="list-style-type: none"> Do not apply near lakes, streams, rivers or ponds. Do not use more product than specified on the label. This product utilizes the MEASURE-UP Cup™, a bottle cap that acts as a measuring cup. Use only with this product. Do not use for other purposes. Do not apply when the lawn is emerging from dormancy or under severe stress from drought, insect attack or high temperatures. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not apply in windy conditions. Newly seeded lawns may be treated after the fourth mowing. Do not apply with hose-end sprayer.
HOW TO USE	<ul style="list-style-type: none"> Determine amount of product to use based on grass type, sprayer type and size of area to be treated. Prepare product for use according to Sprayer Type. Apply to lawn.
HOW MUCH TO APPLY	Northern Lawns <ul style="list-style-type: none"> Tall Fescue 3 fl. oz. (6 Tbs. or 18 tsp.) per gallon of water Kentucky Bluegrass, Perennial Ryegrass 5 fl. oz. (10 Tbs. or 30 tsp.) per gallon of water Southern Lawns <ul style="list-style-type: none"> Bermuda, Zoysia 7 fl. oz. (14 Tbs. or 42 tsp.) per gallon of water Each gallon of solution treats 1,000 sq. ft. TIP: Measure length and width of area to be treated in feet. Multiply these 2 numbers together. This is the area to be treated in square feet (sq. ft.)
Continued in next column	


continued	
HOW TO APPLY	
PUMP-STYLE TANK SPRAYERS	<ol style="list-style-type: none"> Add the appropriate amounts of water and concentrate to the sprayer tank. Close sprayer, shake well and pressurize. Adjust nozzle to a coarse spray pattern. Large areas – Apply evenly over area. Individual weeds – Hold tip of wand 12 inches from weed, aim at center of weed and spray. Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.
FOR BEST RESULTS	<ul style="list-style-type: none"> Apply when weeds are young and actively growing. If the lawn is dry, water 24 hours before using this product. Do not water for 24 hours after application. Do not use this product if rain is likely within 24 hours. Apply 1 to 3 days after mowing ((mowing encourages weed growth which enhances uptake of the weed killer [herbicide])). Certain hard-to-kill weeds may need to be spot-treated in 14 days. Bare spots may be seeded 3 to 4 weeks after application.
HOW LAWN HERBICIDE 3D CONCENTRATE WORKS	LAWN HERBICIDE 3D CONCENTRATE is a selective [lawn] herbicide – it selectively kills weeds in the lawn but won't harm the lawn itself. It is a blend of proven weed killers designed to get broadleaf weeds such as dandelion, clover and chickweed and grassy weeds such as crabgrass and nutgrass/nutsedge. [This product works on broadleaf weeds by speeding up their growth, the new tissues block the food transport system (phloem), certain parts of the broadleaf weeds starve e.g., the roots, and the plants die. It kills grassy weeds by "looking like" the essential plant nutrient phosphate – but since it isn't phosphate, it can't be utilized by the plants and the grassy weeds die.]

	Do not allow people (other than applicator) or pets on treatment area during application and until grass has dried.
---	---

CONTROLS [KILLS]		
Annual yellow sweetclover	Daisy, English	
Aster	Daisy, fleabane	
Austrian fieldcress	Daisy, oxeye	
Barnyardgrass	Dallisgrass	
Bedstraw	Dandelion	
Beggarticks	Dichondra	
Betony, Florida	Dogbane	
Bindweed, field	Dogfennel	
Bird vetch	Dollarweed	
Bitter wintercress	Elderberry	
Bittercress, hairy	False dandelion	
Bitterweed	False flax	
Black-eyed Susan	False sunflower	
Black medic	Fiddleneck	
Black mustard	Florida pusley	
Blackseed plantain	Frenchweed	
Blessed thistle	Galinsoga	
Bloodflower	Goathead	
milkweed	Goldenrod	
Blue lettuce	Goosegrass	
Blue vervain	Ground ivy	
Bracted plantain	Gumweed	
Brassbuttons	Hairy fleabane	
Bristly oxtongue	Hawkweed	
Broadleaf dock	Healall	
Broadleaf plantain	Heartleaf drymary	
Broomweed	Heath aster	
Buckhorn	Hedge bindweed	
Buckhorn plantain	Hedge mustard	
Bulbous buttercup	Hemp	
Bull thistle	Henbit	
Bullnettle	Hoary cress	
Burclover	Hoary plantain	
Burdock	Hoary vervain	
Burning nettle	Horsenettle	
Burweed	Jimsonweed	
Buttercup	Johnsongrass	
Buttonweed	Knawel	
Canada thistle	Knotweed	
Carolina geranium	Kochia	
Carpetweed	Lambsquarters	
Catchweed	Lespedeza	
bedstraw	Mallow	
Catnip	Matchweed	
Catsear	Mexicanweed	
Chickweed, common	Milk vetch	
Chickweed, mouseear	Morningglory	
Chicory	Mouseear hawkweed	
Cinquefoil	Mugwort	
Clover, crimson	Musk thistle	
Clover, hop	Mustard	
Clover, red	Narrowleaf plantain	
Clover, strawberry	Narrowleaf vetch	
Clover, sweet	Nettle	
Clover, white	Nutgrass/nutsedge	
Cockle	Orange hawkweed	
Cocklebur	Oriental cocklebur	
Common mullein	Oxalis	
Crabgrass	Parsley-piert	
Creeping charlie	Parsnip	
Creeping jenny	Pearlwort	
Cudweed	Pennycress	
Curly dock	Pennywort	
	Peppergrass	
	Pepperweed	

Continued in next column

CONTROLS LIST continued		
Pigweed	Strawberry, India	
Pineywoods	mock	
bedstraw	Tall nettle	
Plains coreopsis (tickseed)	Tall vervain	
Plantain	Tansy mustard	
Poison ivy	Tansy ragwort	
Poison oak	Tanweed	
Pokeweed	Thistle	
Poorjoe	Trailing crownvetch	
Prairie sunflower	Tumble mustard	
Prickly lettuce	Tumble pigweed	
Prickly sida	Velvetleaf	
Prostrate knotweed	Venice mallow	
Prostrate pigweed	Virginia buttonweed	
Prostrate spurge	Virginia creeper	
Prostrate vervain	Virginia pepperweed	
Puncturevine	Water pennywort	
Purslane, common	Wavyleaf bullthistle	
Ragweed	Western clematis	
Red sorrel	Western salsify	
Redroot pigweed	White mustard	
Redstem filaree	Wild aster	
Rough cinquefoil	Wild buckwheat	
Rough fleabane	Wild carrot	
Russian pigweed	Wild four-o'clock	
Russian thistle	Wild garlic	
Sandbur	Wild geranium	
Scarlet pimpernel	Wild lettuce	
Scotch thistle	Wild marigold	
Sheep sorrel	Wild mustard	
Shepherdspurge	Wild onion	
Slender plantain	Wild parsnip	
Smallflower galinsoga	Wild radish	
Smooth dock	Wild rape	
Smooth pigweed	Wild strawberry	
Sorrel	Wild sweet potato	
Sowthistle	Wild vetch	
Spanishneedles	Woodsorrel	
Speedwell	Woolly croton	
Spiny amaranth	Woolly morningglory	
Spiny cocklebur	Woolly plantain	
Spiny sowthistle	Wormseed	
Spotted catsear	Yarrow	
Spotted spurge	Yellow rocket	
Spurweed	Yellowflower	
Stinging nettle	pepperweed	
	and other broadleaf weeds	

IMPORTANT: Directions for Storage and Disposal	
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably in a locked storage cabinet. Protect from freezing.
Disposal:	 <ul style="list-style-type: none"> Do not reuse empty container. Rinse the empty product container thoroughly and disperse the rinse water on weeds as part of application. Place empty container in trash.
Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state and local guidelines.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

- Causes moderate eye irritation.
 - Harmful if swallowed.
 - Avoid contact with skin, eyes or clothing.
 - When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.
- After using this product:
- Rinse gloves before removing.
 - Wash hands thoroughly with soap and water.
 - If product gets on clothing, remove clothing as soon as possible and launder separately before reuse.

FIRST AID	
IN CASE OF ACCIDENTAL...	IMMEDIATELY...
Contact with Eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Swallowing	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
Inhalation	<ul style="list-style-type: none"> If breathing is affected, move person to fresh air. If not breathing, call an ambulance and give artificial respiration. Contact doctor or poison control center for further treatment advice.
<p>NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredients: 9.81% Monosodium acid methanearsonate [CAS # 2163-80-6], 3.18% 2,4-D, dimethylamine salt [CAS # 2008-39-1], 1.60% Mecoprop-p, dimethylamine salt [CAS # 66423-09-4], and 0.79% Dicamba, dimethylamine salt [CAS # 230C-66-5].</p>	

ENVIRONMENTAL HAZARDS

- This product is toxic to aquatic invertebrates. Do not apply directly to water.
- Drift or runoff may harm aquatic invertebrates and nontarget plants.
- Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of LAWN HERBICIDE 3D CONCENTRATE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D - 9475 100300
Bayer-Pursell, LLC
1500 Urban Center Drive
Birmingham, AL 35242