12/55-1	() Here completing form.		0		1-20		0.008		/	/ 12
	United States Conmental Protect Washington, DC 2	tion Agen	су		Re Ar	egistratio nendme cher	on 🗌	0. Approval OPP Identi		
	Applicat	tion for Pe	esticide	- Sec	tion I					
1. Company/Product Number 72155-14			2. EPA Pro Mary Wa		hager		3. Pr	oposed Class		n stricted
4. Company/Product (Name) Tebuconazole 2.9% SE Conc	entrate		РМ# 21				L	J L_		
5. Name and Address of Applicant / Bayer Advanced 95 Chestnut Ridge Road Montvale, NJ 07645		(t	(b)(i), my to:	product	is similar		l in co	FIFRA Sect mposition a		
Check if this is a new	w eddress	1	Product	Name						
		Section	<u>on - II</u>							
Amendment - Explain below.	Agency letter dated		_ ├ ▲	gency let		repsonse to 		NOTIFICA		
Notification - Explain below.			o	ther - Exp	lain below	-		JU# 1 1	2005	,
		Sectio	on - III						2011-0-000	
1. Material This Product Will Be Pac Child-Resistant Packaging Unit Pa	kaged in: ackaging	Water So	oluble Paci	aoina	2.	Type of Cor	tainer			
Yes			05				lətal			
No	No	N	0				lastic lass			
Certification must Unit P. be submitted	"No.per ackaging wgt.container	lf "Yes" Package	wgt	No. per containe	r		aper ther (S	ipecify)		
3. Location of Net Contents Informat		letail Containe	r		5. Locatio	on of Label E	Directio	ns		
6. Manner in Which Label is Affixed	to Product	ograph ar glued hoiled	(Othe	r	······				
		Sectio	n - IV							
1. Contact Point <i>(Complete items di</i>	rectly below for identificat	tion of individu	al to be c	ontected,	if necessa	ry, to proce	ss this	application.)		
Name Charles W. Boyd		1		•	phone No. (Include Area Code) 1) 307-3140					
f certify that the statements I I acknowledge that any knowl both under applicable law.		nd all attachme				•	1	6. Date App Received		
2. Signature Charle W. Boy		3. Title Registration	n Manager					ू कि कै के 19 के 49 के 19 के 19 के 19 के 19 के 19 के 19 क 19 के 19 के 19 19 के 19 के 19 19 के 19 क	й. -	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
4. Typed Name Charles W. Boyd		5. Date	July 7	, 2003				с. 20- 9-1 с г.	:	80003

EPA Form 8570-1 (Rev. 3-34) Previous editions are obsolete.

Tebuconazole 2.9% SE Concentrate Systemic Fungicide EPA Reg. No. 72155-14 July 7, 2003

Page 1 of 1

Section II – Explanation

Bayer Advanced is submitting a **Notification** of alternate brand name for Tebuconazole 2.9% SE Concentrate Systemic Fungicide. The alternate brand name is **Bayer** Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate. In addition we would also like to add the following claim to the label:

Cures diseases and restores beauty to plants

This claim is being reworded from claims already on the current label

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

NOTIFICATION

JUL 1 1 2003

DEBE 6600

40009 9 4000

່ເ ເ

ت یک کو بر را بر را

(FRONT PANEL)

Bayer Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate

This label contains two separate label statements for, **Outdoor Residential Pump Sprayer/Hose**end Sprayer Concentrate product use and **Outdoor Residential Ready-To-Spray** product use.

•	One quart makes up to 42 gallons diluted spray For control of diseases on plants			
٠	Cures, stops and prevents listed common diseases on roses, flowers, trees and shrubs			
•	Controls all major fungal diseases that harm roses, flowers, trees and shrubs	NOTIFICATION		
٠	Rescues plants from diseases			
 Systemic fungicide works through the leaves and stems to protect and cure Provides up to 2 weeks protection Rainproof Protection - won't wash off once it is dry 		JUL 1 1 2003		
		1 2003		
٠	Leaves no white residue			
٠	Protects from the inside out			
•	Cures diseases and restores beauty to plants			
A	CTIVE INGREDIENT:	<u>, , , , , , , , , , , , , , , , , , , </u>		
-	Tebuconazole			
01	THER INGREDIENTS	97.1%		

Net Contents: 16 fl. oz. (473 mL) or 32 fl. oz. (946 mL)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

000 00 00 00 00 00 00

3/12

(Pump Sprayer/Hose-end Sprayer label) (FRONT PANEL)

Bayer Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate

One quart makes up to 42 gallons diluted spray

- For control of diseases on plants
- · Cures, stops and prevents listed common diseases on roses, flowers, trees and shrubs
- · Controls all major fungal diseases that harm roses, flowers, trees and shrubs
- · Rescues plants from diseases
- · Systemic fungicide works through the leaves and stems to protect and cure
- Provides up to 2 weeks protection
- Rainproof Protection won't wash off once it is dry
- Leaves no white residue
- Protects from the inside out
- Cures diseases and restores beauty to plants

ACTIVE INGREDIENT:

Tebuconazole	
OTHER INGREDIENTS	97.1%

Net Contents: 16 fl. oz. (473 mL) or 32 fl. oz. (946 mL)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

NOTIFICATION

JUL 1 1 2003

9 0 9 0 9 0

6200

60 û 3 ·

2

20

0000

5/12

(BACK PANEL)

BAYER ADVANCED GARDEN DISEASE CONTROL FOR ROSES, FLOWERS & SHRUBS CONCENTRATE cures, stops and prevents plant diseases. This systemic formula provides rainproof protection against most common plant diseases such as black spot, powdery mildew, rust and more. Now it is easier than ever to prevent diseases and have beautiful plants.

Read the label first!

QUICK FACTS

- · Protects against most common diseases on roses, flowers, trees and shrubs
- · Cures and prevents major diseases on roses, flowers, trees and shrubs
- · Cures diseases and restores beauty to plants

CONTROLS	Anthracnose, Black Spot, Flower Blight, Leaf Spot, Petal Blight, Powdery Mildew, Rust, Scab, Southern Blight
WHERE TO USE	 Roses and Flowers Azaleas, Camellias and Rhododendrons Landscape Trees & Shrubs Ground Covers & Vines Houseplants
WHEN TO USE	 To treat an existing disease To prevent and protect against future diseases
COVERAGE	Makes up to 42 gallons of spray solution (1 Qt.)
2	For questions or comments, call toll-free 1-877-BayerAG or visit us on-line at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Tebuconazole	
OTHER INGREDIENTS*	
TOTAL	
* Other ingredients include: Water, vegetable oil, propylene glycol, nonionic surfact ingredient suspended), BHT & other preservatives, antifoam, sulfuric acid (as neu	

EPA Reg. No. 72155-_

EPA Est. No. _-AA-_

្រំស្តុះ ផ្លេស្តុំ

8. U 50 g

6000

1 6 10 6 1 0 0 10 1 7 0 0 1 7 0 0 0 ŝ.

000000 00000 00000

3

It is a violation of Federal	Law to use this product in a manner inconsistent with its labeling.
For best results, read and	follow all label directions.
BEFORE YOU USE	Do not apply near lakes, streams, rivers or ponds.
Read and follow directions when using.	Do not apply to plants grown for food.
	 Food utensils such as measuring spoons and measuring cups should not be used for food purposes after use with fungicides.
	Move indoor houseplants outside before treating.
HOW TO USE	Determine how much spray solution to make up – See "How Much to Use".
Shake Well Before Use	• Make up spray solution by following directions specific to your sprayer – See "Sprayer Types".
	Wet all plant surfaces until evenly coated with spray, but not dripping.
HOW MUCH TO USE	Add ¾ fl. oz. (1 ½ TBS) to 1 gallon of water
Continued on next page	

Directions For Use (contin SPRAYER TYPES	Pump Style Sprayers
	1. Add the appropriate amounts of concentrate and water to the sprayer tank.
	2. Close sprayer, shake well and pressurize.
	3. Adjust nozzle to a coarse spray pattern and apply.
	4. Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.
	Dial Style Hose-End Sprayers
	1. Fill sprayer jar with enough concentrate to cover plants to be treated.
	Close sprayer and set dial.
	TIP: The numbers on Dial-Style Hose-End Sprayers are ounces of concentrate per gallon of spray.
	2. Attach sprayer to hose and apply.
	Concentrate Plus Water Hose-End Sprayer
	1. Pour concentrate into sprayer jar to the required fluid ounce level.
	2. Add the appropriate amount of water to the gallons level.
	3. Replace sprayer top and shake well.
	4. Attach sprayer to hose and apply.

PLANTS	CONTROLS	WHEN TO APPLY			
		To Treat Existing Disease	To Prevent Diseases		
Roses	Black Spot Powdery Mildew Rust	Apply every 7-14 days for a total of 3 applications beginning at the first sign of disease.	Apply every 7-14 days during the growing season, starting when leaves first appear.		
Flowers	Leaf Spot Powdery Mildew Rust Southern Blight		Apply at least 3 times per year, 7-14 days apart, beginning with Spring bud break.		
Crabapples (Ornamental), Dogwoods and Other Landscape [Ornamental] Trees	Anthracnose Leaf Spot Powdery Mildew Rust Scab		Petal Blight – Apply 2-3 times per week into the flowers as they open and develop color.		
Azaleas, Camellias, Rhododendrons and Other Landscape [Ornamental] Shrubs,	Anthracnose Black Spot Leaf Spot Petal Blight Powdery Mildew		· · ·		
Ground Covers and Vines	Rust Southern Blight				
Houseplants	Leaf Spot Powdery Mildew		Apply at least 3 times per year, 7-14 days apart.		
FOR BEST RESULTS	to disease (general Prevent damage likely in your area. For more informa Extension Service (ter interval specified under "Directions for Us ly cloudy, wet and warm weather) are presen to your plants caused by disease by starting ation on what you can do to control plant dise usually found in the White Pages of the phon	nt. a spray schedule when diseases are ases, contact your local Coanty, he book under the name of your county.)		
HOW THIS PRODUCT WORKS		3-way action: it kills existing fungi, forms a p into the plant to keep on protecting regardle			

**

Do not allow children and pets to enter the treated area until it has dried.

0 2 0400

4

ာင္ ဖ ာစ္ စ

Ċ.

in the r

a 21 \mathbf{x}_{i}^{2} . ?

6/12

IMPORTANT: Directions for Storage and Disposal				
Storage Conditions: Store in original container in a cool, dry place, out of the reach of children, preferably a locked cabinet. Protect from freezing.				
Disposal:	If Empty:			
Î	Do not reuse empty container.			
	Place in trash.			
	If Partly Filled:			
	 It is best to use all of the product in accordance with label directions. 			
	 If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. 			
	Never place unused product down any indoor or outdoor drain.			

1/12_

c

ŝ

0 0 ، مقدم 5

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed, inhaled or absorbed through skin.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco will reduce exposure.
- · Avoid contact with skin, eyes or clothing.
- · Removing and washing contaminated clothing before reuse may reduce exposure.
- Avoid breathing vapor or spray mist.
- · When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

FIRST AID

IN CASE OF ACCIDENTAL	IMMEDIATELY		
Swallowing	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
Contact with skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 		
Inhalation	 If breathing is affected, move person to fresh air. If not breathing, call an ambulance and give artificial respiration. Contact doctor or poison control center for further treatment advice. 		

office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 2.9% Tebuconazole (CAS #107534-96-3).

ENVIRONMENTAL HAZARDS

- · This product is toxic to aquatic invertebrates. Do not apply directly to water.
- Drift or runoff may harm aquatic invertebrates.
- · Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of BAYER ADVANCED GARDEN DISEASE CONTROL FOR ROSES, FLOWERS & SHRUBS CONCENTRATESYSTEMIC FUNGICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

8/12

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D - 9782 070303

.

Bayer Advanced 95 Chestnut Ridge Road Montvale, NJ 07645



600 A 9 0 03

ę

e

91/2

(Ready-to-Spray label) (FRONT PANEL)

Bayer Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate

One quart makes up to 42 gallons diluted spray

- For control of diseases on plants
- · Cures, stops and prevents listed common diseases on roses, flowers, trees and shrubs
- · Controls all major fungal diseases that harm roses, flowers, trees and shrubs
- Rescues plants from diseases
- · Systemic fungicide works through the leaves and stems to protect and cure
- · Provides up to 2 weeks protection
- · Rainproof Protection won't wash off once it is dry
- Leaves no white residue
- · Protects from the inside out
- Cures diseases and restores beauty to plants

ACTIVE INGREDIENT:

Tebuconazole	
OTHER INGREDIENTS	

Net Contents: 16 fl. oz. (473 mL) or 32 fl. oz. (946 mL)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

NOTIFICATION

JUL 1 1 2003



10/12

(BACK PANEL)

BAYER ADVANCED GARDEN DISEASE CONTROL FOR ROSES, FLOWERS & SHRUBS CONCENTRATEcures, stops and prevents plant diseases. This systemic formula provides rainproof protection against most common plant diseases such as black spot, powdery mildew, rust and more. Now it is easier than ever to prevent diseases and have beautiful plants.

Read the label first!

QUICK FACTS

- · Protects against most common diseases on roses, flowers, trees and shrubs
- · Cures and prevents major diseases on roses, flowers, trees and shrubs

.

Cures diseases and restores beauty to plants

• Ready-to-Spray ... No Mixing, No Measuring

CONTROLS	Anthracnose, Black Spot, Flower Blight, Leaf Spot, Petal Blight, Powdery Mildew, Rust, Scab, Southern Blight
WHERE TO USE	 Roses and Flowers Azaleas, Camellias and Rhododendrons Landscape Trees & Shrubs Ground Covers & Vines Houseplants
WHEN TO USE	 To treat an existing disease To prevent and protect against future diseases
COVERAGE	 No measuring or mixing needed. Dilutes automatically as you spray. Makes up to 42 gallons of spray solution (1 qt.)
☎ 🖵	For questions or comments, call toll-free 1-877-BayerAG or visit us on-line at <u>www.BayerAdvanced.com</u> .

FOR OUTDOOR RESIDENTIAL USE ONLY


ACTIVE INGREDIENT:

Tebuconazole	%
THER INGREDIENTS*	<u>%</u>
OTAL	%
Other ingredients include: Water, vegetable oil, propylene glycol, nonionic surfactant, Xanthan gum (thickener to keep the active ingredient suspended), BHT & other preservatives, antifoam, sulfuric acid (as neutralizer)	

EPA Reg. No. 72155-_

EPA Est. No. _-AA-_

DIRECTIONS FOR USE			
It is a violation of Federal La	aw to use this product in a manner inconsistent with its labeling.		
For best results, read and for	llow all label directions.		
BEFORE YOU USE Read and follow directions	Do not apply near lakes, streams, rivers or ponds.		
when using.	 Do not apply to plants grown for food. Food utensils such as measuring spoons and measuring cups should not be used for food purposes. 		
	after use with fungicides.		
	Move indoor houseplants outside before treating.		
HOW TO USE	This product is ready to spray. Just attach this bottle to your hose according to directions. Water		
Shake Well Before Use	automatically mixes with the concentrate as you spray.		
Continued on next page			



HOW TO ATTACH AND SPRAY	1. Connect your ga	arden hose to the bottle. Be sure the blue wa	ter control valve on top of the spray	
SPRAT	2. Turn on water at faucet. Twist the small star-shaped, blue product-control button to align the flat			
	 portion with the lock tab. Push the button in to open. 3. To begin spraying, point nozzle toward the area to be treated and turn the blue water control valve to the ON position. Tab will be horizontal. 			
	4. To stop spraying, turn the blue water control valve on top of the spray nozzle to OFF. To close,			
	 push in the small round button opposite the star-shaped product-control button. Turn off faucet. 5. Relieve water pressure by turning blue water control valve to the ON position until water slows to a 			
	drip. Turn blue water control valve back to OFF. Disconnect garden hose from bottle.6. The unused portion can be saved and used at a later date.			
	Tips for Applying			
	1. Extend hose to t wet, treated area	he farthest area to be treated and work back	k toward the faucet to avoid walking into	
	2. Walk at a steady treated areas.	/ pace while spraying, Using an even sweepi	ing motion, slightly overlapping the	
PLANTS	CONTROLS	WHEN TO APPLY	······································	
		To Treat Existing Disease	To Prevent Diseases	
Roses	Black Spot Powdery Mildew Rust	Apply every 7-14 days for a total of 3 applications beginning at the first sign of disease.	Apply every 7-14 days during the growing season, starting when leaves first appear.	
Flowers	Leaf Spot Powdery Mildew Rust Southern Blight		Apply at least 3 times per year, 7-14 days apart, beginning with Spring bud break.	
Crabapples (Ornamental), Dogwoods and Other Landscape [Ornamental] Trees	Anthracnose Leaf Spot Powdery Mildew Rust Scab		Petal Blight – Apply 2-3 times per week into the flowers as they open and develop color.	
Azaleas, Camellias, Rhododendrons and Other Landscape [Ornamental] Shrubs,	Anthracnose Black Spot Leaf Spot Petal Blight Powdery Mildew Rust			
Ground Covers and Vines	Southern Blight			
Houseplants	Leaf Spot Powdery Mildew		Apply at least 3 times per year, 7-14 days apart.	
FOR BEST RESULTS	 favorable to disease Prevent damage likely in your area. For more information of the second se	rter interval specified under "Directions for U e (generally cloudy, wet and warm weather) to your plants caused by disease by starting ation on what you can do to control plant dise (usually found in the White Pages of the pho	are present. g a spray schedule when diseases are eases, contact your local County	
	This product provides 3-way action: it kills existing fungi, forms a protective barrier on the outside of the plant and is absorbed into the plant to keep on protecting regardless of weather conditions.			

-

• ; •

9

IMPORTANT: Directions for Storage and Disposal				
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.			
Disposal:	 If Empty: Do not reuse empty container. Place in trash. If Partly Filled: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain. 			

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed, inhaled or absorbed through skin.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco will reduce exposure.
- Avoid contact with skin, eyes or clothing.
- · Removing and washing contaminated clothing before reuse may reduce exposure.
- Avoid breathing vapor or spray mist.
- · When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

IN CASE OF ACCIDENTAL	IMMEDIATELY		
Swallowing	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
Contact with skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 		
Inhalation	 If breathing is affected, move person to fresh air. If not breathing, call an ambulance and give artificial respiration. Contact doctor or poison control center for further treatment advice. 		

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 2.9% Tebuconazole (CAS #107534-96-3).

ENVIRONMENTAL HAZARDS


- This product is toxic to aquatic invertebrates. Do not apply directly to water.
- Drift or runoff may harm aquatic invertebrates.
- Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of BAYER ADVANCED GARDEN DISEASE CONTROL FOR ROSES, FLOWERS & SHRUBS CONCENTRATE SYSTEMIC FUNGICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D - 9782 070303

Bayer Advanced 95 Chestnut Ridge Road Montvale, NJ 07645



12/12