≎EPA		Environmental Weekin	ngton, DC 20	460			x	Am Oth	end	ation ment	OPP I	dentif	ier Number
<u> </u>			Applicati	on for I	esticio	le - Sec	tion	<u>!</u>					
1. Company/Product Nur	mber				1	roduct Man	-			3. F	roposed (Classi	fication
72155-15					 	Tompkins	·			[x	None		Restricted
4. Company/Product (Na Atrazine 1.055% Gra		r Herbicide Plus Lav	wn Fertilizer		PM# 25		-				_		
5. Name and Address of Bayer Advanced 95 Chestnut Ridge F Montvale, NJ 07645	₹d.	licant (Include ZIP Col is a new address	de)		(b)(i), m to: EPA R	edited Rev	is sim	ilar oı	r ideni	tical in c	ompositi	on an	
				Soot		ct Name							
				28C	tion - I								
Amendment - Exp Resubmission in in X Notification - Exp	respo	onse to Agency letter	dated		- 📙	Final printed Agency lett "Me Too" / Other - Expl	ter dat Applica	ed ation.	psons	e to	NOTH SEP	FIC#	XTION 2004
See Attached.							·	<u> </u>					
				Sect	ion - Il								
1. Material This Product	WW	Se Packaged In:	····										
Child-Resistant Peckagin	•	Unit Packaging		Water :	Solubie Pa	ickaging		2. T	pe of	Containe	NT .		
Yes		Yes		│ ├ ── ┤	Yes					Metal Plestic			
No		No			No			4 1		Glass			
* Certification must If "Yes" No. per Unit Packaging wgt. container			If "Yes Packag		No, per container	•	[Paper Other (Specify)			
be submitted			,			1							
3. Location of Net Conte	1	nformation Intainer	4. Size(s) Re	tail Contair	197		5. Lo	cation	of Lat	el Directi	ion s		
6. Menner in Which Labe			Lithor Paper Stend	graph glued siled		Other	·						
					on - IV	,	*****						· <u> </u>
1. Contact Point (Compl	ete i	tems directly below fo	or identification	on of individ	dual to be	contected,	if nec	essery.	, to pr	ocess thi	s epplicat	ion.)	
Name Chales W. Boy	⁄d			Title Regist	rations	Manage	r				№ № (In		Aret Code)
Certification I certify that the statements I have made on this form and all attachm I acknowledge that any knowlingly faise or misleading statement ma both under applicable law.									1	bevi	ped)		
2. Signature		^ ^		3. Title									
Charlo 2	/.	Gord			legistrations Manager					-			
4. Typed Name			}	5. Date	, ,								
Charles W. Boyo	t			8	8/24/09				1				

Section II - Explanation

Bayer Corporation is submitting a **Notification** to add the new consumer storage and disposal language according to PR Notice 2001-6. The new storage and disposal section reads as follows:

Impo	ortant – Directions for Storage and Disposal
Storage	Store in original container in a cool, dry place, out of the reach
Conditions	of children, preferably a locked storage cabinet.
Disposal T	If empty:
	If partly filled:
	 Call your local solid waste agency or toll free 1-877- 229-3724 [1-800 CLEAN-UP] for disposal instructions.
	 Never place unused product down any indoor or outdoor drain.

This notification is consistent with the provision of PR Notice 2001-6 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

(Front Panel)

Atrazine 1.055% Granular Herbicide and Lawn Fertilizer

- Controls Grassy and Broadleaf Weeds While Feeding Your Lawn with a Premium Blend of Fertilizer Nutrients That Provide Quick and Extended Greening
- Contains Atrazine
- · For Thick, Green, Weed-Free Turf
- For Use on St. Augustine, Carpetgrass, Centipede and Zoysia Lawns
- Controls Dollarweed and Other Common Weeds
- Covers 5,000 sq. ft. (22 lbs.)
- Two Products in One!
- Kills the Weeds Feeds the Lawn
- Won't Harm Lawn

Atrazine	4.0550/
	1.055%
Related Compounds	0.02%
Other Ingredients	<u>98.925 %</u>
•	100.000%

CAUTION

See back panel for additional precautionary statements

(Back Panel)

Atrazine 1.055% Granular Herbicide Plus Lawn Fertilizer specially designed Southern lawn formula helps get rid of dandelions, dollarweed, and over 40 other weeds as it feed your lawn in one easy step. The convenient granules combine the most complete lawn weed control available with its' exclusive 4 in 1 Total Turf Care, quickly greens the lawn, continuously feeds for up to 2 months, stimulates root development, and enriches and fortifies the soil to build a thick, lush lawn. Beautifying your lawn has never been easier!

READ THE LABEL FIRST!



QUICK FACTS	QUICK FACTS		
Editorial Note	– Marketing Claims Positioned Here		
FEEDS	Provides up to two months of feeding.		
CONTROLS	Mat Lippia, Dollarweed, Chickweed, Knotweed and other broadleaf & grassy weeds		
COVERAGE	This bag covers up to 5,000 sq. ft. (22 lbs.)		
WHERE TO USE	On Carpetgrass, Centipede, St. Augustine (including Floratam) and Zoysia lawns		
WHEN TO USE	Apply in late winter, spring or falt.		
HOW MUCH TO USE	See spreader settings		
& L	For questions or comments, call toll-free 1-877 BayerAL or visit us on-line at www.BayerAdvanced.com		

For Outdoor Residential Use Only

ACLIVE ITIUI EUIETIUS.	ngredients:
------------------------	-------------

Atrazine	1.055%
Related Compounds	0.02%
Other ingredients	<u>98.943 %</u>
Total	100.000%

EPA Reg. No. 72155 - 15

EPA Est. No. XXX-AA-XX

GUARANTEED ANALYSIS

Total Nitrogen (N)	X%
Available Phosphate (P ₂ 0 ₅)	
Soluble Potash (K ₂ 0)	X%

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-states.com.

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

DIRECTIONS FOR I	JSE
It is a violation of Federa	I law to use this product in a manner inconsistent with its labeling.
BEFORE YOU USE Read and follow	 Use this product ONLY on Carpetgrass, Centipede, St. Augustine (including Floratam) and Zoysia lawns – other grass types could be injured.
directions when using.	 Do not allow product to get below the branch spread of trees, shrubs, bedding plants, flowers or garden plants – the roots in this area could pick up the product and injure the plant.
	Apply only when grass blades are dry to the touch.
	 Water in after applying. When temperatures are 80 °F, or above, water in immediately to wash granules off grass blades.
	 Do not plant flowers or vegetables in treated areas for 18 months after using this product they may be injured.
HOW TO USE	Adjust spreader to the proper setting (see Spreader Settings).
	 To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules.
	 Best results are obtained when this product is used as part of the Bayer Advanced Lawn care program.
FOR BEST RESULTS	Apply before weeds come up.
	 To prevent Crabgrass, Bull Paspalum, sedges, Foxtail and Spotted Spurge, apply between January 1 and March 1 (for best control) although applications made by June 15 will give good control.
	 Apply this product in the fall to control winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose.
	 Do not apply to Carpetgrass or Centipede lawns during dormancy.
	 Established weeds are more difficult to control and may require an application in the spring and fall.
	Follow these recommendations with new or refurbished lawns,
	 Apply this product one week after sprigging St. Augustine or Zoysia to prevent competition from germinating weeds.
	 Newly seeded Carpetgrass, Centipede or Zoysia lawns may be treated after the second mowing. After applying Atrazine 1.055% Granular Herbicide + Lawn Fertilizer,
	wait one month before planting new sprigs and 6 months before sowing new grass seed.
HOW IT WORKS	This product was specially formulated for southern lawns to kill established weeds, stop new weeds before they can start and green, revitalize and thicken the turf. Watering after application activates the product. Established weeds are killed, roots and all, in about 3 weeks and new weeds are prevented for up to 8 weeks.

SPREADE	SPREADER SETTINGS		
If your spreader is not listed, please call our toll-free Consumer Service hotline 1-877-BayerAL for help.			
BROADCAST SPREADERS			
4.4 lbs./1,000 sq. ft. Distance Between Passes (ft.)			
Model Setting	(Spreader settings to be determined.)		
DROP SPREADERS - 4.4 lbs./1,000 sq. ft.			
Model Setting	(Spreader settings to be determined.)		
Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.			
TIP 1,000 sq. ft. = 20 x 50 ft.			
Do not use a evenly.	spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules		

WEEDS

Kills These Weeds

Black Medic

Blue Toadflax

Buckhorn Plantain

Burclover

Carolina Geranium (Cranesbill)

Carpetweed

Chickweed, Common

Chickweed, Mouseear

Clover, Annual

Common Purslane

Cudweed

Cutleaf Evening Primrose

Dandelion

Dichondra

Dollarweed

Florida Betony

(Rattlesnake weed)

Florida Pusley

Fragrant Cudweed

(Rabbit Tobacco)

Henbit

Knotweed

Lespedaza

Mat Lippia (Matchweed, Creeping Charlie)

Moneywort

Narrowleaf Vetch

Oxalis, Common

(Yellow Woodsorrel)

Parsley-Piert

Pepperweed

Red Sorrel

Shepherdspurse

Sowthistle, Annual

Spurweed

Stinging Nettle

Swinecrest

Venus Looking Glass

Virginia Creeper

Wild Mustard

Stops These Weeds Before They Start

Annual Bluegrass (Poa annua)

Bull Paspalum

Crabgrass

Foxtail

Rescuegrass

Sandspur

Sedges

Spotted Spurge



Children and pets may re-enter after the treated area has been watered and allowed to dry.

5

Important – Directions for Storage and Disposal				
Storag e Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.			
Disposal	 if empty: Do not reuse container. Place empty container in trash or offer for recycling if available. If partly filled: 			
	 Call your local solid waste agency or toll free 1-877-229-3724 [1-800 CLEAN-UP] for disposal instructions. Never place unused product down any indoor or outdoor drain. 			

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

- · Causes moderate eye irritation.
- Avoid contact with skin, eyes or clothing.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

FIRST AID +

IN CASE OF ACCIDENTAL	IMMEDIATELY
Contact with eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
Inhalation	Move person to fresh air. Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-877-229-3763 for medical emergency information. Active Ingredients: 1.055% Atrazine (CAS # 1912-24-9).

ENVIRONMENTAL HAZARDS

- This product is toxic to aquatic invertebrates.
- Do not apply directly to water.
- Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of waste.
- Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water.
 Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soil where the water table (groundwater) is close to the surface and where these soils are very permeable i.e., well-drained. Your local County Extension Service can provide further information on the type of soil in your area and the location of groundwater.

NOTICE: Research and testing have determined that the 'Directions For Use' are appropriate for the proper use of ATRAZINE 1.055% GRANULAR HERBICIDE PLUS LAWN FERTILIZER under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

B-9665a 09/30/02

Bayer Advanced A Business Group of Bayer CropScience, L.P. 95 Chestnut Ridge Rd. Montvale, NJ 07645