

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C)

401 "M" St., S.W. Washington, D.C. 20460

72155-19

Date of Issuance:

JUN 6 2002

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under FIFRA, as amended)

Term of Issuance: Conditional

EPA Reg.

Number:

Name of Pesticide Product:

Triclopyr 8.8% Concentrate Herbicide

Name and Address of Registrant (include ZIP Code):

Bayer Advanced LLC 1500 Urban Center Parkway, Suite 350 Birmingham, AL 35242

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5), 3(g), or 4 when the Agency requires all registrants of similar products to submit such data.
  - Make the following label change:

Revise the EPA Registration Number to read, "EPA Reg. No. 72155-19".

Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

/		
Signature	of Approving Official:	Date:
	Joule	6-6-02

EPA Form ,8570-6

1

page 2
EPA Reg. No. 72155-19

If you have any questions about this letter, please contact Tobi Colvin-Snyder at 703-305-7801.

Jim Tompkins Product Manager (25) Herbicide Branch Registration Division (7505C) (FRONT PANEL)

# **Triclopyr 8.8% Concentrate**

### Herbicide

Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.

- Controls Woody Plants, Vines, Brush, Stumps, and Broadleaf Weeds
- · Contains Hammer\* Herbicide
- · Makes 8 Gallons of Spray
- · Covers up to 4,000 Square Feet
- · Kills Down to the Root
- · Kills the Weed Above and the Root Below
- Kills the Toughest Weeds, Vines and Woody Plants -Roots and All
- Special Penetrating Formula Kills Even the Toughest Plants
- · Works Systemically Killing Weeds Right Down to the Root
- · Begins Working in 1 3 Days
- · Also Use to Kill Stumps
- · Rainfast in hours

#### **ACTIVE INGREDIENT:**

\*\* 6.36% Triclopyr acid equivalent

Net Contents: 32 fl. oz. (946 mL)

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Precautionary Statements

\*Trademark of Dow AgroSciences

ACCEPTED
with COMMENTS
In EPA Letter Dated

JUN 6 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

#### (BACK PANEL)

Triclopyr 8.8% Concentrate Herbicide kills the tough brushy & viney weeds, roots and all. This concentrated formula controls Poison Ivy, Poison Oak, Blackberries and Kudzu - over 75 hard-to-kill plants in all. Even stumps! Eliminating unsightly brush, vines, weeds and stumps from your home's landscape has never been easier.

#### **READ THE LABEL FIRST!**

QUICK FACTS (Marketing Claims Positioned Here)			
KILLS	Brush, Vines and Other Woody Plants     Stumps     Broadleaf Weeds		
WHERE TO USE	Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.		
WHEN TO USE	When weeds are leafed out.		
む旦	For questions or comments, call toll-free 1-877 BayerAG or visit us on-line at <a href="www.BayerAdvanced.com">www.BayerAdvanced.com</a>		

#### FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-XX

EPA Est. No. XXXX-AA-XX

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### BEFORE YOU USE Read and follow directions when using.

- TRICLOPYR 8.8% CONCENTRATE
   HERBICIDE will kill or injure all woody
   plants contacted. Certain warm season
   grasses may experience temporary
   yellowing when sprayed to excess.
  - If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water.
  - Apply when wind is calm.
  - To avoid tracking product onto desirable plants (other than grasses), keep people and pets off treated areas until spray has dried.
- Do not apply to or around fruits or vegetables used for food.
- Measuring utensils such as measuring cups or measuring spoons should not be used for any food or drinking water purposes after use with this product.

#### **HOW TO USE**

- Determine amount of spray solution to prepare – See "How Much to Use".
- Make up spray solution by following directions specific to your sprayer – See "Sprayer Types".
- Adjust sprayer nozzle to a coarse spray.
   Spray the weeds you want to kill until thoroughly wet but not dripping.

#### TIPS

- Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product.
- To Kill Vines.

For vines growing on desirable plants, cut the vine and treat as directed for stump removal.

. To Kill Poison Ivy or Poisor, Oak

Contact with Poison lvy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags.

To Kill Stumps,

Completely cover freshly cut stump with undiluted product using a paintbrush. Do not reuse paintbrush for other uses. When discarding, wrap brush in newspaper and put in trash.

Continued on next page

DIRECTIONS FOR USE (Continued)				
HOW MUCH TO	Brush, Vines, Woody Plants and Other Hard-to-Kill Weeds			
	Add 4 fl. oz. (1/2 Cup or 8 TBS) to 1 gallon of water to treat up to 500 square feet.			
	Stumps			
	Use full strength. Do not dilute			
SPRAYER	Pump-up Tank Sprayers			
TYPES	Add the appropriate amounts of concentrate and water to the sprayer tank.			
	Close sprayer, shake well and pressurize.			
	Adjust nozzle to a coarse spray pattern and apply.			
	Occasionally re-pressurize the sprayer to maintain a good spray pattern.			
	Dial-style Hose-end Sprayers			
	Fill sprayer jar with enough concentrate to cover plants to be treated.			
	Close sprayer and set dial.			
	Attach sprayer to hose and apply.			
	Pour any unused product back into this original container for future use.			
	Concentrate-plus-water Hose-end Sprayers			
	Pour concentrate into sprayer jar to the required 'Fluid Ounce' mark.			
	Add the appropriate amount of water to the 'Gallons' mark.			
	Replace sprayer top and shake well.			
	Attach sprayer to hose and apply.			
:	Refill for 24 fl. oz. Triclopyr 0.8% RTU Herbicide			
	To empty container, add 2 fl. oz. (4 TBSP) of Triclopyr 8.8% Concentrate Herbicide, then fill with water very slowly to avoid foaming.			
FOR BEST RESULTS	<ul> <li>Apply when weeds are fully leafed out and actively growing.</li> </ul>			
	<ul> <li>Rain or water 4 hours after application will not wash away effectiveness.</li> </ul>			
	Pump-up Tank Sprayers work best for spot treatments while Hose-end Sprayers work best for large areas.			
X-100	<ul> <li>Certain hard-to-kill weeds may require a repeat application if regrowth occurs.</li> </ul>			
HOW TRICLOPYR 8.8% CONCENTRATE HERBICIDE WORKS	This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks.			

	Alder	Locust
KILLS	Arkansas Rose	Madrone
	Arrowwood	Maples
	Ash	Mesquite
	Aspen	Mimosa
	Beech	Mulberry
	Bindweed	Oaks
	Birch	Oxalis
	Blackberry	Persimmon
	Blackgum	Pine
	Box Elder	Plantain
	Brazilian Pepper	Poison Ivy
	Burdock	Poison Oak
	California Rose	Poplar
	Canada Thistle	Ragweed
	Cascara	Raspberry
	Ceanothus	Salmonberry
	Cherry	Sassafras
	Chicory	Scotch Broom
	Chinquapin	Smartweed
	Choke Cherry	Spurge
	Clover	Sumac
	Cottonwood	Sweetbay Magnolia
	Crataegus	Sweetgum
	Curly Dock	Sycamore
	Dandelion	Tanoak
	Douglas Fir	Tansy Ragwort
	Dogwood	Thimbleberry
	Elderberry	Trumpet Creeper
	Elm	Tulip Poplar
	Field Sindweed	Vetch
	Field Horsetail Push	Virginia Creeper
	Hawthorn	Western Hemlock
	Hazel	Wild Grape
	Henbit	Wild Lettuce
	Honeysuckle	Wild Rose
	Hornbeam	Wild Violet
	Kudzu	Willow
	Lambsquarter	Winged Elm
		į



Do not allow children or pets onto treated areas until spray has dried.

Storage Conditions:

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

Disposal:



#### If Empty:

- Do not reuse empty container
- Place in trash.

#### If partly filled:

- It is best to use all of the product in accordance with label directions.
- If it is necessary to dispose of unused product, call your local solid waste agency or call toll-free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

- · Causes moderate eye irritation.
- · Harmful if swallowed, inhaled or absorbed through skin.
- · Avoid contact with eyes, skin or clothing.
- · Avoid breathing spray mist.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- · Remove contaminated clothing and wash before reuse.

FIRST AID .		
IN CASE OF ACCIDENTAL	IMMEDIATELY	
Contact with eyes	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
Contact with skin	Take off contaminated clothing.	
or clothing	Rinse skin immediately with plenty of water for 15 – 20 minutes.	
	Call a poison control center or doctor for treatment advice.	
Swallowing	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>	
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	

**NOTE:** When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information.

Active Ingredient: 8.8% Triclopyr, triethylamine salt (CAS # 57213-69-1).

#### **ENVIRONMENTAL HAZARDS**

- Do not apply directly to water.
- Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TRICLOPYR 8.8% CONCENTRATE HERBICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

#### D - 9659 060402

Bayer Advanced LLC 1500 Urban Center Drive Birmingham, AL 35242