

72155-19

2/9/2007

1 of 8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOTIFICATION

FEB 09 2007

OFFICE OF
PREVENTION, PESTICIDES, AND
TOXIC SUBSTANCES

Robyn Kneen
Registration Manager
Bayer Advanced
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

SUBJECT: Application for Pesticide Notification – Additional Pests
Triclopyr 8.8% Concentrate Herbicide
EPA Reg. No. 72155-19
Application Dated January 10, 2007

Dear Ms. Kneen:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the application for the additional pests have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

4028

(FRONT PANEL)

Triclopyr 8.8% Concentrate

Herbicide

- Controls Woody Plants, Vines, Brush, Stumps, and Broadleaf Weeds
- Contains Hammer* Herbicide
- Makes 8 Gallons of Spray
- Covers up to 4,000 Square Feet
- Kills Down to the Root
- Kills the Weed Above and the Root Below
- Kills the Toughest Weeds, Vines and Woody Plants - Roots and All
- Special Penetrating Formula Kills Even the Toughest Plants
- Special Penetrating Formula Kills the Toughest Vines and Woody Plants.
- Works Systemically Killing Weeds Right Down to the Root
- Begins Working in 1 - 3 Days
- Also Use to Kill Stumps
- Rainfast in hours
- Kills Tough Brush - Roots & All
- Kills Poison Ivy, Poison Oak, Blackberry, Kudzu & others
- Plus Kills Stumps
- Rainproof in hours
- Kills Roots
- 100% Satisfaction Guaranteed

NOTIFICATION

FEB 09 2007

ACTIVE INGREDIENT:

Triclopyr, triethylamine salt 8.8%**

OTHER INGREDIENTS: 91.2 %

** 6.36% Triclopyr acid equivalent


Net Contents: 32 fl. oz. (946 mL)

*Trademark of Dow AgroSciences

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel Booklet for Additional Precautionary Statements



5098

(BACK PANEL)

Triclopyr 8.8% Concentrate Herbicide kills the tough brushy & viney weeds, roots and all. This concentrated formula controls Poison Ivy, Poison Oak, Blackberries and Kudzu - over 75 hard-to-kill plants in all. Even stumps! Eliminating unsightly brush, vines, weeds and stumps from your home's landscape has never been easier.

OR

Triclopyr 8.8% Concentrate Herbicide kills tough brush and vines, roots and all. This concentrated formula controls Poison Ivy, Poison Oak, Blackberries, Kudzu and over 70 other hard-to-kill plants. Eliminating unsightly brush, vines, weeds and stumps from your home's landscape has never been easier.

READ THE LABEL FIRST!

QUICK FACTS (Marketing Claims Positioned Here)	
KILLS	<ul style="list-style-type: none"> • Brush, Vines and Other Woody Plants • Poison Ivy, Poison Oak, Blackberry, Wild Berries and Bushy Plants • Stumps • Broadleaf Weeds
WHERE TO USE	Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.
WHEN TO USE	<ul style="list-style-type: none"> • When weeds are leafed out. • When brush is leafed out
	For questions or comments, call toll-free 1-877 BayerAG or visit us on-line at www.BayerAdvanced.com


FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-19

EPA Est. No. XXXX-AA-XX

DIRECTIONS FOR USE	
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.	
BEFORE YOU USE Read and follow directions when using.	<ul style="list-style-type: none"> • TRICLOPYR 8.8% CONCENTRATE HERBICIDE will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess. <ul style="list-style-type: none"> - If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water. - Apply when wind is calm. - Keep people and pets off treated areas until spray has dried. • Do not apply to or around fruits or vegetables used for food. • Measuring utensils such as measuring cups or measuring spoons should not be used for any food or drinking water purposes after use with this product.
HOW TO USE	<ul style="list-style-type: none"> • Determine amount of spray solution to prepare – See "How Much to Use". • Make up spray solution by following directions specific to your sprayer – See "Sprayer Types". • Adjust sprayer nozzle to a coarse spray. Spray the weeds you want to kill until thoroughly wet but not dripping. <p>TIPS:</p> <ul style="list-style-type: none"> • Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product. • To Kill Vines, For vines growing on desirable plants, cut the vine and treat as directed for stump removal. • To Kill Poison Ivy or Poison Oak Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags. • To Kill Stumps, Completely cover freshly cut stump with undiluted product using a paintbrush. Do not reuse paintbrush for other uses. When discarding, wrap brush in newspaper and put in trash.
Continued on next page	

DIRECTIONS FOR USE (Continued)	
HOW MUCH TO USE	<p>Brush, Vines, Woody Plants and Other Hard-to-Kill Weeds Add 4 fl. oz. (1/2 Cup or 8 TBS) to 1 gallon of water to treat up to 500 square feet.</p> <p>Stumps Use full strength. Do not dilute</p>
SPRAYER TYPES	Pump-up Tank Sprayers
	<ol style="list-style-type: none"> 1. Add the appropriate amounts of concentrate and water to the sprayer tank. 2. Close sprayer, shake well and pressurize. 3. Adjust nozzle to a coarse spray pattern and apply. 4. Occasionally re-pressurize the sprayer to maintain a good spray pattern.
	Dial-style Hose-end Sprayers
	<ol style="list-style-type: none"> 1. Fill sprayer jar with enough concentrate to cover plants to be treated. 2. Close sprayer and set dial. 3. Attach sprayer to hose and apply. 4. Pour any unused product back into this original container for future use.
	Concentrate-plus-water Hose-end Sprayers
	<ol style="list-style-type: none"> 1. Pour concentrate into sprayer jar to the required 'Fluid Ounce' mark. 2. Add the appropriate amount of water to the 'Gallons' mark. 3. Replace sprayer top and shake well. 4. Attach sprayer to hose and apply.
	Refill for 24 fl. oz. Triclopyr 0.8% RTU Herbicide
	To empty container, add 2 fl. oz. (4 TBSP) of Triclopyr 8.8% Concentrate Herbicide, then fill with water very slowly to avoid foaming.
FOR BEST RESULTS	<ul style="list-style-type: none"> • Apply when weeds are fully leafed out and actively growing. • Rain or water 4 hours after application will not wash away effectiveness. • Pump-up Tank Sprayers work best for spot treatments while Hose-end Sprayers work best for large areas. • Certain hard-to-kill weeds may require a repeat application if regrowth occurs.
HOW TRICLOPYR 8.8% CONCENTRATE HERBICIDE WORKS	This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks.




KILLS	Alder	Chicory	Madrone	Spurge
	Arkansas Rose	Chinquapin	Maples	Sumac
	Arrowwood	Choke Cherry	Mesquite	Sweetbay Magnolia
	Ash	Clover	Mimosa	Sweetgum
	Aspen	Cottonwood	Morning Glory (bindweed)	Sycamore
	Beech	Crataegus	Mulberry	Tanoak
	Bindweed	Curly Dock	Oaks	Tansy Ragwort
	Birch	Dandelion	Oxalis	Thimbleberry
	Blackberry	Douglas Fir	Persimmon	Trumpet Creeper
	Blackgum	Dogwood	Pine	Tulip Poplar
	Black Medic	Elderberry	Plantain	Vetch
	Box Elder	Elm	Poison Ivy	Virginia Creeper
	Brazilian Pepper	Field Bindweed	Poison Oak	Western Hemlock
	Burdock	Field Horsetail Rush	Poplar	Wild Grape
	California Rose	Hawthorn	Ragweed	Wild Lettuce
	Canada Thistle	Hazel	Raspberry	Wild Rose
	Carolina geranium	Henbit	Salmonberry	Wild Violet
	Cascara	Honeysuckle	Sassafras	Willow
	Ceanothus	Hornbeam	Scotch Broom	Winged Elm
	Cherry	Kudzu	Smartweed	
Chickweed, Mouseear	Lambsquarter			
	Locust			

	Do not allow people or pets onto treated areas until spray has dried.
-----------------------------------------------------------------------------------	-----------------------------------------------------------------------

Important – Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect From Freezing.
Disposal 	<p>If empty:</p> <ul style="list-style-type: none"> Do not reuse container. Place empty container in trash or offer for recycling if available. <p>If partly filled:</p> <ul style="list-style-type: none"> Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
<p>CAUTION</p> <ul style="list-style-type: none"> Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Wear a long-sleeved shirt, long pants, shoes, and socks when applying this product.



FIRST AID +	
IN CASE OF ACCIDENTAL...	IMMEDIATELY...
Contact with eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Contact with skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
Swallowing	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>NOTE: When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information.</p> <p>Active Ingredient: 8.8% Triclopyr, triethylamine salt (CAS # 57213-69-1).</p>	

ENVIRONMENTAL HAZARDS
<ul style="list-style-type: none"> • Do not apply directly to water. • Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TRICLOPYR 8.8% CONCENTRATE HERBICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeradvanced.com

A Business Unit of Bayer CropScience LP
 P.O. Box 12014, 2 T.W. Alexander Drive
 Research Triangle Park, North Carolina 27709

Triclopyr 8.8% Concentrate (MASTER) Approved 09/12/05, Notification 01/10/07

