

72155-19

2/25/2008

1 of 7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

FEB 25 2008

Ms. Robyn Kneen
Bayer Advanced
2 T Alexander Drive
Research Triangle Park, NC 27709

Subject: Triclopyr 8.8% Herbicide/ Bayer Advanced Brush Killer Plus Ready-to-Spray
EPA Registration No. 72155-19
Amended submitted November 29, 2007

Dear Ms. Kneen:

The amended labeling referred to above is acceptable provided that you adhere to the following conditions:

1. Make all of the changes specified in the document "Summary of Comments on With this submission Bayer Corporation proposes the registration of TEMPO® SC Insecticide. The proposed use of this product is for control of various insect pests in indoor residential, institutional, and commercial food/feed handling and non-food sites,"
2. Submit final labeling within 30 days of the date on this letter.

This labeling supercedes all previously accepted labeling for this product except for supplemental labeling. A stamped copy of the label is enclosed for your records.

If you have any questions about this letter, you may call Tobi Colvin-Snyder at 703-305-7801.

Sincerely,

A handwritten signature in black ink, appearing to read "Jim Tompkins".

Jim Tompkins
Product Manager (25)
Herbicide Branch
Registration Division (7505C)

2007

(FRONT PANEL)

Bayer Advanced Brush Killer Plus Ready-TO-Spray

- Controls Woody Plants, Vines, Brush, Stumps, and Broadleaf Weeds
- Contains Hammer* Herbicide
- Makes 8 Gallons of Spray
- Covers up to 4,000 Square Feet
- Kills Down to the Root
- Kills the Weed Above and the Root Below
- Kills the Toughest Weeds, Vines and Woody Plants - Roots and All
- Special Penetrating Formula Kills Even the Toughest Plants
- Special Penetrating Formula Kills the Toughest Vines and Woody Plants.
- Works Systemically Killing Weeds Right Down to the Root
- Begins Working in 1 - 3 Days
- Also Use to Kill Stumps
- Rainfast in hours
- Kills Tough Brush - Roots & All
- Kills Poison Ivy, Poison Oak, Blackberry, Kudzu & others
- Plus Kills Stumps
- Rainproof in hours
- Kills Roots
- 100% Satisfaction Guaranteed
- Treats 4,000 Square Feet
- Kills Kudzu to the Root
- Kills Kudzu - Roots & All
- Attach to Hose and Spray
- Hook to Hose and Go
- Plus Kills Hard to Control Weeds
- Also Kills Poison Ivy, Poison Oak, Blackberry & Others

**ACCEPTED
with COMMENTS
In EPA Letter Dated
FEB 25 2008**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
72155-19**

ACTIVE INGREDIENT:

Triclopyr, triethylamine salt	8.8 %**
OTHER INGREDIENTS:	91.2 %

** 6.36% Triclopyr acid equivalent

Net Contents: 32 fl. oz. (946 mL)

*Trademark of Dow AgroSciences

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel Booklet for Additional Precautionary Statements

307

(BACK PANEL)

This product kills the tough brushy & viney weeds, roots and all. This concentrated formula kills Kudzu, Poison Ivy, Poison Oak and Blackberries. Over 75 hard-to-kill plants in all - to the root. Ideal for large areas - treats 4,000 square feet. No messy cleanup. Eliminating unsightly brush, vines and weeds from your home's landscape has never been easier.

OR

This product kills tough brush and vines, roots and all. This concentrated formula controls Poison Ivy, Poison Oak, Blackberries, Kudzu and over 70 other hard-to-kill plants. Eliminating unsightly brush, vines, weeds and stumps from your home's landscape has never been easier.

READ THE LABEL FIRST!

QUICK FACTS (Marketing Claims Positioned Here)	
KILLS	<ul style="list-style-type: none"> • Brush, Vines and Other Woody Plants • Poison Ivy, Poison Oak, Blackberry, Wild Berries and Bushy Plants • Stumps • Kudzu • Broadleaf Weeds
WHERE TO USE	Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.
COVERAGE	• This bottle treats up to 4000 square feet. [Just hook bottle to hose and go.]
WHEN TO USE	<ul style="list-style-type: none"> • When weeds are leafed out. • When brush is leafed out
	For questions or comments, call toll-free 1-877 BayerAG or visit us on-line at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-19


EPA Est. No. XXXX-AA-XX

DIRECTIONS FOR USE – FOR CONCENTRATE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE Read and follow directions when using.	<ul style="list-style-type: none"> • This product will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess. <ul style="list-style-type: none"> - If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water. - Apply when wind is calm. - Keep people and pets off treated areas until spray has dried. • Do not apply to or around fruits or vegetables used for food. • Measuring utensils such as measuring cups or measuring spoons should not be used for any food or drinking water purposes after use with this product.
HOW TO USE	<ul style="list-style-type: none"> • Determine amount of spray solution to prepare – See “How Much to Use”. • Make up spray solution by following directions specific to your sprayer – See “Sprayer Types”. • Adjust sprayer nozzle to a coarse spray. Spray the weeds you want to kill until thoroughly wet but not dripping. <p>TIPS:</p> <ul style="list-style-type: none"> • Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product. • To Kill Vines, For vines growing on desirable plants, cut the vine and treat as directed for stump removal. • To Kill Poison Ivy or Poison Oak Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags. • To Kill Stumps, Completely cover freshly cut stump with undiluted product using a paintbrush. Do not reuse paintbrush for other uses. When discarding, wrap brush in newspaper and put in trash.

Continued on next page

DIRECTIONS FOR USE (Continued)	
HOW MUCH TO USE	<p>Brush, Vines, Woody Plants and Other Hard-to-Kill Weeds Add 4 fl. oz. (1/2 Cup or 8 TBS) to 1 gallon of water to treat up to 500 square feet. </p> <p>Stumps Use full strength. Do not dilute</p>
SPRAYER TYPES	Pump-up Tank Sprayers
	<ol style="list-style-type: none"> 1. Add the appropriate amounts of concentrate and water to the sprayer tank. 2. Close sprayer, shake well and pressurize. 3. Adjust nozzle to a coarse spray pattern and apply. 4. Occasionally re-pressurize the sprayer to maintain a good spray pattern.
	Dial-style Hose-end Sprayers
	<ol style="list-style-type: none"> 1. Fill sprayer jar with enough concentrate to cover plants to be treated. 2. Close sprayer and set dial. 3. Attach sprayer to hose and apply. 4. Pour any unused product back into this original container for future use.
	Concentrate-plus-water Hose-end Sprayers
	<ol style="list-style-type: none"> 1. Pour concentrate into sprayer jar to the required 'Fluid Ounce' mark. 2. Add the appropriate amount of water to the 'Gallons' mark. 3. Replace sprayer top and shake well. 4. Attach sprayer to hose and apply.
	<p>Refill for 24 fl. oz. of this product</p> <p>To empty container, add 2 fl. oz. (4 TBSP) of this product, then fill with water very slowly to avoid foaming.</p>
FOR BEST RESULTS	<ul style="list-style-type: none"> • Apply when weeds are fully leafed out and actively growing. • Rain or water 4 hours after application will not wash away effectiveness. • Pump-up Tank Sprayers work best for spot treatments while Hose-end Sprayers work best for large areas. • Certain hard-to-kill weeds may require a repeat application if regrowth occurs.
HOW THIS PRODUCT WORKS	<p>This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks.</p>
DIRECTIONS FOR USE – FOR READY-TO-SPRAY	
<p>It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.</p>	
BEFORE YOU USE Read and follow directions when using.	<ul style="list-style-type: none"> • This product will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess. <ul style="list-style-type: none"> - If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water. - Apply when wind is calm. - Keep people and pets off treated areas until spray has dried. • Do not apply to or around fruits or vegetables used for food.
HOW MUCH TO USE	<p>Measure area to be sprayed. Calculate 'square feet' by multiplying length times width. This bottle treats up to 4,000 square feet.</p>
<p>HOW TO USE [For Ready to spray hose end bottle]</p> <p>Shake Well Before Use</p>	<p>CONNECT</p> <ol style="list-style-type: none"> 1. Shake well before use. 2. Connect sprayer to garden hose. 3. Turn on water. <p>SPRAY</p> <ol style="list-style-type: none"> 1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed. 2. Begin spraying <Insert sprayer-specific language here> <i>Hayes HP-2 and Calmar RTS sprayers:</i> Press lock tab while using other hand to turn sprayer valve to ON position. <i>Green Garden RTS sprayer:</i> Turn sprayer valve to ON position. 3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet, treated area. 

<p>FINISH</p> <ol style="list-style-type: none"> To stop spraying, < Insert sprayer-specific language here.> <i>Hayes HP-2 RTS sprayer:</i> Press lock tab while using other hand to turn sprayer valve to OFF position. <i>Calmar & Green Garden RTS sprayers:</i> turn sprayer valve to OFF position. Turn off water at faucet. Relieve water pressure in hose by turning sprayer valve back to ON position until water slows to a drip then turn sprayer valve to OFF position. Disconnect sprayer from hose. <p>TIPS:</p> <ul style="list-style-type: none"> Use a sheet of cardboard or plastic to protect desirable trees, shrubs, and plants from accidental contact with the product. To Kill Vines, For vines growing on desirable plants, cut the vine and treat as directed for stump removal. To Kill Poison Ivy or Poison Oak Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags. 				
<p>FOR BEST RESULTS</p> <ul style="list-style-type: none"> Apply when weeds are fully leafed out and actively growing. Rain or water 4 hours after application will not wash away effectiveness. Certain hard-to-kill weeds may require a repeat application if regrowth occurs. 				
<p>HOW THIS PRODUCT WORKS</p> <p>This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks.</p>				
<p>KILLS</p>	<p>Alder Arkansas Rose Arrowwood Ash Aspen Beech Bindweed Birch Blackberry Blackgum Black Medic Box Elder Brazilian Pepper Burdock California Rose Canada Thistle Carolina geranium Cascara Ceanothus Cherry Chickweed, Mouseear</p>	<p>Chicory Chinquapin Choke Cherry Clover Cottonwood Crataegus Curly Dock Dandelion Douglas Fir Dogwood Elderberry Elm Field Bindweed Field Horsetail Rush Hawthorn Hazel Henbit Honeysuckle Hornbeam Kudzu Lambsquarter Locust</p>	<p>Madrone Maples Mesquite Mimosa Morning Glory (bindweed) Mulberry Oaks Oxalis Persimmon Pine Plantain Poison Ivy Poison Oak Poplar Ragweed Raspberry Salmonberry Sassafras Scotch Broom Smartweed</p>	<p>Spurge Sumac Sweetbay Magnolia Sweetgum Sycamore Tanoak Tansy Ragwort Thimbleberry Trumpet Creeper Tulip Poplar Vetch Virginia Creeper Western Hemlock Wild Grape Wild Lettuce Wild Rose Wild Violet Willow Winged Elm</p>

	<p>Do not allow people or pets onto treated areas until spray has dried.</p>
---	--

Important – Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect From Freezing.
Disposal 	If empty: <ul style="list-style-type: none"> Do not reuse container. Place empty container in trash or offer for recycling if available. If partly filled: <ul style="list-style-type: none"> Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION <ul style="list-style-type: none"> Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Wear a long-sleeved shirt, long pants, shoes, and socks when applying this product.

FIRST AID +	
IN CASE OF ACCIDENTAL...	IMMEDIATELY...
If in Eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
NOTE: When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 8.8% Triclopyr, triethylamine salt (CAS # 57213-69-1).	

ENVIRONMENTAL HAZARDS
<ul style="list-style-type: none"> Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

7 of 7

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TRICLOPYR 8.8% CONCENTRATE HERBICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeradvanced.com

A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

BA Brush Killer Plus Ready-to-spray (MASTER) Approved 09/12/05, Notification 04/09/07