

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Robyn Kneen Product Registrations Bayer Cropscience 2 T.W. Alexander Drive Research Triangle Park, NC 27709

SEP 2 3 2008

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request General Label Change

EPA Reg. No.72155-19

Application Dated August 18, 2008

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 08/18/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

7/10

										T		
O EDA		Inited States	_		•		Regis			OPP Ide	entifier Num	nber
\$EPA	Environmenta		_	ncy			Amer		ent			
	Washi	ington, DC 204	160			X	Other	•				
		Application	n for F	Pesticio	le - Sec	tion	I					
1. Company/Product Number	7			2. EPA P	roduct Man	ager			3. Pro	oposed C	lassification	,
72155-19				Jim Tom	pkins	**********] ["	None	Rest	tricted
4. Company/Product (Name)				PM#						j	لـــا	
Triclopyr 8.8% Concentral				25								
5. Name and Address of App	olicant <i>(Include ZIP Co</i>	ode)			dited Rev							
Bayer Advanced 2 T W Alexander Drive				to:	y product i	12 2011	""NO	TIF	CAT	ION"	n and labe	and
Research Triangle Park NC 27709				EPA R	eg. No		S	rn (9 ')	114	·····	
	is a new address						3	בר 2	3 20	UÜ		
Check if this	IS 8 New BOOTESS				ct Name							
			Sec	tion - I	<u> </u>							
Amendment - Explain	below.				Final printe		-	onse t	0			
Resubmission in resp	onse to Agency letter	dated		_	"Me Too"			-				
Notification - Explain	No. de la constante de la cons				Other Eve	مط مثما	da.u				•	
X Notification - Explain	Delow.				Other - Exp	nain be						
Explanation: Use addition	nal page(s) if necessar	y. (For section	n I and Sec	ction II.)								
See Attached				-								
0007111001100												
			Sect	ion - II	1							
1. Material This Product Will	Be Packaged In:											
Child-Resistant Packaging	Unit Packaging		Water	Soluble Pa	sckaging		2 Туре					
Yes	Yes		Yes				Metal Plastic					
No	No			No				- 1	Glass			
* Certification must	If "Yes" Unit Packaging wgt.	No. per . container	if "Yes Packag		No. per containe	ſ	-		Paper Other (S	pecify)		
be submitted		1										
3. Location of Net Contents	Information	4. Size(s) Ret	tail Contair	ner		5. Lo	cation of	Label	Diractio	ons		
Label C	ontainer	·				<u> </u>						
6. Manner in Which Lebel is	Affixed to Product	Lithog	raph		Othe	r		······				
		Paper Stenc										
				ion - I\			 					
1. Contact Point Complete	items directly below	for identification		duel to be	contacted,	If nec	essary, t					
Name	oyn Kneen		Title	Registr	ation Ma	nage	ar .		-	e No. (Inc 49-241	de Area (Code)
Nul	byli Kileeli				ation ivia	inage			919-04			
I certify that the state	monte I hava mode	Certifica		mante the	rato era ter	A 200	iirata and	com	lete.	6. Date Recei	Application ived	1
i certify that the state i acknowledge that an	ments i nave made of Ny knowlinglly false or	misleading sta	an actach atement m	ay be pun	ishable by f	ine or	imprison/	nent c		1	Stambed)	
both under applicable		· · · · · · · · · · · · · · · · · · ·	.,							ļ.		
2. Signature	a hasa		3. Title								(
**	syn breen				Regi	istra	tions I	Man	ager	(
4. Typed Name			5. Date				······································			,		
Robyn	Kneen						ΛΩΛ	19/2	ო.	ť I		
i kobyli	i a loori						00/	10/2	SYPP			

Page 1 of 1

Triclopyr 8.8% Concentrate Herbicide EPA Reg. No. 72155-19 August 17, 2008

Section II - Explanation

Bayer Advanced is submitting a **Notification** for **Triclopyr 8.8% Concentrate Herbicide**, EPA Reg No. 72155-19

Two graphical images have been added to page 4 of the label to illustrate the on/off function of the hose end sprayer packaging.

These images had previously been added via non-notification to the packaging label (as per PR Notice 98-10 Section IV. C) however, CDPR has requested them to also be present on the EPA label.

Enclosed is 1 copy of the product label.

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

(FRONT PANEL)

Triclopyr 8.8% Concentrate Herbicide

- Controls Woody Plants, Vines, Brush, Stumps, and Broadleaf Weeds
- · Contains Hammer* Herbicide
- · Makes 8 Gallons of Spray
- Covers up to 4,000 Square Feet
- Kills Down to the Root
- . Kills the Weed Above and the Root Below
- Kills the Toughest Weeds, Vines and Woody Plants Roots and All
- Special Penetrating Formula Kills Even the Toughest Plants
- Special Penetrating Formula Kills the Toughest Vines and Woody Plants.
- Works Systemically Killing Weeds Right Down to the Root
- Begins Working in 1 3 Days
- Also Use to Kill Stumps
- Rainfast in hours
- Kills Tough Brush Roots & All
- Kills Poison Ivy, Poison Oak, Blackberry, Kudzu & others
- Plus Kills Stumps
- · Rainproof in hours
- Kills Roots
- 100% Satisfaction Guaranteed * (or your money back)
- Treats 4,000 Square Feet
- Kills Kudzu to the Root
- Kills Kudzu Roots & All
- Attach to Hose and Spray
- Hook to Hose and Go
- Plus Kills Hard to Control Weeds
- Also Kills Poison Ivy, Poison Oak, Blackberry & Others
- Plus [Even] Kills Kudzu

ACTIVE INGREDIENT:

Triclopyr, triethylamine salt

OTHER INGREDIENTS:

91.2 %

** 6.36% Triclopyr acid equivalent

Net Contents: 32 fl. oz. (946 mL)

*Trademark of Dow AgroSciences

CAUTION

See Back Panel Booklet for Additional Precautionary Statements

(BACK PANEL)

This product kills the tough brushy & viney weeds, roots and all. This concentrated formula kills Kudzu, Poison Ivy, Poison Oak and Blackberries. Over 75 hard-to-kill plants in all - to the root. Ideal for large areas - treats 4,000 square feet. No messy cleanup. Eliminating unsightly brush, vines and weeds from your home's landscape has never been easier.

OR

Triclopyr 8.8% Concentrate Herbicide kills tough brush and vines, roots and all. This concentrated formula controls Poison lvy, Poison Oak, Blackberries, Kudzu and over 70 other hard-to-kill plants. Eliminating unsightly brush, vines, weeds and stumps from your home's landscape has never been easier.

READ THE LABEL FIRST!

QUICK FACTS (Marketing Claims	Positioned Here)
KILLS	Brush, Vines and Other Woody Plants Poison Ivy, Poison Oak, Blackberry, Wild Berries and Bushy Plants Stumps Kudzu Broadleaf Weeds
WHERE TO USE	Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.
COVERAGE	This bottle treats up to 4000 square feet. [Just hook bottle to hose and go.]
WHEN TO USE	When weeds are leafed out. When brush is leafed out
☎ 🖳	For questions or comments, call toll-free 1-877 BayerAG or visit us on-line at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-19

EPA Est. No. XXXX-AA-XX

DIRECTIONS FOR	USE - FOR CONCENTRATE		
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.			
BEFORE YOU USE Read and follow directions	TRICLOPYR 8.8% CONCENTRATE HERBICIDE will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess.		
when using.	 If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water. 		
	- Apply when wind is calm.		
	- Keep people and pets off treated areas until spray has dried.		
	Do not apply to or around fruits or vegetables used for food.		
	 Measuring utensils such as measuring cups or measuring spoons should not be used for any food or drinking water purposes after use with this product. 		

DIRECTIONS FOR USE (C	ontinued)
HOW TO USE	Determine amount of spray solution to prepare – See "How Much to Use".
	Make up spray solution by following directions specific to your sprayer – See "Sprayer Types".
	Adjust sprayer nozzle to a coarse spray. Spray the weeds you want to kill until thoroughly wet but not dripping.
	TIPS:
	Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product.
	• To Kill Vines,
	For vines growing on desirable plants, cut the vine and treat as directed for stump removal.
	To Kill Poison Ivy or Poison Oak
•	Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags.
	To Kill Stumps,
	Completely cover freshly cut stump with undiluted product using a paintbrush. Do not reuse paintbrush for other uses. When discarding, wrap brush in newspaper and put in trash.
HOW MUCH TO USE	Brush, Vines, Woody Plants and Other Hard-to-Kill Weeds
	Add 4 fl. oz. (1/2 Cup or 8 TBS) to 1 gallon of water to treat up to 500 square feet.
	Do not apply more than 9 lbs ai/A triclopyr (17 oz brush killer per 500 square feet) per year.
	Stumps
***************************************	Use full strength. Do not dilute
SPRAYER TYPES	Pump-up Tank Sprayers
*	Add the appropriate amounts of concentrate and water to the sprayer tank.
	2. Close sprayer, shake well and pressurize.
	Adjust nozzle to a coarse spray pattern and apply.
	4. Occasionally re-pressurize the sprayer to maintain a good spray pattern.
	Dial-style Hose-end Sprayers
	Fill sprayer jar with enough concentrate to cover plants to be treated.
	Close sprayer and set dial. Attach sprayer to hose and apply.
	Attach sprayer to hose and apply. Pour any unused product back into this original container for future use.
•	Concentrate-plus-water Hose-end Sprayers
•	Pour concentrate into sprayer jar to the required 'Fluid Ounce' mark. Add the appropriate amount of water to the 'Gallons' mark.
	Replace sprayer top and shake well.
	4. Attach sprayer to hose and apply. 4. Attach sprayer to hose and apply.
	Refill for 24 fl. oz. Triclopyr 0.8% RTU Herbicide
	To empty container, add 2 fl. oz. (4 TBSP) of Triclopyr 8.8% Concentrate Herbicide, then fill with water very slowly to avoid foaming.
FOR BEST RESULTS	Apply when weeds are fully leafed out and actively growing.
, OK DEDT KEOOLIO	Rain or water 4 hours after application will not wash away effectiveness.
	Pump-up Tank Sprayers work best for spot treatments while Hose-end Sprayers work best for large
•	areas.
	Certain hard-to-kill weeds may require a repeat application if regrowth occurs.
HOW TRICLOPYR 8.8% CONCENTRATE HERBICIDE WORKS	This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks.

DIRECTIONS FOR U	SE – FOR READY-TO-SPRAY
It is a violation of Federal La	w to use this product in a manner inconsistent with its labeling.
BEFORE YOU USE Read and follow directions	This product will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess.
when using.	If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water.
	- Apply when wind is calm.
	- Keep people and pets off treated areas until spray has dried.
	Do not apply to or around fruits or vegetables used for food.
HOW MUCH TO USE	Measure area to be sprayed. Calculate 'square feet' by multiplying length times width. This bottle treats up to 4,000 square feet.
	Do not apply more than 9 lbs ai/A triclopyr (17 oz brush killer per 500 square feet) per year.
HOW TO USE [For Ready to spray hose end bottle]	CONNECT 1. Shake well before use. 2. Connect sprayer to garden hose. 3. Turn on water.
Shake Well Before Use	SPRAY 1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed.
ON ON	 Begin spraying <insert here="" language="" sprayer-specific=""> Hayes HP-2 and Calmar RTS sprayers: Press lock tab while using other hand to turn sprayer valve to ON position. Green Garden RTS sprayer: Turn sprayer valve to ON position.</insert> Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet, treated area.
	FINISH 1. To stop spraying, < Insert sprayer-specific language here. > Hayes HP-2 RTS sprayer: Press lock tab while using other hand to turn sprayer valve to OFF position. Calmar & Green Garden RTS sprayers: turn sprayer valve to OFF position. 2. Turn off water at faucet. 3. Relieve water pressure in hose by turning sprayer valve back to ON position until water slows to a drip then turn sprayer valve to OFF position. 4. Disconnect sprayer from hose.
	TIPS:
	Use a sheet of cardboard or plastic to protect desirable trees, shrubs, and plants from accidental contact with the product.
•	To Kill Vines,
•	For vines growing on desirable plants, cut the vine and treat as directed for stump removal.
	To Kill Poison Ivy or Poison Oak
· · · · · · · · · · · · · · · · · · ·	Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags.

FOR BEST RESU	Rain or water	eeds are fully leafed out and 4 hours after application wil p-kill weeds may require a r	I not wash away effectivene	
HOW THIS PRODU	then moves through		s with processes found only	n or cut woody shoots, and roots y in plants. Visual symptoms,
KILLS	Alder Arkansas Rose Arrowwood Ash Aspen Beech Bindweed Birch Blackberry Blackgum Black Medic Box Elder Brazilian Pepper Burdock California Rose Canada Thistle Carolina geranium Cascara Ceanothus Cherry Chickweed, Mouseear Chicory	Chinquapin Choke Cherry Clover Cottonwood Crataegus Curly Dock Dandelion Douglas Fir Dogwood Elderberry Elm Field Bindweed Field Horsetail Rush Hawthorn Hazel Henbit Honeysuckle Hornbeam Japanese knotweed Kudzu Lambsquarter Locust	Madrone Maples Mesquite Mimosa Morning Glory (bindweed) Mulberry Multiflora rose Oaks Oxalis Persimmon Pine Plantain Poison Ivy Poison Oak Poplar Ragweed Raspberry Salmonberry Sassafras Scotch Broom Smartweed	Spurge Sumac Sweetbay Magnolia Sweetgum Sycamore Tanoak Tansy Ragwort Thimbleberry Trumpet Creeper Tulip Poplar Vetch Virginia Creeper Western Hemlock Wild Grape Wild Lettuce Wild Rose Wild Violet Willow Winged Elm



Do not allow people or pets onto treated areas until spray has dried.

Important – Directions for Storage and Disposal				
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect From Freezing.			
Disposal	If empty:			
Î	 Do not reuse container. Place empty container in trash or offer for recycling if available. 			
	If partly filled:			
	 Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. 			
	 Never place unused product down any indoor or outdoor drain. 			

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- · Causes moderate eye irritation.
- Harmful if swallowed, inhaled or absorbed through skin.
- · Avoid contact with eyes, skin or clothing.
- · Avoid breathing spray mist.
- · Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Remove contaminated clothing and wash before reuse.
- Wear a long-sleeved shirt, long pants, shoes, and socks when applying this product.

FIRST AID +				
IN CASE OF ACCIDENTAL IMMEDIATELY				
Contact with eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
Contact with skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. 			
Swallowing	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 			

NOTE: When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 8.8% Triclopyr, triethylamine salt (CAS # 57213-69-1).

ENVIRONMENTAL HAZARDS

- Do not apply directly to water.
- Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TRICLOPYR 8.8% CONCENTRATE HERBICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

*Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeradvanced.com

A Business Unit of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Triclopyr 8.8% Concentrate (MASTER) Approved 02/25/08, Notification 05/29/08