

72155-20

9-6-2002

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:  
72155-20

Date of Issuance:  
SEP 6 2002

NOTICE OF PESTICIDE:

- Registration
- Reregistration  
(under FIFRA, as amended)

Term of Issuance:  
Conditional

Name of Pesticide Product:  
Trimec Granular  
Herbicide Plus Lawn  
Fertilizer

Name and Address of Registrant (include ZIP Code):  
Bayer Advanced, LLC  
1500 Urban Center Parkway, Suite 350  
Birmingham, AL 35242

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit data.
2. Add the phrase "EPA Registration No. 72155-20" to your label before you release the product for shipment.
3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Signature of Approving Official:

Date:  
SEP 6 2002

2/6

page 2

EPA Reg. No. 72155-20

A stamped copy of the label is enclosed for your records.

Joanne I. Miller  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505C)

3/6

# Trimec

## Granular Herbicide Plus Lawn Fertilizer

- Controls Broadleaf Weeds and Builds Strong Lawns
- Controls Weeds This Fall AND Next Spring!
- Dual Action Weed Control - Kills the Plant and the Root
- Systemic and Contact Kill
- Kills the Weed, Kills the Root
- Controls over 200 broadleaf weeds
- Superior Particle Technology for Superior Weed Control
- Contains Trimec
- Kills weeds
- Easy-to-Use Granules
- Two Products in One!
- Kills the Weeds – Feeds the Lawn
- Won't Harm Lawn

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

SEP 6 2002

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.**

2155-20

**ACTIVE INGREDIENTS:**

2,4-D*	0.761 %
Mecoprop-p**	0.171 %
Dicamba***	0.072 %

**OTHER INGREDIENTS:** ..... 98.996 %

\*CAS # 94-75-7

\*\*CAS # 16484-77-8

\*\*\*CAS # 1918-00-9


Isomer Specific by AOAC Methods

**Net Wt:** 16 lbs. (7.2 kg), 18 lbs. (8.1 kg), 32 lbs. (14.5 kg),  
36 lbs. (16.3 kg), 48 lbs. (21.7 kg), or  
54 lbs. (24.4 kg)

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Back Panel for Additional Ingredients  
and Precautionary Statements




4/6

**(BACK PANEL)**

Trimec Granular Herbicide Plus Lawn Fertilizer gets rid of dandelions and over 200 other weeds as it feeds your lawn in one easy step. The convenient granules combine the most complete lawn weed control available with its exclusive 4 in 1 Total Turf Care, quickly greens the lawn, continuously feeds for up to 2 months, stimulates root development, and enriches and fortifies the soil to build a thick, lush turf. Beautifying your lawn has never been easier!

**READ THE LABEL FIRST!**

<b>QUICK FACTS</b> (Marketing Claims Positioned Here)	
<b>FEEDS</b>	Provides up to two months of feeding
<b>KILLS</b>	Dandelion, Chickweed, Clovers and over 200 other weeds
<b>COVERAGE</b>	This bag covers up to 5,000 sq. ft. (16 & 18 lbs.)
<b>WHERE TO USE</b>	On lawns (Do not use on Bentgrass, Carpetgrass, Dichondra or St. Augustinegrass [including Floratam])
<b>WHEN TO USE</b>	When weeds are actively growing.
<b>HOW MUCH TO USE</b>	See spreader settings
	For questions or comments, call toll-free 1-877 BayerAL or visit us on-line at <a href="http://www.BayerAdvanced.com">www.BayerAdvanced.com</a>

**FOR OUTDOOR RESIDENTIAL USE ONLY**

Trimec is a registered trademark of PBI/Gordon Corporation for their blend of 2,4-D, Mecoprop-p and Dicamba

EPA Reg. No. 72155-XX

EPA Est. No. XXXX-AA-XX

**GUARANTEED ANALYSIS**

Total Nitrogen (N) .....X%  
 Available Phosphate (P<sub>2</sub>O<sub>5</sub>) .....X%  
 Soluble Potash (K<sub>2</sub>O) .....X%

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-states.com>.

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**BEFORE YOU USE**

Read and follow directions when using.

- Apply when grass is moist – early in the morning when dew is still present or after a brief watering – and wind is calm.
- Avoid applying when temperatures are consistently above 90 °F.
- Use care when applying near desirable plants such as flowers, vegetables, shrubs and trees as contact with the weed killer may damage them.
- Newly seeded, sprigged or sodded lawns may be treated after the third mowing.
- Do not apply more than two times per year.

**HOW TO USE**

- Adjust spreader to the proper setting (see spreader settings).
- To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules.
- Do NOT apply if rain is expected within 24 hours. Do NOT water for 24 hours after application.

**FOR BEST RESULTS**

- Best results are obtained when this product is used as part of the Bayer Advanced Lawn care program.
- Apply when weeds are actively growing.
- Mow lawn to normal height 1 – 2 days before applying this product to expose low growing weeds and stimulate uptake of the weed killer.
- If the lawn is dry, water 1 – 2 days before using this product.
- Make sure lawn receives a thorough watering 2 days after application, either from rain and/or sprinkling.

**HOW TRIMEC GRANULAR HERBICIDE PLUS LAWN FERTILIZER WORKS**


This product removes unsightly weeds as it greens, revitalizes & thickens your lawn. It contains a blend of proven weed killers on small, lightweight particles that land and stay on even the smallest weed leaves. Here, the weed killers enter the weed and also through the roots. In a few days, weed stems and leaves begin to twist and curl while the lawn greens up. Weeds are completely gone, roots and all, in about 4 weeks. This product will not prevent new weeds from growing from seed.

5/16


<b>SPREADER SETTINGS</b>	
If your spreader is not listed, please call our toll-free Consumer Service hotline 1-877-BayerAL for help.	
<b>BROADCAST SPREADERS</b>	
3.2 or 3.6 lbs/1,000 sq. ft. Distance Between Passes (ft.)	
MODEL	(Spreader settings to be determined.)
<b>DROP SPREADERS</b>	
MODEL	(Spreader settings to be determined.)
Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.	
TIP 1,000 sq. ft. = 20 x 50 ft.	
Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.	

<b>KILLS</b>		
Annual Yellow Sweetclover	False Dandelion	Ragweed
Aster	False Flax	Red Sorrel
Austrian Fieldcress	False Sunflower	Redroot Pigweed
Bedstraw	Fiddleneck	Redstem Filaree
Beggarticks	Florida Pusley	Rough Cinquefoil
Betony, Florida	Frenchweed	Rough Fleabane
Bindweed, Field	Galinsoga	Russian Pigweed
Bird Vetch	Goathead	Russian Thistle
Bitter Wintercress	Goldenrod	Scarlet Pimpernel
Bittercress, Hairy	Ground Ivy	Scotch Thistle
Bitterweed	Gumweed	Sheep Sorrel
Black-eyed Susan	Hairy Fleabane	Shepherdspurse
Black Medic	Hawkweed	Slender Plantain
Black Mustard	Healall	Smallflower Galinsoga
Blackseed Plantain	Heartleaf Drymary	Smooth Dock
Blessed Thistle	Heath Aster	Smooth Pigweed
Bloodflower	Hedge Bindweed	Sorrel
Milkweed	Hedge Mustard	Sowthistle
Blue Lettuce	Hemp	Spanishneedles
Blue Vervain	Henbit	Speedwell
Bracted Plantain	Hoary Cress	Spiny Amaranth
Brassbuttons	Hoary Plantain	Spiny Cocklebur
Bristly Oxtongue	Hoary Vervain	Spiny Sowthistle
Broadleaf Dock	Horsenettle	Spotted Catsear
Broadleaf Plantain	Jimsonweed	Spurge
Broomweed	Knawel	Spotted Spurge
Buckhorn	Knotweed	Spurweed
Buckhorn Plantain	Kochia	Stinging Nettle
Bulbous Buttercup	Lambsquarters	Strawberry, India
Bull Thistle	Lespedeza	Mock
Bullnettle	Mallow	Tall Nettle
Burclover	Matchweed	Tall Vervain
Burdock	Mexicanweed	Tansy Mustard
Burning Nettle	Milk Vetch	Tanweed
Burweed	Morningglory	Thistle
Buttercup	Mouseear	Trailing Crownvetch
Buttonweed	Hawkweed	Tumble Mustard
Canada Thistle	Mugwort	Tumble Pigweed
Carolina Geranium	Musk Thistle	Velvetleaf
Carpetweed	Mustard	Venice Mallow
Catchweed Bedstraw	Narrowleaf Plantain	Virginia Buttonweed
Catnip	Narrowleaf Vetch	Virginia Creeper
Catsear	Nettle	Virginia Pepperweed
Chickweed, Common	Orange Hawkweed	Water Pennywort
Chickweed, Mouseear	Oriental Cocklebur	Wavyleaf Bullthistle
Chicory	Oxalis	Western Clematis
Cinquefoil	Parsley-piert	Western Salsify
Clover	Parsnip	White Mustard
Clover, Crimson	Pearlwort	Wild Aster
Clover, Hop	Pennycress	Wild Buckwheat
Clover, Red	Pennywort	Wild Carrot
Clover, Strawberry	Peppergrass	Wild Four-o'clock
Clover, Sweet	Pepperweed	Wild Garlic
Clover, White	Pigweed	Wild Geranium
Cockle	Pineywoods	Wild Lettuce
Cocklebur	Bedstraw	Wild Marigold
Common Mullein	Plains Coreopsis	Wild Mustard
Creeping Charlie	(Tickseed)	Wild Onion
Creeping Jenny	Plantain	Wild Parsnip
Cudweed	Poison Ivy	Wild Radish
Curly Dock	Poison Oak	Wild Rape
Daisy, English	Pokeweed	Wild Strawberry
Daisy, Fleabane	Poorjoe	Wild Sweet Potato
Daisy, Oxeye	Prairie Sunflower	Wild Vetch
Dandelion	Prickly Lettuce	Woodsorrel
Dichondra	Prickly Sida	Wooly Croton
Dogbane	Prostrate Knotweed	Wooly Morningglory
Dogfennel	Prostrate Pigweed	Wooly Plantain
Dollarweed	Prostrate Spurge	Wormseed
Dock	Prostrate Vervain	Yarrow
Elderberry	Puncturevine	Yellow Rocket
	Purslane	Yellowflower
	Purslane, Common	Pepperweed
		and other broadleaf weeds

6/6

	Do not allow people (other than the applicator) or pets on treatment area during application. Do not enter treatment area until dust has settled.
---	---

<b>ENVIRONMENTAL HAZARDS</b>
<ul style="list-style-type: none"> <li>• Drift or run-off may adversely affect nontarget plants.</li> <li>• Do not apply directly to water.</li> <li>• Do not contaminate water when disposing of equipment washwaters.</li> </ul>

<b>IMPORTANT: Directions for Storage and Disposal</b>	
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal: 	<ul style="list-style-type: none"> <li>• Completely empty bag.</li> <li>• Do not reuse empty bag.</li> <li>• Place in trash.</li> </ul>
<p><b>Important:</b> It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.</p>	


**NOTICE:** Research and testing have determined that the 'Directions For Use' are appropriate for the proper use of Trimec Granular Herbicide Plus Lawn Fertilizer under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

<b>PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS</b>
<p><b>CAUTION</b></p> <ul style="list-style-type: none"> <li>• Harmful if swallowed.</li> <li>• Avoid contact with eyes, skin, or clothing.</li> <li>• Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.</li> <li>• When using this product, wear long-sleeved shirt, long pants, socks and shoes.</li> <li>• After using this product:</li> <li>• Remove clothing and launder separately before reuse.</li> <li>• Wash hands thoroughly with soap and water.</li> </ul>

**D - 9661 073002**

Bayer Advanced LLC  
1500 Urban Center Drive  
Birmingham, AL 35242

<b>FIRST AID </b>	
<b>IN CASE OF ACCIDENTAL...</b>	<b>IMMEDIATELY...</b>
Contact with eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice</li> </ul>
Contact with skin	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<p><b>NOTE:</b> When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information.</p> <p>Active Ingredients: 0.761% 2,4-D [CAS # 94-75-7], 0.171% Mecoprop-p [CAS# 16484-77-8], 0.072% Dicamba [1918-00-9].</p>	

