

72155-20

11/30/2009

Jack

1/9



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:

72155-20

Date of Issuance:

NOV 30 2009

NOTICE OF PESTICIDE:

Registration
[X] Reregistration
(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Trimec Granular Herbicide Plus
Lawn Fertilizer

Name and Address of Registrant (include ZIP Code):

Bayer Advanced / Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA provided that you:

- 1) Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.

Signature of Approving Official:

[Handwritten signature]

Joanne Miller
Senior Registration Specialist
Herbicide Branch
Registration Division (7505P)

Date:

NOV 30 2009

2) The First Aid statements must be revised to read:

“IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.”

3) Per the acute toxicity review, the Hazards to Humans and Domestic Animals must be revised to read:

“CAUTION

Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.”

The text “When using this product, wear long-sleeved shirt, long pants, socks and shoes” appearing in this section may be retained on the label.

4) The following text must be added to the Environmental Hazards section of the label:
“This product is..... and aquatic invertebrates **and may adversely affect non-target plants.**
Do not apply.....etc.”

Note: the addition is in **bold**.

5) The following text must be added to the directions for use:

“Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.”

- 6) Per the MCPP-p RED, add "Wait at least 30 days between applications."
- 7) Add "to the extent consistent with applicable law" in front of "the buyer assumes responsibility".
- 8) "Superior Particle Technology for Superior Weed Control" is a misleading comparison with other pesticides. Delete this claim or supply efficacy data to support this claim. "Won't harm lawn" is a misleading safety claim and you must delete or add "when applied according to label directions".

A stamped copy of the label is enclosed for your records. You must submit one copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this letter or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA. Your release for shipment of the product constitutes acceptance of these conditions. This label supersedes all other previously accepted labels. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

4/9

(FRONT PANEL)

Trimec

Granular Herbicide Plus Lawn Fertilizer

- Controls Broadleaf Weeds and Builds Strong Lawns
- Controls Weeds This Fall AND Next Spring!
- Dual Action Weed Control - Kills the Plant and the Root
- Systemic and Contact Kill
- Kills the Weed, Kills the Root
- Controls over 200 broadleaf weeds
- Superior Particle Technology for Superior Weed Control
- Contains Trimec
- Kills weeds
- Easy-to-Use Granules
- Two Products in One!
- Kills the Weeds – Feeds the Lawn
- Won't Harm Lawn

ACTIVE INGREDIENTS:

2,4-D*	0.761 %
Mecoprop-p**	0.171 %
Dicamba***	0.072 %

OTHER INGREDIENTS:

98.996 %

- * CAS # 94-75-7
- ** CAS # 16484-77-8
- *** CAS # 1918-00-9

Isomer Specific by AOAC Methods

Net Wt: 16 lbs. (7.2 kg), 18 lbs. (8.1 kg), 32 lbs. (14.5 kg), 36 lbs. (16.3 kg), 48 lbs. (21.7 kg), or 54 lbs. (24.4 kg)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Ingredients and Precautionary Statements

ACCEPTED
with COMMENTS
In EPA Letter Dated:
NOV 30 2009

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.


72155-20

5/9

(BACK PANEL)

Trimec Granular Herbicide Plus Lawn Fertilizer gets rid of dandelions and over 200 other weeds as it feeds your lawn in one easy step. The convenient granules combine the most complete lawn weed control available with its exclusive 4 in 1 Total Turf Care, quickly greens the lawn, continuously feeds for up to 2 months, stimulates root development, and enriches and fortifies the soil to build a thick, lush turf. Beautifying your lawn has never been easier!

READ THE LABEL FIRST!

QUICK FACTS	
(Marketing Claims Positioned Here)	
FEEDS	Provides up to two months of feeding
KILLS	Dandelion, Chickweed, Clovers and over 200 other weeds
COVERAGE	This bag covers up to 5,000 sq. ft. (16 & 18 lbs.)
WHERE TO USE	On lawns (Do not use on Bentgrass, Carpetgrass, Dichondra or St. Augustinegrass [including Floratam])
WHEN TO USE	When weeds are actively growing.
HOW MUCH TO USE	See spreader settings
	For questions or comments, call toll-free 1-877 BayerAG or visit us on-line at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

Trimec is a registered trademark of PBI/Gordon Corporation for their blend of 2,4-D, Mecoprop-p and Dicamba

EPA Reg. No. 72155-20

EPA Est. No. XXXX-AA-XX

GUARANTEED ANALYSIS

- Total Nitrogen (N) X%
- Available Phosphate (P₂O₅)..... X%
- Soluble Potash (K₂O)..... X%

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-states.com>.

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

<p>BEFORE YOU USE Read and follow directions when using.</p>	<ul style="list-style-type: none"> Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Apply when grass is moist – early in the morning when dew is still present or after a brief watering – and wind is calm. Avoid applying when temperatures are consistently above 90 °F. Use care when applying near desirable plants such as flowers, vegetables, shrubs and trees as contact with the weed killer may damage them. Newly seeded, sprigged or sodded lawns may be treated after the third mowing. Do not apply more than two times per year.
<p>HOW TO USE</p>	<ul style="list-style-type: none"> Adjust spreader to the proper setting (see spreader settings). To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules. Do NOT apply if rain is expected within 24 hours. Do NOT water for 24 hours after application.
<p>FOR BEST RESULTS</p>	<ul style="list-style-type: none"> Best results are obtained when this product is used as part of the Bayer Advanced Lawn care program. Apply when weeds are actively growing. Mow lawn to normal height 1 – 2 days before applying this product to expose low growing weeds and stimulate uptake of the weed killer. If the lawn is dry, water 1 – 2 days before using this product. Make sure lawn receives a thorough watering 2 days after application, either from rain and/or sprinkling.
<p>HOW TRIMEC GRANULAR HERBICIDE PLUS LAWN FERTILIZER WORKS</p>	<p>This product removes unsightly weeds as it greens, revitalizes & thickens your lawn. It contains a blend of proven weed killers on small, lightweight particles that land and stay on even the smallest weed leaves. Here, the weed killers enter the weed and also through the roots. In a few days, weed stems and leaves begin to twist and curl while the lawn greens up. Weeds are completely gone, roots and all, in about 4 weeks. This product will not prevent new weeds from growing from seed.</p>

SPREADER SETTINGS

If your spreader is not listed, please call our toll-free Consumer Service hotline 1-877-BayerAL for help.

BROADCAST SPREADERS

3.2 or 3.6 lbs/1,000 sq. ft. Distance Between Passes (ft.)

MODEL	(Spreader settings to be determined.)
--------------	---------------------------------------

DROP SPREADERS


MODEL	(Spreader settings to be determined.)
--------------	---------------------------------------


Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

TIP 1,000 sq. ft. = 20 x 50 ft.

Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

KILLS			
Annual Yellow Sweetclover	Cockle	Mugwort	Speedwell
Aster	Cocklebur	Musk Thistle	Spiny Amaranth
Austrian Fieldcress	Common Mullein	Mustard	Spiny Cocklebur
Bedstraw	Creeping Charlie	Narrowleaf Plantain	Spiny Sowthistle
Beggarticks	Creeping Jenny	Narrowleaf Vetch	Spotted Catsear
Betony, Florida	Cudweed	Nettle	Spurge
Bindweed, Field	Curly Dock	Orange Hawkweed	Spotted Spurge
Bird Vetch	Daisy, English	Oriental Cocklebur	Spurweed
Bitter Wintercress	Daisy, Fleabane	Oxalis	Stinging Nettle
Bittercress, Hairy	Daisy, Oxeye	Parsley-piert	Strawberry, India Mock
Bitterweed	Dandelion	Parsnip	Tall Nettle
Black-eyed Susan	Dichondra	Pearlwort	Tall Vervain
Black Medic	Dogbane	Pennycress	Tansy Mustard
Black Mustard	Dogfennel	Pennywort	Tanweed
Blackseed Plantain	Dollarweed	Peppergrass	Thistle
Blessed Thistle	Dock	Pepperweed	Trailing Crownvetch
Bloodflower Milkweed	Elderberry	Pigweed	Tumble Mustard
Blue Lettuce	False Dandelion	Pineywoods Bedstraw	Tumble Pigweed
Blue Vervain	False Flax	Plains Coreopsis (Tickseed)	Velvetleaf
Bracted Plantain	False Sunflower	Plantain	Venice Mallow
Brassbuttons	Fiddleneck	Poison Ivy	Virginia Buttonweed
Bristly Oxtongue	Florida Pusley	Poison Oak	Virginia Creeper
Broadleaf Dock	Frenchweed	Pokeweed	Virginia Pepperweed
Broadleaf Plantain	Galinsoga	Poorjoe	Water Pennywort
Broomweed	Goathead	Prairie Sunflower	Wavyleaf Bullthistle
Buckhorn	Goldenrod	Prickly Lettuce	Western Clematis
Buckhorn Plantain	Ground Ivy	Prickly Sida	Western Salsify
Bulbous Buttercup	Gumweed	Prostrate Knotweed	White Mustard
Bull Thistle	Hairy Fleabane	Prostrate Pigweed	Wild Aster
Bullnettle	Hawkweed	Prostrate Spurge	Wild Buckwheat
Burclover	Healall	Prostrate Vervain	Wild Carrot
Burdock	Heartleaf Drymary	Puncturevine	Wild Four-o'clock
Burning Nettle	Heath Aster	Purslane	Wild Garlic
Burweed	Hedge Bindweed	Purslane, Common	Wild Geranium
Buttercup	Hedge Mustard	Ragweed	Wild Lettuce
Buttonweed	Hemp	Red Sorrel	Wild Marigold
Canada Thistle	Henbit	Redroot Pigweed	Wild Mustard
Carolina Geranium	Hoary Cress	Redstem Filaree	Wild Onion
Carpetweed	Hoary Plantain	Rough Cinquefoil	Wild Parsnip
Catchweed Bedstraw	Hoary Vervain	Rough Fleabane	Wild Radish
Catnip	Horsenettle	Russian Pigweed	Wild Rape
Catsear	Jimsonweed	Russian Thistle	Wild Strawberry
Chickweed, Common	Knawel	Scarlet Pimpernel	Wild Sweet Potato
Chickweed, Mouseear	Knotweed	Scotch Thistle	Wild Vetch
Chicory	Kochia	Sheep Sorrel	Woodsorrel
Cinquefoil	Lambsquarters	Shepherdspurse	Wooly Croton
Clover	Lespedeza	Slender Plantain	Wooly Morningglory
Clover, Crimson	Mallow	Smallflower Galinsoga	Wooly Plantain
Clover, Hop	Matchweed	Smooth Dock	Wormseed
Clover, Red	Mexicanweed	Smooth Pigweed	Yarrow
Clover, Strawberry	Milk Vetch	Sorrel	Yellow Rocket
Clover, Sweet	Morningglory	Sowthistle	Yellowflower Pepperweed
Clover, White	Mouseear Hawkweed	Spanishneedles	and other broadleaf weeds

	<p>Do not allow people (other than the applicator) or pets on treatment area during application. Do not allow people or pets to enter the treated area until dust has settled.</p>
---	--

IMPORTANT: Directions for Storage and Disposal	
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal: 	<ul style="list-style-type: none"> • Completely empty bag. • Do not reuse empty bag. • Place in trash.
<p>Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.</p>	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
<p>CAUTION</p> <ul style="list-style-type: none"> • Harmful if swallowed. • Avoid contact with eyes, skin, or clothing. • Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure. • When using this product, wear long-sleeved shirt, long pants, socks and shoes. • After using this product: <ul style="list-style-type: none"> • Remove clothing and launder separately before reuse. • Wash hands thoroughly with soap and water. 	

FIRST AID +	
IN CASE OF ACCIDENTAL...	IMMEDIATELY...
Contact with eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice
Contact with skin	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for further treatment advice.
<p>NOTE: When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredients: 0.761% 2,4-D [CAS # 94-75-7], 0.171% Mecoprop-p [CAS# 16484-77-8], 0.072% Dicamba [1918-00-9].</p>	

ENVIRONMENTAL HAZARDS
<p>This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark, except as noted on appropriate labels. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.</p> <p>This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.</p>

NOTICE: Research and testing have determined that the 'Directions For Use' are appropriate for the proper use of Trimec Granular

9/9

Herbicide Plus Lawn Fertilizer under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeradvanced.com

A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

Trimec Granular Herbicide (PENDING) 01/17/08