

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number: 72155-22

Date of Issuance:

MAY 1 9 2005

NOTICE OF PESTICIDE:

_x Registration ____ Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:

Triclopyr 0.8% RTU

under FIFRA, as amended)

Name and Address of Registrant (include ZIF Code):

Bayer Advanced, LLC 95 Chesnut Ridge Road Montvale, NJ 07645

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or rancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
 - 2. Make the following change to your labeling:

In the disposal section, under "if partly filled" and immediately prior to "call your local...", add the following:

- It is best to use all of the product in accordance with label directions.
- If it is necessary to dispose of unused product,
- 3. Only place marketing claims in the "Quick Facts" section that are listed at the top of the front panel of the EPA stamped label.

Λ	_
Signature of Approving/Official:	Date:
ne Jonetha	5-2-05

EPA Form /8570-6

Page 2 EPA Reg. No. 72155-22



If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions about this letter, please confact Tobi Colvin-Snyder at 703-305-

7801.

lim Tompkins

Product Manager (25)

Herbicide Branch

Registration Division (7505C)

(FRONT PANEL)

Triclopyr 0.8% RTU

Herbicide

Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.

- Controls Woody Plants, Vines, Brush, Brambles, and Broadleaf Weeds
- Contains Hammer* Herbicide
- Covers up to 272 Square Feet
- Kills Down to the Root
- · Kills the Weed Above and the Root Below
- · Kills the Toughest Weeds, Vines and Woody Plants Roots and All
- Special Penetrating Formula Kills Even the Toughest Plants
- Works Systemically Killing Weeds Right Down to the Root
- Begins Working in 1 3 Days
- · Rainfast in hours

ACTIVE INGREDIENT:

Triclopyr, triethylamine salt	0.8 %**
OTHER INGREDIENTS:	99.2 %

** 0.58% Triclopyr acid equivalent

Net Contents: 24 fl. oz. (709 mL)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Precautionary Statements

*Trademark of Dow AgroSciences

ACCEPTED
with COMMENTS
In EPA Letter Dated

MAY 1 9 2005

Under the Federal Insecticide, Fundicide, and Rodentiside Act as amended, for the pesticide registered under EPA Reg. No. 72155-22



(BACK PANEL)

Triclopyr 0.8% RTU Herbicide kills the tough brushy & viney weeds, roots and all. This convenient, ready-to-use formula controls Poison Ivy, Poison Oak, Blackberries and Kudzu - over 75 hard-to-kill plants in all. Eliminating unsightly brush, vines, brambles, and weeds from your home's landscape has never been easier!

READ THE LABEL FIRST!

QUICK FACTS (Marketing Claims	Positioned Here)	
KILLS	Brush, Vines, brambles and Other Woody Plants Broadleaf Weeds	
WHERE TO USE	Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.	
WHEN TO USE	When weeds are leafed out.	
☆ □	For questions or comments, call toll-free 1-877 BayerAG or visit us on-line at www.BayerAdvanced.com	

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-22

EPA Est. No. XXXX-AA-XX

It is a violation of Federal L	aw to use this product in a manner inconsistent with its labeling.	
BEFORE YOU USE Read and follow directions when using.	 TRICLOPYR 0.8% RTU HERBICIDE will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess. If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water. Apply when wind is calm. Keep people and pets off treated areas until spray has dried. Do not apply to or around fruits or vegetables used for food. 	
HOW TO APPLY	 Adjust sprayer nozzle to give a coarse spray. Hold sprayer about 12" from weed. Spray the weeds you want to kill until thoroughly wet but not dripping. TIPS: Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product. To Kill Vines, For vines growing on desirable plants, cut the vine and spray the stump. To Kill Poison Ivy or Poison Oak Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags. 	
REFILL	To this empty container (24 fl. oz.), add 2 fl. oz. (4 TBSP) of Triclopyr 8.8% Concentrate Herbicide, then fill with water very slowly to avoid foaming.	
FOR BEST RESULTS	 Apply when weeds are fully leafed out and actively growing. Rain or water 4 hours after application will not wash away effectiveness. Certain hard-to-kill weeds may require a repeat application if regrowth occurs. 	
HOW TRICLOPYR 0.8% RTU HERBICIDE WORKS	This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and root then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks.	



KILLS	Alder	Choke Cherry	Madrone	Spurge
ļ	Arkansas Rose	Clover	Maples	Sumac
1	Arrowwood	Cottonwood	Mesquite	Sweetbay Magnolia
1	Ash	Crataegus	Mimosa	Sweetgum
	Aspen	Curly Dock	Mulberry	Sycamore
	Beech	Dandelion	Oaks	Tanoak
	Bindweed	Douglas Fir	Oxalis	Tansy Ragwort
	Birch	Dogwood	Persimmon	Thimbleberry
	Blackberry	Elderberry	Pine	Trumpet Creeper
	Blackgum	Elm	Plantain	Tulip Poplar
	Box Elder	Field Bindweed	Poison Ivy	Vetch
	Brazilian Pepper	Field Horsetail Rush	Poison Oak	Virginia Creeper
	Burdock	Hawthorn	Poplar	Western Hemlock
	California Rose	Hazel	Ragweed	Wild Grape
	Canada Thistle	Henbit	Raspberry	Wild Lettuce
	Cascara	Honeysuckle	Salmonberry	Wild Rose
	Ceanothus	Hornbeam	Sassafras	Wild Violet
	Cherry	Kudzu	Scotch Broom	Willow
	Chicory	Lambsquarter	Smartweed	Winged Elm
	Chinquapin	Locust		



Do not allow people or pets onto treated areas until spray has dried.

Pesticide Storage:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.
Pesticide and Container Disposal:	 If Empty: Do not reuse empty container (except to refill with Triclopyr 8.8% Concentrate Herbicide) Place empty container in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Causes moderate eye irritation.
- Harmful if swallowed, inhaled or absorbed through skin.
- Avoid contact with eyes, skin or clothing.
- · Avoid breathing spray mist.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- · Remove contaminated clothing and wash before reuse.
- Wear a long sleeved shirt, long pants, shoes and socks when applying this product.

FIRST AID +	
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE: When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 0.8% Triclopyr, triethylamine salt (CAS # 57213-69-1).

ENVIRONMENTAL HAZARDS

- Do not apply directly to water.
- Do not contaminate water when disposing of equipment washwaters or rinsate.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D - 9669 033105

Bayer Advanced A business unit of Bayer CropScience, L.P. 95 Chestnut Ridge Rd. Montvale, NJ 07645