

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JUN 2 0 2012

Richard M Gorrell Bayer CropScience 2 T W Alexander Drive Research Triangle Park, NC 27709

Subject Notification per PR Notice 98-10 –Correct Text Error In Refill Section

Trıclopyr 0 8% RTU Herbicide

EPA Reg No 72155-22

Application Dated - June 12, 2012

Dear Mr Gorrell

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records

If you have any questions regarding this letter, please contact Maggie Rudick at (703) 347-0257 or <u>rudick maggie@epa gov</u>

Sincerely,

Kable Bo Davis, Product Manager 25

Herbicide Branch

Registration Division (7505P)

Richard M Gorrell

June 12, 2012

Bayer CropScience



June 12 2012

EPA12RMG0612TriclopyrNotifUseRate FedEx

Mr Kable Davis (PM 25) U S Environmental Protection Agency Office of Pesticide Programs (7504P) Document Processing Desk (REGFEE) Room S-4900 One Potomac Yard 2777 South Crystal Drive Arlington VA 22202-4501

Bayer CropScience 2 T W Alexander Drive RTP NC 27709 Phone 919 549 2000

RE Triclopyr 0 8% RTU Herbicide (72155-22) Notification to Correct Text Error in Refill Section of Label

Dear Mr Davis

I want to thank you for your help As discussed Bayer Environmental Science (BES) is notifying the Agency of a correction to the Triclopyr 0.8% RTU Herbicide Herbicide label. In the Refill section of the label (Page 3) the refill amount should read 11.5 fl. oz. and 23 TBS. In order to have this label on the 1.3 gallon package. Bayer needs the approval as soon as the Agency can mangage.

This letter contains the following information

- 8570-1 Application Form
- 2 copies of the revised label (1 copy shaded in yellow)

If you have any questions contact me at (919) 549-2423 or email me at mike gorrell@bayercropscience com

Sincerely

Richard M Gorrell

Manager Registrations

Incl

Cc Karen Shearer (Bayer)

Kristen Fielding (Bayer)



(FRONT PANEL)

Triclopyr 0.8% RTU

NOTIFICATA JUN 20 2012

Herbicide

(ABN) BAYER ADVANCED BRUSH KILLER PLUS READY-TO-USE

Use around homes cabins buildings fences walkways trails and wooded areas

Controls Woody Plants Vines Brush Brambles and Broadleaf Weeds

Contains Hammer* Herbicide

Covers up to 272 Square Feet

Kills Down to the Root

Kills the Weed Above and the Root Below

Kills the Toughest Weeds Vines and Woody Plants - Roots and All

Special Penetrating Formula Kills Even the Toughest Plants

Works Systemically Killing Weeds Right Down to the Root

Begins Working in 1 3 Days

Rainfast in hours

- Kills Tough Brush-Roots And All
- Kills Poison Ivy Poison Oak Blackberry Kudzu And Other Listed Brush
- Kills Roots
- 100% Satisfaction Guaranteed
- [Now][XX]% more* *(vs [XX][fl oz]size)
- Refillable from Triclopyr 8 8% Concentrate Herbicide
- · Refillable [from Concentrate]
- Refill Port [Use to refill from Triclopyr 8 8% Concentrate Herbicide]
- [Easy to Use] Refill [port] [cap]
- 7 inch spray wand extension included for targeted applications
- [Continuous spray for] Up to [XX] min [of continuous spray]

[The word listed can appear as a footnote on the same page as the claim with the appropriate phrase such as *listed brush types]

ACTIVE INGREDIENT

Triclopyr triethylamine salt
OTHER INGREDIENTS
TOTAL

0 8 %** 99 2 %

100 0%

** 0 58% Triclopyr acid equivalent

Net Contents 24 fl oz (709 mL) 1 gallon (3 78 L) or other sizes within this range (24 fl oz to 1 gallon)

CAUTION

See Back Panel Booklet for Additional Precautionary Statements

*Trademark of Dow AgroSciences

(BACK PANEL)

Triclopyr 0 8% RTU Herbicide kills the tough brushy & viney weeds roots and all Poison lvy Poison Oak Blackberries and Kudzu over 75 hard to-kill plants in all Eliminating unsightly brush vines brambles and weeds from your home's landscape has never been easier!

READ THE LABEL FIRST!

QUICK FACTS (Marketing Claims	Positioned Here)
KILLS	Brush Vines brambles and Other Woody Plants Broadleaf Weeds
WHERE TO USE	Use around homes cabins buildings fences walkways trails and wooded areas
WHEN TO USE	When weeds are leafed out When brush is leafed out
☎ 🖳	For questions or comments call toll free 1 877 BayerAG (1-877 229 3724) or visit us on line at www BayerAdvanced com

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg No 72155 22

EPA Est No XXXX AA XX

ATTACH SPRAYER Remove sprayer from bottle and extend hose Open flip cap on bottle Insert hose and plug into flip-cap opening until it snaps into place

SPRAY Adjust nozzle to stream or spray position Point sprayer downward and squeeze trigger repeatedly until liquid is released AFTER USE Turn sprayer nozzle to X (off) position Do not unplug hose Return sprayer to bottle Sprayer will snap into place

DIRECTIONS FOR USE			
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling			
BEFORE YOU USE Read and follow these	TRICLOPYR 0 8% RTU HERBICIDE will kill or injure all woody plants contacted Certain warm season grasses may experience temporary yellowing when sprayed to excess		
directions when using	 If a desirable plant (other than grass) is accidentally sprayed immediately rinse with plenty of water 		
	Apply when wind is calm		
	Keep people and pets off treated areas until spray has dried		
	Do not apply to or around fruits or vegetables used for food		

HOW TO APPLY	Adjust sprayer nozzle to give a coarse spray			
Shake well before use	Hold sprayer about 12 from weed			
	Spray the weeds you want to kill until thoroughly wet but not dripping			
	[Optional directions for packaging in 1 3 gal pump sprayer]			
	[How to use your sprayer			
	Sprayer Set Up Detach wand from retaining clip and pull the hose from the storage compartment			
	Make sure control valve is in the off position			
	Option to Extend Sprayer Wand			
	 Remove desired sprayer wand extensions from sprayer Disconnect sprayer wand tip from sprayer 			
	Attach sprayer tip to extensions			
	Tighten all fittings			
	2 To Spray			
	 Turn pump handle to release from locked position Pump the sprayer approximately 15-20 times until the pump is primed 			
	Compress and return pump handle to locked position			
	Begin spraying by pushing the lever on the spray handle down Select the desired spray pattern by rotating the nazzlo at the tip of the wand.			
	 Select the desired spray pattern by rotating the nozzle at the tip of the wand For continuous spraying slide the spray lever forward to lock position and pull back to release 			
	3 To relieve pressure when finished spraying			
	Turn the cap on the pressure relief valve clockwise			
	4 To store			
	Remove extensions from sprayer wand and return to sprayer unit			
	Reattach onginal wand and return hose into storage compartment			
	Secure wand to retaining clip]			
	TIPS			
	Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the			
	product			
	To Kill Vines			
	For vines growing on desirable plants cut the vine and spray the stump To Kill Poison Ivy or Poison Oak			
	Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction Handle			
	dead plants with rubber gloves Dispose of plants and gloves in tightly sealed garbage bags			
REFILL	To this empty container (24 fl oz) add 2 fl oz (4 TBSP) of Triclopyr 8 8% Concentrate Herbicide then fill with water very slowly to avoid foaming			
	[Optional directions for packaging in 1 3 gal pump sprayer]			
	[This bottle may be refilled when empty			
	Refilling the sprayer			
	Open refill port cap			
	Add 11 5 fl oz (23 TBS) of Triclopyr 8 8% Concentrate Herbicide to sprayer bottle (' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			
	Fill sprayer bottle with water to 1 gal fill line replace refill port cap tighten and shake well j			
FOR BEST RESULTS	Apply when weeds are fully leafed out and actively growing			
	Rain or water 4 hours after application will not wash away effectiveness			
	Certain hard to kill weeds may require a repeat application if regrowth occurs			
HOW TRICLOPYR 0 8% RTU HERBICIDE WORKS	This selective systemic herbicide enters plants through their leaves green or cut woody shoots and roots then moves throughout the plant and interferes with processes found only in plants. Visual syr notoms such as wilting and yellowing appear in 1 to 6 weeks			
	ς ι υ ς ι υ			

KILLS	Alder	Cottonwood	Madrone	Spurge
	Arkansas Rose	Crataegus	Maples	Sumac
	Arrowwood	Curly Dock	Mesquite	Sweetbay Magnolia
	Ash	Dandelion	Mimosa	Sweetgum
	Aspen	Douglas Fir	Mulberry	Sycamore
	Beech	Dogwood	Multifora Rose	Tanoak
	Bındweed	Elderberry	Oaks	Tansy Ragwort
	Birch	Elm	Oxalis	Thimbleberry
	Blackberry	Evening Primrose	Parsley Piert	Thistle
	Blackgum	Field Bindweed	Persimmon	Trumpet Creeper
	Box Elder	Field Horsetail Rush	Pine	Tulip Poplar
	Brazılıan Pepper	Florida Pusley	Plantain	Vetch
	Burdock	Hawthorn	Poison Ivy	Virginia Creeper
	California Rose	Hazel	Poison Oak	Western Hemlock
	Canada Thistle	Henbit	Poplar	Wild Grape
	Cascara	Honeysuckle	Purple Loosestrife	Wild Lettuce
	Ceanothus	Hornbeam	Ragweed	Wild Onion
	Cherry	Kudzu	Raspberry	Wild Rose
	Chicory	Japanese Knotweed	Salmonberry	Wild Violet
	Chinquapin	Lambsquarter	Sassafras	Willow
	Choke Cherry	Lespedeza	Scotch Broom	Winged Elm
	Clover	Locust	Smartweed	Yellow Rocket
	Common Chickweed			



Do not allow people or pets onto treated areas until spray has dried

Pesticide Storage	Store in original container in a cool dry place out of the reach of children preferably a locked storage cabinet. Protect from freezing
Pesticide and	- If Empty
Container Disposal	 Non refillable container Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container
	Place empty container in trash or offer for recycling if available
	If partly filled
	Call your local solid waste agency or toll free 1 877 229 3724 for disposal instructions
	Never place unused product down any indoor or outdoor drain

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS	ι (
CAUTION	(((
Causes moderate eye irritation	(((((
Harmful if swallowed inhaled or absorbed through skin		(
Avoid contact with eyes skin or clothing		
Avoid breathing spray mist	(
 Wash hands thoroughly with soap and water after handling and before eating drinking chewing gum or us 		ι (
Remove contaminated clothing and wash before reuse		,
Wear a long sleeved shirt long pants shoes and socks when applying this product		

+ FIRST AID		
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice 	
If on Skin or Clothing	 Take off contaminated clothing Rinse skin immediately with plenty of water for 15 – 20 minutes Call a poison control center or doctor for treatment advice 	
If Swallowed	 Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person 	

NOTE When calling a poison control center have this product label accessible if seeking treatment at an emergency room or doctors office bring this product label to show medical personnel. You may call toll free 877 229 3763 for medical emergency information. Active ingredients 0.8% Triclopyr triethylamine salt (CAS # 57213 69-1)

ENVIRONMENTAL HAZARDS

To protect the environment do not allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters
Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not
blow or wash pesticide off the treatment area

NOTICE Research and testing have determined that the Directions For Use are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee If you are not satisfied with this product we will gladly refund your original purchase price

Produced For



A Business Unit of Bayer CropScience LP P O Box 12014 2 T W Alexander Drive Research Triangle Park, North Carolina 27709

Triclopyr 0 8% RTU Herbicide (MASTER) 02/16/2012 Pending 06/11/2012



Page 5 of 5