

72155-22

8/22/2012

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington D C 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

AUG 22 2012

Richard Gorrell
Bayer Advanced
2 T W Alexander Drive
P O Box 12014
Research Triangle Park NC 27709

Subject Notification per PR Notice 98 10
Product Name Triclopyr 0.8% RTU Herbicide
EPA Reg No 72155 22
Application Dated August 7 2012

Dear Mr Gorrell

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98 10 for the subject product. The Registration Division (RD) has conducted a review of this request and finds that the action falls within the scope of PRN 98 10. The label submitted with the application has been date stamped Notification and will be placed in our records.

If you have any questions please contact Elizabeth Fertich at (703)347-8560 or at fertich.elizabeth@epa.gov

Sincerely

Mindy Anderson, Acting for

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)



United States
Environmental Protection Agency
Washington DC 20460

| | |
|-------------------------------------|--------------|
| <input type="checkbox"/> | Registration |
| <input type="checkbox"/> | Amendment |
| <input checked="" type="checkbox"/> | Other |

OPP Identifier Number

Application for Pesticide - Section I

| | | |
|---|---|---|
| 1 Company/Product Number 72155 22 | 2 EPA Product Manager Kable Bo Davis | 3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4 Company/Product (Name) Triclopyr 0.8% RTU Herbicide | PM# 25 | |
| 5 Name and Address of Applicant (Include ZIP Code) Bayer Environmental Science 2 T W Alexander Drive RTP NC 27709 <input type="checkbox"/> Check if this is a new address | 6 Expedited Review In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to EPA Reg No _____ Product Name _____ | |

Section - II

| | | |
|--|---|--|
| <input type="checkbox"/> Amendment Explain below | <input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____ Me Too Application | NOTIFICATION AUG 22 2012 |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> Other Explain below | |
| <input checked="" type="checkbox"/> Notification Explain below | | |

Explanation Use additional page(s) if necessary (For section I and Section II)

This notification is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Adding marketing claim Controls over 75 hard to kill plants


Section - III

| | | | | | |
|--|---|--|------------------|---|------------------|
| 1 Material This Product Will Be Packaged In | | | | | |
| Child Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | | 2 Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____ | |
| * Certification must be submitted | | If Yes Unit Packaging wgt | No per container | If Yes Package wgt | No per container |
| 3 Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container | | 4 Size(s) Retail Container | | 5 Location of Label Directions <input type="checkbox"/> | |
| 6 Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | <input type="checkbox"/> Other _____ | | | |

Section - IV

| | | |
|--|----------------------------------|---|
| 1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application) | | |
| Name Richard M. Gorrell | Title Manager Registrations | Telephone No. (Include Area Code) 919 549 2423 |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | 6 Date Application Received (Stamped) |
| 2 Signature <i>Richard M. Gorrell</i> | 3 Title Manager Registrations | |
| 4 Typed Name Richard M. Gorrell | 5 Date August 7 2012 | |

Bayer CropScience



August 7 2012

EPA12RMG0807TriclopyrNotifMktClaim
FedEx

Mr Kable Davis (PM 25)
U S Environmental Protection Agency
Office of Pesticide Programs (7504P)
Document Processing Desk (REGFEE)
Room S 4900 One Potomac Yard
2777 South Crystal Drive
Arlington VA 22202 4501

Bayer CropScience
2 T W Alexander Drive
RTP NC 27709
Phone 919 549 2000

RE Triclopyr 0.8% RTU Herbicide (72155 22) Notification to Add Marketing Claim

Dear Mr Davis

Bayer Environmental Science (BES) is notifying the Agency of the addition of the marketing claim Controls over 75 hard to-kill plants to the Triclopyr 0.8% RTU Herbicide Herbicide label. The label has a very similar statement that has already been approved by the Agency on page 2 of the label in the paragraph under the heading (Back Panel). The State of California wants Bayer to add the recommendation to the label claims on page 1.

This letter contains the following information:

- 8570 1 Application Form
- 5 copies of the revised label (1 copy shaded in yellow)

If you have any questions contact me at (919) 549-2423 or email me at mike.gorrell@bayercropscience.com

Sincerely

Richard M. Gorrell
Manager Registrations

Incl
Cc Karen Shearer (Bayer)
Kristen Fielding (Bayer)

4/9

(FRONT PANEL)

NOTIFICATION

AUG 22 2022

Triclopyr 0.8% RTU

Herbicide

(ABN) BAYER ADVANCED BRUSH KILLER PLUS READY-TO-USE

Use around homes cabins buildings fences walkways trails and wooded areas

Controls Woody Plants Vines Brush Brambles and Broadleaf Weeds

Contains Hammer Herbicide

Covers up to 272 Square Feet

Kills Down to the Root

Kills the Weed Above and the Root Below

Kills the Toughest Weeds Vines and Woody Plants Roots and All

Special Penetrating Formula Kills Even the Toughest Plants

Works Systemically Killing Weeds Right Down to the Root

Begins Working in 1 - 3 Days

Rainfast in hours

Kills Tough Brush Roots And All

Kills Poison Ivy Poison Oak Blackberry Kudzu And Other Listed Brush

Kills Roots

100% Satisfaction Guaranteed

[Now][XX] / more (vs [XX][fl oz]size)

Refillable from Triclopyr 8.8 / Concentrate Herbicide

Refillable [from Concentrate]

Refill Port [Use to refill from Triclopyr 8.8 / Concentrate Herbicide]

[Easy to Use] Refill [port] [cap]

7 inch spray wand extension included for targeted applications

[Continuous spray for] Up to [XX] min [of continuous spray]

Controls over 75 hard to kill plants

[The word listed can appear as a footnote on the same page as the claim with the appropriate phrase such as listed brush types]

ACTIVE INGREDIENT

Triclopyr triethylamine salt

0.8 /

OTHER INGREDIENTS

99.2 /

TOTAL

100.0 /

0.58 / Triclopyr acid equivalent

Net Contents 24 fl oz (709 mL) 1 gallon (3.78 L) or other sizes within this range (24 fl oz to 1 gallon)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Precautionary Statements


Trademark of Dow AgroSciences

5/9

(BACK PANEL)

Triclopyr 0.8 / RTU Herbicide kills the tough brushy & viney weeds, roots and all. This convenient, ready to use formula controls Poison Ivy, Poison Oak, Blackberries and Kudzu - over 75 hard to kill plants in all. Eliminating unsightly brush, vines, brambles and weeds from your home's landscape has never been easier!

READ THE LABEL FIRST!

| | |
|---|---|
| QUICK FACTS (Marketing Claims Positioned Here) | |
| KILLS | Brush, Vines, brambles and Other Woody Plants Broadleaf Weeds |
| WHERE TO USE | Use around homes, cabins, buildings, fences, walkways, trails and wooded areas |
| WHEN TO USE | When weeds are leafed out When brush is leafed out |
|  | For questions or comments, call toll free 1-877-BayerAG (1-877-229-3724) or visit us online at www.BayerAdvanced.com |

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-22

EPA Est. No. XXXX-AA-XX

ATTACH SPRAYER: Remove sprayer from bottle and extend hose. Open flip cap on bottle. Insert hose and plug into flip cap opening until it snaps into place.

SPRAY: Adjust nozzle to stream or spray position. Point sprayer downward and squeeze trigger repeatedly until liquid is released.

AFTER USE: Turn sprayer nozzle to X (off) position. Do not unplug hose. Return sprayer to bottle. Sprayer will snap into place.

6/9

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

BEFORE YOU USE
Read and follow these directions when using

TRICLOPYR 0.8 / RTU HERBICIDE will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess.
If a desirable plant (other than grass) is accidentally sprayed immediately rinse with plenty of water.
Apply when wind is calm.
Keep people and pets off treated areas until spray has dried.
Do not apply to or around fruits or vegetables used for food.

HOW TO APPLY
Shake well before use

Adjust sprayer nozzle to give a coarse spray
Hold sprayer about 12" from weed
Spray the weeds you want to kill until thoroughly wet but not dripping

[Optional directions for packaging in 1.3 gal pump sprayer]

[How to use your sprayer]

1 Sprayer Set Up

Detach wand from retaining clip and pull the hose from the storage compartment
Make sure control valve is in the off position
Option to Extend Sprayer Wand
Remove desired sprayer wand extensions from sprayer
Disconnect sprayer wand tip from sprayer
Attach sprayer tip to extensions
Tighten all fittings

2 To Spray

Turn pump handle to release from locked position
Pump the sprayer approximately 15-20 times until the pump is primed
Compress and return pump handle to locked position
Begin spraying by pushing the lever on the spray handle down
Select the desired spray pattern by rotating the nozzle at the tip of the wand
For continuous spraying slide the spray lever forward to lock position and pull back to release

3 To relieve pressure when finished spraying

Turn the cap on the pressure relief valve clockwise

4 To store


Remove extensions from sprayer wand and return to sprayer unit
Reattach original wand and return hose into storage compartment
Secure wand to retaining clip]


TIPS

Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product
To Kill Vines
For vines growing on desirable plants cut the vine and spray the stump
To Kill Poison Ivy or Poison Oak
Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags

| | |
|--|---|
| REFILL | <p>To this empty container (24 fl oz) add 2 fl oz (4 TBSP) of Triclopyr 8 8 / Concentrate Herbicide then fill with water very slowly to avoid foaming</p> <p>[Optional directions for packaging in 1 3 gal pump sprayer]</p> <p>[This bottle may be refilled when empty</p> <p>Refilling the sprayer</p> <p><i>Open refill port cap Add 11 5 fl oz (23 TBS) of Triclopyr 8 8 / Concentrate Herbicide to sprayer bottle Fill sprayer bottle with water to 1 gal fill line replace refill port cap tighten and shake well]</i></p> |
| FOR BEST RESULTS | <p>Apply when weeds are fully leafed out and actively growing</p> <p>Rain or water 4 hours after application will not wash away effectiveness</p> <p>Certain hard to kill weeds may require a repeat application if regrowth occurs</p> |
| HOW TRICLOPYR 0 8 / RTU HERBICIDE WORKS | <p>This selective systemic herbicide enters plants through their leaves green or cut woody shoots and roots then moves throughout the plant and interferes with processes found only in plants Visual symptoms such as wilting and yellowing appear in 1 to 6 weeks</p> |

| | | | | |
|--------------|--|--|---|--|
| KILLS | <p>Alder Arkansas Rose Arrowwood Ash Aspen Beech Bindweed Birch Blackberry Blackgum Box Elder Brazilian Pepper Burdock California Rose Canada Thistle Cascara Ceanothus Cherry Chicory Chinquapin Choke Cherry Clover Common Chickweed</p> | <p>Cottonwood Crataegus Curly Dock Dandelion Douglas Fir Dogwood Elderberry Elm Evening Primrose Field Bindweed Field Horsetail Rush Florida Pusley Hawthorn Hazel Henbit Honeysuckle Hornbeam Kudzu Japanese Knotweed Lambsquarter Lespedeza Locust</p> | <p>Madrone Maples Mesquite Mimosa Mulberry Multiflora Rose Oaks Oxalis Parsley Piert Persimmon Pine Plantain Poison Ivy Poison Oak Poplar Purple Loosestrife Ragweed Raspberry Salmonberry Sassafras Scotch Broom Smartweed</p> | <p>Spurge Sumac Sweetbay Magnolia Sweetgum Sycamore Tanoak Tansy Ragwort Thimbleberry Thistle Trumpet Creeper Tulip Poplar Vetch Virginia Creeper Western Hemlock Wild Grape Wild Lettuce Wild Onion Wild Rose Wild Violet Willow Winged Elm Yellow Rocket</p> |
|--------------|--|--|---|--|

| | |
|---|---|
|  | <p>Do not allow people or pets onto treated areas until spray has dried</p> |
|---|---|

| IMPORTANT Directions for Storage and Disposal | |
|--|---|
| Pesticide Storage | Store in original container in a cool dry place out of the reach of children preferably a locked storage cabinet Protect from freezing |
| Pesticide and Container Disposal  | If Empty Non refillable container Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container Place empty container in trash or offer for recycling if available If partly filled Call your local solid waste agency or toll free 1 877 229 3724 for disposal instructions Never place unused product down any indoor or outdoor drain |

| PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS |
|--|
| CAUTION Causes moderate eye irritation Harmful if swallowed inhaled or absorbed through skin Avoid contact with eyes skin or clothing Avoid breathing spray mist Wash hands thoroughly with soap and water after handling and before eating drinking chewing gum or using tobacco Remove contaminated clothing and wash before reuse Wear a long sleeved shirt long pants shoes and socks when applying this product |

| + FIRST AID | |
|---|--|
| If in Eyes | Hold eye open and rinse slowly and gently with water for 15 – 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice |
| If on Skin or Clothing | Take off contaminated clothing Rinse skin immediately with plenty of water for 15 – 20 minutes Call a poison control center or doctor for treatment advice |
| If Swallowed | Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person |
| <p>NOTE When calling a poison control center have this product label accessible. If seeking treatment at an emergency room or doctor's office bring this product label to show medical personnel. You may call toll free 877 229 3763 for medical emergency information.</p> <p>Active Ingredients 0.8 / Triclopyr triethylamine salt (CAS # 57213 69 1)</p> | |

| ENVIRONMENTAL HAZARDS |
|--|
| To protect the environment do not allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. |

NOTICE Research and testing have determined that the Directions For Use are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee If you are not satisfied with this product we will gladly refund your original purchase price.

PRODUCED FOR



**A Business Unit of Bayer CropScience LP
 P O Box 12014 2 T W Alexander Drive
 Research Triangle Park North Carolina 27709**

Triclopyr 0.8 / RTU Herbicide (MASTER) 06/20/2012 Notification 08/02/12