

72155-24

9/10/2003

1/8



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
1200 Pennsylvania Ave. N.W.
Washington, D.C. 20004

EPA Reg. Number:

72155-24

Date of Issuance

SEP 10 2003

Term of Issuance: Conditional

Name of Pesticide Product:

Tempo® 0.75% Ready-to-Spray
Insecticide

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer Advanced
95 Chestnut Ridge Road
Montvale, NJ 07645

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read "EPA Reg. No.72155-24".
 - b. Insert the word "may" into the front panel claims regarding control of mosquitoes and ticks that carry West Nile Virus and Lyme disease, so that these claims read as follow:
 - "Kills Mosquitoes including those that may carry the West Nile Virus"
 - "Kills fleas and ticks, including deer ticks which may carry Lyme disease" (This claim appears twice on the front panel)
 - "Stops Mosquitoes on Contact, (including) even those that may carry West Nile Virus"
3. Submit two (2) copies of your final printed label before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

Signature of Approving Official:

Susan L. Stanton for George T. LaRocca

Date:

SEP 10 2003

Page 2

EPA Reg. No. 72155-24

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosures

(Front Panel)

Tempo® 0.75%

Ready-to-Spray Insecticide

For Use On: Lawns, Ground Covers, Flowers, Shrubs, Trees, Around Homes

READY TO SPRAY

CONCENTRATE

KILLS INSECTS

RAINPROOF WITHIN 1 HOUR OF APPLICATION

- Just One Application Quickly Kills Insects
- Kills Over 60 Different Outdoor Insects
- Treats 5,333 sq ft of Lawn (1 Qt.)
- Effective Home/Yard Barrier Treatment
- Quickly Stops Harmful Insects Before They Do Damage
- Effective Against a Broad Range of Listed Pests
- Kills Pests Outdoors Before They Come Inside
- Ready To Spray...No Mixing, No Measuring
- Keeps on killing mosquitoes for 2 weeks
 - Kills Mosquitoes including those that carry the West Nile Virus
 - Kills fleas and ticks, including deer ticks which carry Lyme disease
 - Kills Scorpions Fast
 - Kills Mosquitoes and other Annoying Insects
 - Creates a Bug Barrier Around Your Yard
 - Keeps Annoying Insects Away
 - Keeps Bugs Out of Your Yard
- Contains Tempo®

DOUBLE PROTECTION FORMULA

- Fast Acting..Kills on Contact
- Keeps On Killing Mosquitoes for 2 Weeks
 - Stops Mosquitoes on Contact, (including) even those that carry West Nile Virus
 - Kills Fleas and Ticks, including Deer Ticks which carry Lyme Disease
- Kills Scorpions Fast
- Kills Mosquitoes and Other Annoying Insects
- Creates a Bug Barrier Around Your Yard
- Keeps Annoying Insects Away
- Keeps Bugs Out Of Your Yard

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

SEP 10 2003

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
72155-24**

ACTIVE INGREDIENT:

Cyfluthrin 0.75 %

OTHER INGREDIENTS 99.25 %

Net Contents: 16 fl oz or 32 fl oz



KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional ingredients and precautionary statements.

(BACK PANEL)

READ THE LABEL FIRST!



QUICK FACTS	
<Marketing Claims Positioned Here>	
KILLS	Mosquitoes, Fleas, Ticks, and 58 other listed pests
COVERAGE (1 Qt.)	Covers 5,333 sq ft of lawn.
WHERE TO USE	Lawns, Ground Covers, Flowers, Shrubs, Trees, Around Homes
WHEN TO USE	When insects or damage first appear
HOW MUCH TO USE	No measuring needed. . . . Dilutes automatically.
 	For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724) or visit us on-line at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Cyfluthrin 0.75 %

OTHER INGREDIENTS* 99.25 %
100.00 %

* Other ingredients include: Water, organic solvent (less than 3%, to dissolve the active ingredient for mixing) and surfactants (to keep the active ingredient dispersed in water).

Cyfluthrin is the chemical name for Tempo®

EPA Reg. No. 72155-XX

EPA Est. No. XXXX-AA-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE

Read and follow these directions when using:

- Apply the product to flowering plants during early morning or late evening, when bees are not present.
- Do not spray the product into fish pools, ponds, streams, or lakes.
- Do not apply to plants grown for food.
- Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried.

HOW TO USE

Shake well before using.

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.

HOW TO ATTACH & SPRAY

1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position. (ART)
2. Turn on water at faucet. Twist the small, star-shaped, blue product-control button to align the flat portion with the lock tab. Push the button in to open. (ART)
3. To begin spraying, point nozzle toward the area to be treated and turn the blue water control valve to the ON position. Tab will be horizontal. This (1 Qt.) bottle will cover 5,333 sq. ft. of lawn. (ART)
4. To stop spraying, turn the blue water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet. (ART)
5. Relieve water pressure by turning blue water control valve to the ON position until water slows to a drip. Turn blue water control valve back to OFF. Disconnect garden hose from bottle.

TIPS FOR APPLYING

- Extend hose to the farthest area to be treated and work back toward the faucet to avoid walking into wet, treated area. (ART)
- Walk at a steady pace while spraying, using an even sweeping motion, slightly overlapping the treated areas.
- **Mosquitoes and Other Outdoor Nuisance Pests**
 - Spray thoroughly beneath shrubs, around house foundation and in nearby tall grass or weeds. Cover evenly.
 - To control mosquitoes, pay special attention to shady areas where they rest and, when possible, drain standing water where they live. Do not spray this product into fish pools, ponds, streams, or lakes.
- **Lawn Pests**
 - To control ticks, spray tall grasses & weeds and, when possible, keep those areas mowed.
 - After spraying the lawn, wait 24 hours before mowing.
- **Flowers, Trees, Shrubs, Ground Covers**
 - Spray foliage, tender new shoots and the underside of leaves thoroughly.
 - To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping.

FOR BEST RESULTS

- Avoid Rain or watering for one hour after application. Rain or watering more than one hour after application will not wash away effectiveness.
- To avoid serious damage to plants, eliminate pests early in the season before they multiply.
- For severe infestations, repeat every 7 to 14 days as necessary.

KILLS

Ants	Corn earworms	Leaf Beetles	Seed weevils (adults)
Aphids	Corn rootworms (adults)	Leaf-feeding beetles	Sod Webworms
Armyworms	Crickets	Leaf-feeding caterpillars	Sowbugs
Aster leafhoppers	Cutworms	Leafhoppers (including Glassy-winged Sharpshooter)	Spiders
Bagworms	Earwigs	Leafminers	Spittlebugs
Banded sunflower moths	Elm leaf beetles	Mealybugs	Stem weevil (adults)
Bluegrass billbug (adults)	Fire ants	Midges	Stink bugs
Boxelder bugs	Flea beetles	Mole Crickets	Sunflower beetles
Budmoths	Fleas	Mosquitoes	Sunflower moths
Caterpillars	Flies	Pepper weevils (adults)	Thrips
Chiggers	Grasshoppers	Pillbugs	Ticks (including deer ticks)
Chinch bugs	Gypsy Moth Larvae	Plant bugs	Wasps
Clover mites	Hyperodes weevil (adults)	Potato leafhoppers	Weevils (including Root Weevils)
Cockroaches	Japanese beetles (adults)	Scale (crawler stages)	Western Flower Thrips
Corn borers	Lace bugs	Scorpions	Whiteflies



Children and pets may re-enter the treated area after spray has dried.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution

Harmful if swallowed or inhaled.
 Causes eye irritation.
 Avoid contact with skin, eyes, or clothing.
 Wash thoroughly with soap and water after handling.

First Aid +

IN CASE OF ACCIDENTAL...

IMMEDIATELY...

Swallowing

Call a poison control center or doctor immediately for treatment advice.
 Have person sip a glass of water if able to swallow.
 Do not induce vomiting unless told to do so by the poison control center or doctor.
 Do not give anything by mouth to an unconscious person.

Contact with eyes

Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 Call a poison control center or doctor for treatment advice.

Inhalation

Move person to fresh air.
 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
 Call a poison control center or doctor for further treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-877-229-3763 for medical emergency information.
 Active Ingredient: 0.75% Cyfluthrin [CAS # 68359-37-5]

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water.

This pesticide is highly toxic to bees. Do not apply TEMPO 0.75% Ready-To-Spray Insecticide when bees are active.

IMPORTANT: Directions for Storage and Disposal

Storage Conditions:

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
 Protect from freezing.

Disposal:



- Do not reuse empty container.
- Place in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of TEMPO 0.75% Ready-To-Spray Insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D-9755 071503

Bayer Advanced
95 Chestnut Ridge Rd.
Montvale, NJ 07645