UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 6, 2015

Dr. Norma Pangilinan Bayer CropScience LP 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Subject: Notification per PRN 98-10 – Adding optional sprayer application language; adding marking claims; updating Storage and Disposal headings; updating company designation Product Name: Beta-cyfluthrin 0.05% Ant & Roach Killer Pump Spray EPA Registration Number: 72155-27 Application Date: June 24, 2015 Decision Number: 506527

Dear Dr. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, you may contact Julie Chao at (703) 308-8735 or via email at <u>chao.julie@epa.gov</u>.

Sincerely,

this dum On for

Kable Bo Davis, Product Manager 03 Invertebrate & Vertebrate Branch 1 Registration Division (7505P) Office of Pesticide Programs

(FRONT PANEL)

# Beta-cyfluthrin 0.05% Ant & Roach Killer Pump Spray

(ABN) Home Pest Control Indoor & Outdoor Insect Killer Ready-To-Use

- Ready-to-Use
- Kills fast, lasts long.
- Kills most common household insect pests.
- For Indoor and Outdoor Use
- Kills invading insects around basements, foundations and baseboards.
- Kills the insects you see, kills the ones you don't see.
- Kills hidden bugs.
- Kills ants and roaches in seconds.
- Also kills with residual action.
- Just one application quickly kills insects - Continues killing German cockroaches, black carpenter ants and house crickets up to 12 months (1 year) indoors on non porous surfaces
- Fast Acting - Long Lasting
- Double Protection - Use Inside and Outside
- Use as outdoor barrier treatment - keeps insects from entering your home.
- Kills a Wide Range of Crawling, Flying and Wood-Infesting Pests
- Indoor protection for up to 12 months (1 year) for German cockroaches, black carpenter ants and house crickets on non porous surfaces. Guaranteed
- Up to 12 months (1 year) Indoor Protection for German cockroaches, black carpenter ants and house crickets on non porous surfaces.
- Water-based formula
- Non-Staining
- Guaranteed Satisfaction
- Kills most common pests, including ants and cockroaches
- Contains Tempo Ultra®
- 100% Satisfaction Guaranteed.
- Controls Carpenter bees, scorpions, and even wasps.
- Creates a bug barrier around treated area
- Home barrier protection from listed insects
- Kills Stink Bugs (including Brown Marmorated Stink Bugs)
- ERGO-GRIP Spray Wand
- Grip controlled sprayer reduces hand fatigue
- Grip control make it easier to spray
- Contours and grip control reduce hand fatigue
- Contours and grip control make it easy to spray
- Contours and grip control take the pressure off your hands
- Contours and grip control for better comfort
- Grip controlled sprayer for your comfort
- Grip control and contours for easier spraying
- Contoured grip control for your comfort
- Contoured grip control reduces hand fatigue
- Comfortable, accurate, easy to store
- Designed for comfort, accuracy, easy storage

### NOTIFICATION

72155-27 The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

7/6/2015

ACTIVE INGREDIENT:	
Beta-cyfluthrin	 0.05 %
OTHER INGREDIENTS:	 <u>99.95 %</u>
TOTAL	<mark>100.00%</mark>

## KEEP OUT OF REACH OF CHILDREN

## FOR INDOOR/OUTDOOR RESIDENTIAL USE ONLY CAUTION

See back panel/booklet for additional ingredients and precautionary statements

If swallowed	Call a poison control center or doctor immediately for treatment advice.
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>
	• Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If inhaled	<ul> <li>If breathing is affected, move person to fresh air.</li> </ul>
	<ul> <li>If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible.</li> </ul>
	Contact doctor or poison control center for further treatment advice.

#### (BACK PANEL)

This product provides up to 12 months (1 year) indoors insect protection with a single application for German cockroaches, black carpenter ants and house crickets on non porous surfaces. Keeping nuisance pests out of your home has never been easier.

## **READ THE LABEL FIRST!**

## **QUICK FACTS**

• Kills Ants and Roaches in Seconds.

- Continues Killing Insects Up To 12 months (1 year) Indoors for German cockroaches, black carpenter ants and house crickets on non-porous surfaces.
- Keeps Insects Out of Your Home
- Non-staining.

KILLS         Ants, Cockroaches, Fleas, Spiders and Stink Bugs (including Brown Marmorated Stink Bugs), and ot listed pests.	
WHERE TO USE         Indoor as spot or crack and crevice spray. Outdoor as perimeter treatment.	
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724)

### ACTIVE INGREDIENT:

Beta-cyfluthrin	0.05 %
OTHER INGREDIENTS:	<u>99.95 %</u>
TOTAL:	100.0 %

EPA Reg. No. 72155-27

EPA Est. No. XXXX-AA-1

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION:

- Harmful if swallowed or inhaled.
- Causes eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.
- Avoid breathing vapors or spray mist.
- Remove contaminated clothing and wash clothing before reuse.

## **ENVIRONMENTAL HAZARDS**

- This pesticide is highly toxic to aquatic invertebrates and fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.
- This product is not intended for application to plants or lawns.
- Apply this product only as specified on this label.

	DIRECTIONS FOR USE
It is a violation of Federal L	aw to use this product in a manner inconsistent with its labeling.
For best results, read and	follow all label directions.
BEFORE YOU USE	Do not spray into fish pools, ponds, streams, or lakes.
Read and follow	<ul> <li>Indoors, do not use as a space spray (do not spray into the air).</li> </ul>
directions when using.	Remove animal feeding dishes before spraying.
	Keep children and pets away from treated areas until spray has dried.
	Do not use on surfaces where food is prepared or where food is exposed.
	<ul> <li>Before spraying indoors, remove birds from area and tightly cover or remove fish bowls and aquariums.</li> </ul>
	RESTRICTIONS
	<ul> <li>Do not water the treated area to the point of run-off.</li> <li>Do not make applications during rain.</li> </ul>
	<ul> <li>All outdoor applications must be limited to spot or crack-and-crevice treatment only, except for the following permitted uses:</li> </ul>
	(1) Treatment to soil or vegetation around structures;
	(2) Applications to building foundations, up to a maximum height of 3 feet.
	• Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.
	<ul> <li>Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.</li> </ul>
HOW TO USE	INDOOR USE
Shake Well Before Use	Hold container upright while spraying. Direct nozzle about 12 inches from surface to be treated.
	• Spray around baseboards, into cracks and crevices and other places where insects live and hide (under sinks, cabinets, refrigerators, damp areas, etc.) until surfaces are wet. Avoid excessive wetting of linoleum, asphalt tiles or plastic.
	<ul> <li>For long lasting residual action leave spray undisturbed. The product will keep on killing for up to 12 months (1 year) indoors for German cockroaches, black carpenter ants and house crickets on non- porous surfaces.</li> </ul>
	For hidden areas try Bayer Advanced Roach Pen.
	OUTDOOR USE
	Apply to exterior surfaces of the home.
	• Spray a band 3 to 4 feet wide around and alongside the foundation and porches of the house.
	• Treat soil, turf or walkways adjacent to foundation and porches. Also treat 1 to 2 feet up along the side of the dwelling.
	• For more serious problems, a wider band of treatment, up to 10 feet, may be necessary.
	Spray with the wind to avoid drifting of the spray onto skin or clothing.
	• Treat where dissimilar building materials meet, such as where brick meets wood trim or where siding meets window edges or where cracks are visible or around and into any openings where utilities enter the home. Spray around doors and window frames.

HOW TO USE	• Treat outside surfaces of garages, carports, patios, driveways and sidewalks if insects are present.		
Shake Well Before Use	<ul> <li>Treat other problem areas such as around wood piles, storage sheds, and other areas of insect infestation as needed. Spray on ant trails and ant hills.</li> </ul>		
	• For wasps, hornets, yellow jackets: Application to nests should be made late in evening when insects are at rest.		
<ul> <li>To aid in control of fire ants in lawns and other outdoor home recreation areas, thoroughly dret the entire mound area. Spray provides contact activity and residual in the active mound. Use a coarse spray and apply gently to avoid disturbing ants.</li> <li>Note: For best results apply in cool weather 65 to 80° F, or in early morning or late evening hours new mounds as they appear.</li> <li>WOOD INFESTING PESTS</li> <li>For control of termites and wood-infesting beetles found above ground, apply to voids and hole damaged wood, and in spaces between wooden structures and between the sill plate and four where wood is exposed.</li> </ul>			
			• Apply spray to exposed worker and winged reproductive forms of termites. This type of application is intended to be a supplemental treatment for control of drywood and above-ground subterranean termites and other wood-infesting insects. It is not intended as a substitute for soil treatments for termite control.
			• For control of <b>swarming or reproductive stages of termites</b> , apply a coarse spray to the swarm or area on which they collect.
			• For control of <b>carpenter ants</b> around houses and other structures, apply around doors and windows and other places where carpenter ants may enter the premises. Spray into cracks and crevices or voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area.
	• For control of <b>carpenter bees in structures</b> , spray the liquid directly into bee entrance holes. Leave the entrance holes open for 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.		

PESTS CONTROLLED	INDOOR PESTS			
[KILLS]	1. CRAWLING PESTS			
	Ants	Centipedes	Firebrats	Silverfish
	Bedbugs	Cockroaches	Millipedes	Sowbugs
	Carpet Beetles	Crickets	Pillbugs	Spiders
		Earwigs		Stink Bugs (including Brown Marmorated Stink Bugs)
	2. FLYING PESTS			
	Clothes moths	Gnats	Mosquitoes	Wasps
	Flies	Midges	Moths	Yellow Jackets
	3. PANTRY & STORED	PRODUCT PESTS		
	BEETLES: (exposed adults & immature stages) Cadelle Cigarette	Dermestid Drug-store Granary Weevil Hide	Leather Lesser Grain Borer Lesser Mealworm	Mealworm Red Flour Rice Weevil Sawtoothed Grain
	Confused Flour	Larder	Merchant Grain	Warehouse
	MOTHS:			
	Indian Meal	Mediterranean Flour		
PESTS CONTROLLED	OUTDOOR/PERIMETER	PESTS		
[KILLS]	Ants	Crickets	Gnats	Moths
	Bees	Earwigs	Ground Beetles	Scorpions
	Boxelder Bugs	Elm leaf Beetle	Hornets	Silverfish
	Carpenter Ants	Fire Ants	Imported Fire Ants	Spiders
	Cecidflies Centipedes Clusterflies	Firebrats Flies Fleas	Midges Millipedes Mosquitoes	Stink Bugs (including Brown Marmorated Stink Bugs)
	Cockroaches			Ticks (including Deer Ticks)
				Wasps Yellow Jackets
	WOOD INFESTING PEST	ſS		
	Carpenter Ants	False Powderpost	Powderpost	
	Carpenter Bees	Old House Borer		
	BEETLES:			
	Ambrosia			
	Deathwatch			
	TERMITES:			
	Subterranean	Formosan	Drywood	



Re-enter when spray is dry.

#### [Option 1]







#### ATTACH SPRAYER

- Remove sprayer from bottle and extend hose.
- Open flip-cap on bottle.
- Insert hose and plug into flip-cap opening until it snaps into place.


### SPRAY

- Adjust nozzle to stream or spray position.
- Point sprayer downward and squeeze trigger repeatedly until liquid is released.

#### AFTER USE

- Turn sprayer nozzle to X (off) position.
- Do not unplug hose.
- Return sprayer to bottle. Sprayer will snap into place.

#### [Option 2]



torage	
•	Slide OFF-ON switch to OFF position.
•	Do not unplug hose. Leave connected to cap.
•	Turn spray nozzle to the off position.
•	Fold spray wand down against sprayer handle.
•	Return ERGO-GRIP spray wand to pocket for storage.
o Rep	lace Batteries
•	Open battery compartment [with a small screwdriver].
•	Remove used batteries and replace with new batteries in correct position as indicated inside battery compartment.
•	Securely close battery compartment door [and screw closed].
oper	use of Batteries
•	Never mix old batteries with new.
•	Do Not mix Alkaline with Standard (carbon zinc) or Rechargeable (nickel cadmium) batteries.
•	When storing sprayer for long periods, remove batteries to prevent leakage.
•	Dispose of used batteries according to manufacturer's instructions or in household trash.

IMPORTANT: DIRECTIONS FOR STORAGE AND DISPOSAL			
Pesticide Storage: Conditions:	Store in an area out of reach of children, preferably a locked storage cabinet. Protect from freezing.		
Container Handling Disposal:	<ul> <li>If empty:</li> <li>Non-refillable container. Do not refill or reuse this container.</li> <li>Place in trash or offer for recycling if available.</li> </ul>		
	<ul> <li>If partly filled:</li> <li>Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.</li> <li>Never place unused product down any indoor or outdoor drain.</li> </ul>		

## NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of Beta-cyfluthrin 0.05% Ant & Roach Killer Pump Spray under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 24 fl oz, 64 oz (709 mL) or 1 gallon (3.78 L)

PRODUCED FOR



A Business Unit Division of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Beta-Cyfluthrin 0.05% Ant & Roach Killer Pump Spray (PENDING) 06/16/2015, 06/19/2015, 06/24/2015